SAFETY DATA SHEET MSDS for #86356 - HORADAM & Obtain (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| 14 473 1.1 | (01.02.23) | Issue date: Page | 01.02.23 1/ 9 |
|---|--|--|---|
| SECTION 1 | · Identification of the su | ubstance/mixture and of the | |
| | | | |
| identifier | | | |
| | | | |
| 14 473 cobalt v ration No. | iolet hue | | |
| UFI: RV2T-N285 | -9008-N6DR | | |
| | ubstance or mixture and uses a | dvised against | |
| | ation of art. | | |
| advised against | | | |
| H. Schmincke & Otto-Hahn-Stras D-40699 Erkrath Tel +49 (0) 211 Fax +49 (0) 211 info@schmincke www.schmincke Schmincke-lab: mo-th 8.00-16.3 tel. +49 (0) 211 sdb@schmincke cy telephone number Emergencycall Berl +49 30-30686700 | Co. GmbH & Co. KG se 2 - 2509 - 0 - 2509 - 479 .de .de 30, fr 8.00-13.30 -2509-474 .de | | |
| | SECTION 2: Hazards | identification | |
| ation according to EC re ic Acute 1; H400 Very tox | egulation 1272/2008 (CLP) tic to aquatic life. | ts. | |
| | 1.1 SECTION 1 dentifier series 14 - HOR/ Finest artists' wa 14 473 cobalt v | 1.1 (01.02.23) SECTION 1: Identification of the second pany/under dentifier series 14 - HORADAM AQUARELL Finest artists' water-colours 14 473 cobalt violet hue ation No. UFI: RV2T-N28S-9008-N6DR dentified uses of the substance or mixture and uses at arral use Products for creation of art. advised against f the supplier of the safety data sheet H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Strasse 2 D-40699 Erkrath Tel +49 (0) 211 - 2509 - 0 Fax +49 (0) 211 - 2509 - 0 Fax +49 (0) 211 - 2509 - 479 info@schmincke.de Schmincke.lab: mo-th 8.00-16.30, fr 8.00-13.30 tel. +49 (0) 211-2509-474 sdb@schmincke.de Cy telephone number Emergencycall Berlin +49 30-30686700 (24/7 counseling in german and english) SECTION 2: Hazards ation of the substance or mixture ation according to EC regulation 1272/2008 (CLP) ic Acute 1; H400 Very toxic to aquatic life. ic Chronic 2; H411 Toxic to aquatic life with long lasting effect ments | 1.1 (01.02.23) Page SECTION 1: Identification of the substance/mixture and of the company/undertaking dentifier series 14 - HORADAM AQUARELL Finest artists' water-colours 1 14 473 cobalt violet hue attorn to the substance or mixture and uses advised against attorn to the substance or mixture and uses advised against attorn to the substance or mixture and uses advised against attorn to the safety data sheet H. Schmincke & & Co. KG Otto-Halm-Strasse 2 D-40699 Erkrath Telephone number Stelephone number Scheme substance or mixture Scheme substance or mixture Scheme substance against or telephone number Emergencycall Berlin +49 (0) 211 - 2509 - 0 Frage scheme substance Scheme substance or mixture Scheme substance or mixture Scheme substance or mixture Scheme substance or mixture Scheme substance or mixture |

Signal word

Hazard statements

H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Warning

Item Numbers: 86356-6570

Based on the low volume (small packaging size) and the tiny risk potential there is no

Page 1 of 9

MSDS for #86356 - HORADAM AQUARE to Regulation (EC) No. 1907/2006 (REACH)

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 2/9 |

labelling on the pans.

Safety precautions

P273 Avoid release to the environment.

Text for labelling (CLP)

Contains biocidal products. Contains BIT, CIT, MIT, OIT: May produce an allergic reaction. Full text of biocides: see section 16.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Chemical characterisation pigment gum arabic Water | |
|---|------|
| CAS-Number EINECS / ELINCS / NLP EU index number | |
| REACH registration No. Hazchem-Code | |
| CI-Number | PV62 |

3.2 Mixtures

| Substance 1 |
|--|
| barium oxide, solid soln. with calcium oxide, magnesium |
| oxide, phosphorus oxide, strontium oxide and zinc oxide, |
| copper-doped: 25 - 50 % |
| CAS: 101356-96-1 |
| REACH: 01-2120761036-59 |
| Aquatic Acute 1; H400 / Aquatic Chronic 2; H411 |

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

No special measures are required.

In case of skin contact

Thoroughly wash skin with soap and water.

Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Let water be drunken in little sips (dilution effect). If you feel unwell, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

MSDS for #86356 - HORADAM AQUAIRE to Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 3/9 |

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

none

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: from 15 °C to 25 °C Protect from moisture contamination.

7.3 Specificend use(s)

No special measures necessary if stored and handled as prescribed.

MSDS for #86356 - HORADAM AQUAIRE td Regulation (EC) No. 1907/2006 (REACH)

| Article No. | 14 473 | (01.02.23) | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | | Page | 4/ 9 |
| version | 1.1 | (01.02.23) | Page | 4/9 |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

| Form | |
|--------|--|
| Colour | |
| Odour | |

solid / pasty violet almost odourless

| | min | max | | | |
|-------------------------------|-----|----------|-------|--|--|
| Melting point/freezing point | | | | | |
| Initial boiling point and | | | | | |
| boiling range | | | | | |
| Flammability | | | | | |
| Explosion limits | | | | | |
| Flash point/flash point range | | | | | |
| Ignition temperature | | | | | |
| РН | 4 | 6,5 | | | |
| Viscosity | | | | | |
| Solubility | | | | | |
| Partition coefficient: | | | | | |
| n-octanol/water | | | | | |
| Vapour pressure | | | | | |
| Density and/or relative | | 1,8 kg/l | 20 °C | | |
| density | | | | | |
| Relative vapour density | | | | | |
| | | | - | | |
| Auto-ignition temperature | | | | | |
| Refraction index | | | | | |

Danger of explosion

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical Stability

Product is stable under normal storage conditions.

Page 4 of 9

MSDS for #86356 - HORADAM AQUAIRELL Regulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 5/9 |

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological tests

| 101356-96 | -1 barium | oxide, solid soli | n. with calcium oxide, | magn | esium oxide, p | phosphorus oxide, stron | tium oxide an |
|-----------|--------------|-------------------|------------------------|------|----------------|-------------------------|---------------|
| | not required | LC50 | Rat | > | 5,06000 | mg/L | (4h) |
| | | | | | | | |

Toxicokinetics, metabolism and distribution

Acute toxicity

No data available In case of inhalation No data available After swallowing No data available In case of skin contact No data available After eve contact

No data available

Practical experience

General remarks

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicological effects

101356-96-1 barium oxide, solid soln. with calcium oxide, mag

2

| [| EC50 | Pseudokirchneriella subca | 32,00000 | µg/L | (72h) |
|---|------|---------------------------|----------|------|-------|
| [| EC50 | Daphnia magna (Big water | 9,50000 | µg/L | (48h) |
| [| NOEC | Pseudokirchneriella subca | 4,20000 | µg/L | - |

Aquatic toxicity

Water Hazard Class

WGK catalog number

Generaleinformation6570

MSDS for #86356 - HORADAM AQUARE to Fedulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 6/9 |

12.2 Persistence and degradability

Further details Product is partially biodegradable. Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

<u>Product</u>

Waste key number

080112 waste paint and varnish other than those mentioned in 08 01 11

- ---
- Recommendation

<u>Package</u>

```
Waste key number
```

--- ---

- ----
- Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number or ID number

3082

14.2 UN proper shipping name

| ADR, ADN | No dangerous good in sense of these transport regulations. |
|------------|--|
| IMDG, IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |

14.3 Transport hazard class(es)

| ADR, ADNNumbers: 8 | 36356-6970 |
|--------------------|------------|
| IMDG | 9 |

SAFETY DATA SHEET MSDS for #86356 - HORADAM AQUARELL FRQulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| Article No. | 14 473 | | Issue date: | 01.02.2 |
|---|---------------------------|---------------------------------------|-------------|---------|
| /ersion | 1.1 | (01.02.23) | Page | 7/9 |
| ΙΑΤΑ | 9 | | | |
| 4.4 Packing gr | roup | | | |
| | III | | | |
| | | | | |
| 4.5 Environme | | ¥ | | |
| Marine Polluta Marine Polluta | | Yes | | |
| | ecautions for user | | | |
| Land transpor | t (ADR/RID) | | | |
| Code: ADR/RI | | M6 | | |
| Kemmler-num | | 90 | | |
| Hazard label A | | 9 | | |
| Limited quanti | | 51 | | |
| Package: Inst | | P001 - IBC03 - LP01 - R001 | | |
| Package: Spec | | PP1 | | |
| | ions for packing together | MP19 | | |
| | s: Instructions | T4 | | |
| | s: Special Provisions | TP1 - TP29 | | |
| Tank coding | | LGBV | | |
| Tunnel restrict | tion | - | | |
| Remarks | | | | |
| EQ | | E1 | | |
| Special Provisi | ions | 274 - 335 - 375 - 601 | | |
| <u>Sea transport</u> | (IMDG) | | | |
| EmS | | F-A, S-F | | |
| Special Provisi | ions | 274 - 335 - 969 | | |
| Limited quanti | | 51 | | |
| Package: Inst | | P001 - LP01 | | |
| Package: Spec | | PP1 | | |
| IBC: Instruction | | IBC03 | | |
| IBC: Provision | | - | | |
| Tank instruction | | - | | |
| Tank instruction | | T4 | | |
| | ons Special Provisions | TP1 - TP29 | | |
| Stowage and s | - | category A | | |
| - | d observations | | | |
| Remarks | | | | |
| | | E1 | | |
| EQ | (IATA-DGR) | | | |
| - | | | | |
| <u>Air transport (</u> | | - | | |
| <u>Air transport (</u> Hazard | | - 964 (450l) | | |
| <u>Air transport (</u> Hazard Passenger | | - 964 (450l) Y964 (30kg G) | | |
| Air transport (Hazard Passenger Passenger LQ | | Y964 (30kg G) | | |
| Air transport (Hazard Passenger Passenger LQ Cargo | | Y964 (30kg G) 964 (450l) | | |
| Air transport (Hazard Passenger Passenger LQ Cargo ERG | | Y964 (30kg G) 964 (450l) 9L | | |
| Air transport (Hazard Passenger Passenger LQ Cargo ERG Remarks | | Y964 (30kg G) 964 (450l) 9L | | |
| Air transport (Hazard Passenger Passenger LQ Cargo ERG | | Y964 (30kg G) 964 (450l) 9L | | |

No data available

SECTION 15: Regulatory information

Page 7 of 9

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

MSDS for #86356 - HORADAM AQUARE to Fedulation (EC) No. 1907/2006 (REACH)

series 14 - HORADAM AQUARELL

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 8/9 |
| | | | | |

National regulations

<u>Europe</u>

| Contents of VOC [%] | 0 |
|---------------------|---|
| Contents of VOC | |

[g/L]

Further regulations, limitations and legal requirements

Germany

| Storage class | |
|------------------------------------|---|
| Water Hazard Class | 2 |
| WGK catalog number | |
| Incident regulation | |
| Information on working limitations | |

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements

Federal Regulations

---State Regulations

<u>Canada</u>

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter Re20.(Gable:of/terms and abbreviations). Page 8 of 9

Reason of change

| Article No. | 14 473 | | Issue date: | 01.02.23 |
|-------------|--------|--------------|-------------|----------|
| Version | 1.1 | (01.02.23) | Page | 9/9 |

Additional information

BIT - 1,2-benzisothiazol-3(2H)-one CIT - 5-chloro-2-methyl-4-isothiazolin-3-one

MIT - 2-methyl-2H-isothiazol-3-one

OIT - 2-octyl-2H-isothiazol-3-one

Die Angaben in diesem Datenblatt sind nach bestem Wissen zusammengestellt und entsprechen dem Stand der Kenntnis zum Überarbeitungsdatum. Sie sichern jedoch nicht die Einhaltung bestimmter Eigenschaften im Sinne der Rechtsverbindlichkeit zu. Page 9 of 9