			87361-3060
± M6P	Stafety301atEPBINE & OSS PNT N	<i>I</i> RK	Poor 1 of 11 ®
Trade	e name: edding Paint Marker Ink (p	ink) contained in: edding 750, edding	g 751
Curren	t version : 6.0.0, issued: 22.09.2021	Replaced version: 5.1.0, issued: 03.06.2	019 Region: GB
SEC	TION 1: Identification of the subs	stance/mixture and of the company	//undertaking
1.1	Product identifier Trade name		
	edding Paint Marker Ink (pi	nk) contained in: edding 750,	edding 751
1.2	Relevant identified uses of the sub Relevant identified uses of the substa Ink for use in felt pens Uses advised against	stance or mixture and uses advised a nce or mixture	gainst
	No data available.		
1.3	Details of the supplier of the safety Address edding International GmbH Bookkoppel 7 D-22926 Ahrensburg	r data sheet	
	Telephone no. +49 (0) 41 02 / 80 8	3-0	
	Information provided by / telephone +49 (0)4102 - 808-0		
	Advice on Safety Data Sheet sdb_info@umco.de		
1.4	Emergency telephone number For medical advice (in German and Engl +49 (0)30 30686 790 (Giftnotruf Berlin)	ish):	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance or		
	Classification in accordance with Reg Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336	ulation (EC) No 1272/2008 (CLP)	
	(EC) n° 1272/2008: Physical hazards: determined through as Annex I to CLP Health hazards and environmental hazar	using the methods and criteria below referred seessment data based on the methods or sta rds: determined through toxicological and eco rred to in Part 3, 4 and 5 of Annex I to CLP.	indards referred to in part 2 of
2.2	Label elements		
	Labelling according to Regulation	(EC) No 1272/2008 (CLP Regulation)	
	Hazard pictograms		







Signal word Danger

Hazardous component(s) to be indicated on label: Hydrocarbons, C7-C9, Isoalkanes

GHS07

Page 1 of 11

Item Numbers: 87361-3060, 87361-3061

Page 2 of 11



Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

ETHYLCYCLOHEXANE Hazard statement(s) H225 H304 H315 H336 H411	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Hazard statements (EU) EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Precautionary statement P101 P102 P210 P271 P273 P301+P310 P331 P370+P378 P391 P405 P501	 (5) If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Avoid release to the environment. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish. Collect spillage. Store locked up. Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization Mixture (preparation)

Hazardous	ingredients

No	Substance name	Substance name		ional information	on	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conc	entration		%
1		titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]				
	13463-67-7 236-675-5 022-006-00-2 -	Carc. 2; H351i	>=	25.00 - <	50.00	wt%
2	Hydrocarbons, C7-	C9, Isoalkanes				
	- 921-728-3 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 Flam. Lig. 2; H225	>=	10.00 - <	25.00	wt%
	01-2119471305- 42-0010	Skin Irrit. 2; H315 STOT SE 3; H336				
3	ETHYLCYCLOHEX	ANE				
	1678-91-7 216-835-0 -	Flam. Liq. 2; H225 Aquatic Chronic 2; H411 STOT SE 3; H336	>=	10.00 - <	25.00	wt%
Full	01-2120769125- 52-0000	Aquatic Acute 1; H400 Asp. Tox. 1; H304				

Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

addin

No	Note	Specific concentration limits		M-factor (chronic)		
1	V, W, 10	-	-	-		
Ful	Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances					

((EC) No 1272/2008, Annex VI)".

No Route, target organ, concrete effect

H351i inhalational; -; -

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After indestion

Rinse the mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides (NOx); Toxic gases/vapours

Advice for firefighters 5.3

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Wear protective clothing. Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

Page 4 of 11



Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: Bases; Acids; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5		
	more of particles with aerodynamic diameter ≤ 10					
	μm]					
	List of approved workplace exposure limits (WELs) /	EH40				
	Titanium dioxide					
	total inhalable dust					
	WEL long-term (8-hr TWA reference period)	10	mg/m³			
	List of approved workplace exposure limits (WELs) / EH40					
	Titanium dioxide					
	respirable dust					
	WEL long-term (8-hr TWA reference period)	4	mg/m³			

DNEL, DMEL and PNEC values



edding

Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

No	Substance name		CAS / EC	CAS / EC no		
	ecological compartment	Туре	Value			
1	ETHYLCYCLOHEXANE		1678-91-7 216-835-0			
	water	fresh water	0.63	µg/L		
	water	marine water	63	ng/L		
	water	Aqua intermittent	6.3	µg/L		
	water	fresh water sediment	0.573	mg/kg dry weight		
	water	marine water sediment	57.3	µg/kg dry weight		
	soil	-	0.114	mg/kg dry weight		
	sewage treatment plant	-	32	mg/L		

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
pink	
Odour	
characteristic	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	



Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

eddin

	composition temperature						
L	data available						
Fla Val	l ish point lue	1	7	°C			
	nition temperature						
	data available						
	a mmability data available						
	wer explosion limit data available						
Up No	per explosion limit data available						
	pour pressure data available						
	lative vapour density data available						
	lative density data available						
Val	nsity lue ference temperature		1.08 20	g/cm³ °C			
So	lubility in water mments	insoluble					
	lubility data available						
	rtition coefficient n-octanol/water (log val	lue)					
	data available						
Vis Val	scosity		18.6	mm²/s			
Re	ference temperature	kinematic	40	°C			
Тур	rticle characteristics	Kinematic					
	data available						
2	Other information						
	her information data available.						
ECT	ΓΙΟΝ 10: Stability and reactivity						
0.1	Reactivity No data available.						
).2							
.3							
.4	Conditions to avoid Heat, naked flames and other ignition source						
.5	Incompatible materials						
		_					
		Page 6 of	-11		De		

Page 7 of 11

edding

Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

Bases; Acids; Oxidizing agents

10.6 Hazardous decomposition products

Nitrous oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity							
No Substance name		CAS no.		EC no.			
1 Hydrocarbons, C7-C9, Isoalkanes		-		921-728-3			
LD50	>		2000	mg/kg bodyweight			
Species	rat						
Method	OECD 401						
Source	ECHA						
Acute dermal toxicity							
No Substance name		CAS no.		EC no.			
1 Hydrocarbons, C7-C9, Isoalkanes		-		921-728-3			
LD50	>		2000	mg/kg bodyweight			
Species	rabbit						
Source	ECHA						
Acute inhalational toxicity No data available							
No data avaliable							
Skin corrosion/irritation							
No data available							
Cariava ava damaga/insitation							
Serious eye damage/irritation							
No data avaliable							
Respiratory or skin sensitisation							
No data available							
Germ cell mutagenicity							
No data available							
Reproduction toxicity							
No data available							
Carcinogenicity							
No data available							
STOT - single exposure							
No data available							
STOT - repeated exposure							
No data available							
Aspiration hazard No data available							
Delayed and immediate effects as well as ch							
Inhalation of vapours may lead to headache dro	owsiness and	dizziness Repe	eated and pro	plonged skin contact may			

cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

Page 8 of 11



Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

12.1 Toxicity

Foxicity to fish (acute)	CA8 ==		EC no
lo Substance name Hydrocarbons, C7-C9, Isoalkanes	CAS no.		EC no. 921-728-3
Hydrocarbons, C7-C9, Isoalkanes	-	18.4	<u>921-728-3</u> mg/l
Lou Duration of exposure		96	h
Species	Oncorhynchus mykiss	00	
Aethod	OECD 203		
Source	ECHA		
	1678-91-7		216-835-0
_C50		0.75	mg/l
Duration of exposure		96	h
Species	Oryzias latipes		
Method	OECD 203		
Source	CSR		
oxicity to fish (chronic)			
lo Substance name	CAS no.		EC no.
Hydrocarbons, C7-C9, Isoalkanes			921-728-3
IOELR		0.778	mg/l
Ouration of exposure		28	day(s)
Species	Oncorhynchus mykiss		
Method	(Q)SAR		
Source	ECHA		
Foxicity to Daphnia (acute)			
No Substance name	CAS no.		EC no.
Hydrocarbons, C7-C9, Isoalkanes	-		921-728-3
EL50	appr.	2.4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
	ECHA 4078 04 7		046 025 0
2 ETHYLCYCLOHEXANE EC50	1678-91-7	0.667	216-835-0
-C50 Duration of exposure		0.667 48	mg/l h
Species	Daphnia magna	40	11
Vethod	OECD 202		
Source	CSR		
Foxicity to Daphnia (chronic)			
No data available			
oxicity to algae (acute)			
No Substance name	CAS no.		EC no.
	1678-91-7	0.633	216-835-0
EC50 Duration of experiure		0.633 72	mg/l
Duration of exposure Species	Pseudokirchneriella subcar		h
Vethod	OECD 201		
Source	CSR		
oxicity to algae (chronic)			
No Substance name	CAS no.		EC no.
	1678-91-7	0.62	216-835-0
NOEC		0.22	mg/l
Duration of exposure	Algoo	72	h
Species	Algae		
acteria toxicity			
lo data available			



Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version : 6.0.0, issued: 22.09.2021

Replaced version: 5.1.0, issued: 03.06.2019

Region: GB

12.2 Persistence and degradability

Biod	Biodegradability							
No	Substance name	CAS no.	EC no.					
1	ETHYLCYCLOHEXANE	1678-91-7	216-835-0					
Valu	e	0	%					
Dura	ation	2	8 day(s)					
Method		OECD 301 C						
Source		CSR						
Evaluation		not readily biodegradable						

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)				
No	Substance name	CAS no.		EC no.	
1	ETHYLCYCLOHEXANE	1678-91-	7	216-835-0	
BCF		474	- 839		
Method		QSAR			
Source		CSR			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment No data available.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1263
Proper shipping name	PAINT
Special Provision 640	640D
Tunnel restriction code	D/E
Label	3
Environmentally hazardous substance mark	Symbol "fish and tree"





Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

Current version	6.0.0, issued: 22.09.2	021

Replaced version: 5.1.0, issued: 03.06.2019

14.2	Transport IMDG Class Packing group UN number Proper shipping name EmS Label Marine pollutant mark	3 II UN1263 PAINT F-E, S-E 3 Symbol "fish and tree"				
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	3 II UN1263 Paint 3				
14.4	Other information No data available.					
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.					
14.6	Special precautions for user No data available.					
14.7	7 Maritime transport in bulk according to IMO instruments Not relevant					
SEC	TION 15: Regulatory inform	ation				
15.1		ental regulations/legislation specific f	or the substance or mixture			
	EU regulations					
Re	gulation (EC) No 1907/2006 (REA	CH) Annex XIV (List of substances subje	ct to authorisation)			
an		 specifications supplied by upstream supplied nces requiring authorisation as listed on Ann 				
		s of very high concern (SVHC) for author				
	According to available data and the information provided by preliminary suppliers, the product does not contain					
	substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.					
		CH) Annex XVII: RESTRICTIONS ON THE IN DANGEROUS SUBSTANCES, MIXTURE				
	e product is considered being subje	ect to REACH regulation (EC) 1907/2006 and				
Di	rective 2012/18/EU on the contro	l of major-accident hazards involving dar	gerous substances			
	is product is subject to Part L of An		E2 P5h			

 This product is subject to Part I of Annex I, risk category:
 E2, P5b

 If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet: Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164. National Threshold Limit Values of the corresponding countries as amended in each case.

Item Numbers: 87361-3060, 87361-3061

Page 10 of 11

Page 11 of 11



Trade name: edding Paint Marker Ink (pink) contained in: edding 750, edding 751

urrent version : 6.0.0, issu	red: 22.09.2021	Replaced version: 5.1.0, issued: 03.06.2019	Region: GI			
Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the correspondi section.						
Full text of the sections)	Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these					
H351i H400		of causing cancer by inhalation. to aquatic life.				
	Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)					
v	If the subst μm and as as particles evaluated i	tance is to be placed on the market as fibres (with diameter pect ratio \geq 3:1) or particles of the substance fulfilling the W s with modified surface chemistry, their hazardous propertien n accordance with Title II of this Regulation, to assess whe Carc. 1B or 1A) and/or additional routes of exposure (oral o	/HO fibre criteria or es must be ther a higher			
W	It has been respirable o clearance r This note a	n observed that the carcinogenic hazard of this substance a dust is inhaled in quantities leading to significant impairmen mechanisms in the lung. nims to describe the particular toxicity of the substance; it d r classification according to this Regulation.	t of particle			
1	The concer concentrati 1999/45/E0	ntration stated or, in the absence of such concentrations, the ions of this Regulation (Table 3.1) or the generic concentra C (Table 3.2), are the percentages by weight of the metallic nce to the total weight of the mixture.	tions of Directive			
UMCO GmbH Georg-Wilhelm-S	safety data sheet Str. 187, D-21107 Hami 5 546 300 Fax: +49 4	burg 0 / 555 546 357 e-mail: umco@umco.de				
		nt knowledge and experience. cts with a view to safety requirements.				

The safety data sheet describes products with a view to safety requirements. It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO

GmbH. Prod-ID 25591