

Region: GB Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

edding Paint Marker-Ink (gold), contained in: edding 750, edding 751, edding 753, edding 755, edding 780

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses of the substance or mixture

Ink for use in felt pens

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

edding International GmbH Bookkoppel 7

D-22926 Ahrensburg

+49 (0) 41 02 / 80 8-0 Telephone no.

Information provided by / telephone

MSPS SOF #8736 at EPRING GLOSS PNT MRK

+49 (0)4102 - 808-0

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Acute 1; H400 Aquatic Chronic 2: H411 Asp. Tox. 1; H304 Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02







Signal word Danger



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

Hazardous component(s) to be indicated on label:

Naphtha (petroleum), light alkylate

ETHYLCŸCLOHEXÂNE

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Mixture (preparation)

Hazardous ingredients

No	Substance name		Additi	onal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	Naphtha (petroleun	n), light alkylate	pls. re	fer to footnote (1)	
	64741-66-8	Asp. Tox. 1; H304	>=	10.00 - <	25.00	wt%
	265-068-8	Flam. Liq. 2; H225				
	649-276-00-X	Skin Irrit. 2; H315				
	-	Aquatic Chronic 2; H411				
		STOT SE 3; H336				
2	ETHYLCYCLOHEX	ANE				
	1678-91-7	Flam. Liq. 2; H225	>=	10.00 - <	25.00	wt%
	216-835-0	Aquatic Chronic 2; H411				
	-	STOT SE 3; H336				
	01-2120769125-	Aquatic Acute 1; H400				
	52-0000	Asp. Tox. 1; H304				
3	copper					
	7440-50-8	Aquatic Acute 1; H400	>=	5.00 - <	10.00	wt%
	231-159-6	Aquatic Chronic 2; H411				
	-	Acute Tox. 4; H302				
	01-2119480154-42					
4	zinc powder - zinc	dust (stabilized)			,	



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

	7440-66-6 231-175-3 030-001-01-9 01-2119467174-37	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>=	2.50	- <	25.00	wt%
5	aluminium powder	(stabilised)					
	7429-90-5	Flam. Sol. 1; H228	>=	5.00	- <	10.00	wt%
	231-072-3						
	013-002-00-1						
	01-2119529243-45						

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	P	-	-	-
5	Т	-	-	_

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
3	482 mg/kg bodyweight				

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse the mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides (NOx); Toxic gases/vapours

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: Bases; Acids; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.	



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

1	copper	7440-50-	-8	231-159-6	
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Copper	•			
	fume				
	WEL long-term (8-hr TWA reference period)	0.2	mg/m³		
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Copper				
	dusts and mists				
	Cu				
	WEL short-term (15 min reference period)	2	mg/m³		
	WEL long-term (8-hr TWA reference period)	1	mg/m³		
2	aluminium powder (stabilised)	7429-90-	5	231-072-3	
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Aluminium metal				
	total inhalable dust				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Aluminium metal				
	respirable dust			·	
	WEL long-term (8-hr TWA reference period)	4	mg/m³		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	copper			7440-50-8	
				231-159-6	
	dermal	Short term (acut)	systemic	273	mg/kg/day
	dermal	Long term (chronic)	systemic	137	mg/kg/day
	inhalative	Short term (acut)	systemic	18.2	mg/m³
2	aluminium powder (stabil	lised)		7429-90-5	
	-			231-072-3	
	inhalative	Long term (chronic)	local	3.72	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	copper			7440-50-8	
				231-159-6	
	oral	Long term (chronic)	systemic	0.16	mg/kg/day
	dermal	Short term (acut)	systemic	273	mg/kg/day
	dermal	Long term (chronic)	systemic	137	mg/kg/day
	inhalative	Short term (acut)	systemic	18.2	mg/m³
2	aluminium powder (stabil	lised)		7429-90-5	
	-			231-072-3	
	oral	Long term (chronic)	systemic	3.95	mg/kg/day

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	ETHYLCYCLOHEXANE		1678-91-7	
			216-835-0	
	water	fresh water	0.63	μg/L
	water	marine water	63	ng/L
	water	Aqua intermittent	6.3	μg/L
	water	fresh water sediment	0.573	mg/kg dry
				weight
	water	marine water sediment	57.3	μg/kg dry
				weight



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

	soil	-	0.114	mg/kg dry weight
	sewage treatment plant	-	32	mg/L
2	copper		7440-50-8 231-159-6	
	water	fresh water	7.8	μg/L
	water	marine water	5.2	μg/L
	water	fresh water sediment	87	mg/kg
	water	marine water sediment	676	mg/kg
	soil	-	65	mg/kg
	sewage treatment plant	-	230	μg/L
3	zinc powder - zinc dust (stabilized)		7440-66-6 231-175-3	
	water	fresh water	14.4	μg/L
	water	marine water	7.2	μg/L
	water	fresh water sediment	146.9	mg/kg dry weight
	water	marine water sediment	162.2	mg/kg dry weight
	soil	-	83.1	mg/kg dry weight
	sewage treatment plant	-	100	μg/L
4	aluminium powder (stabilised)		7429-90-5 231-072-3	
	water	fresh water	74.9	μg/L
	sewage treatment plant	-	20	mg/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

state of aggregation
quid
orm
quid
Colour



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

gold coloured			
Odour			
characteristic			
pH value No data available			
Boiling point / boiling range No data available			
Melting point/freezing point No data available			
Decomposition temperature No data available			
Flash point			
Value		7	°C
Ignition temperature No data available			
Flammability			
No data available			
Lower explosion limit No data available			
Upper explosion limit No data available			
Vapour pressure No data available			
Relative vapour density No data available			
Relative density			
No data available			
Density Value	T	1.03	g/cm ³
Reference temperature		20	°C
Solubility in water	in a a li dalla		
Comments	insoluble		
Solubility No data available			
Partition coefficient n-octanol/water (log value	ie)		
No data available			
Kinematic viscosity			
Value		19.0 40	mm²/s °C
Reference temperature Type	kinematic	40	0
Particle characteristics	•		
No data available			
Other information			

SECTION 10: Stability and reactivity

Other information
No data available.



Current version : 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Bases; Acids; Oxidizing agents

10.6 Hazardous decomposition products

Nitrous oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	edding Paint Marker-Ink (gold), containe	d in: edding			
	750, edding 751, edding 753, edding 755,	, edding 780			
Con	nments	The result of the applied calculation method according to the			
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part			
		3 of Annex I is outside the values that imply a classification / labelling			
		of this mixture according to table 3.1.1 defining the respective			
		categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	copper		7440-50-8		231-159-6		
LD5	0	403	-	575	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					
2	zinc powder - zinc dust (stabilized)		7440-66-6		231-175-3		
LD5	0	>		2000	mg/kg bodyweight		
Spe	cies	rat					
·		OECD 401					
Soul	rce	CSR					

Acute dermal toxicity No data available

Acute inhalational toxicity				
No Substance name		CAS no.		EC no.
1 zinc powder - zinc dust (stabilized)		7440-66-6		231-175-3
LC50			5.41	mg/l
Duration of exposure			4	h
State of aggregation	Dust			
Species	rat			
Method	OECD 403			
Source	CSR			
2 aluminium powder (stabilised)		7429-90-5		231-072-3
LC50			0.888	mg/l
Duration of exposure			4	h
State of aggregation	Dust			
Species	rat			
Source	ECHA			



 Current version : 6.0.1, issued: 27.10.2022
 Replaced version: 6.0.0, issued: 10.06.2020
 Region: GB

Skin corrosion/irritation						
No	Substance name	CAS no.	EC no.			
1	zinc powder - zinc dust (stabilized)	7440-66-6	231-175-3			
Sou	rce	CSR				
Eval	uation/classification	Based on available data, the classification	ition criteria are not met.			

Serious eye damage/irritation						
No	Substance name	CAS no.	EC no.			
1	zinc powder - zinc dust (stabilized)	7440-66-6	231-175-3			
Sou	rce	CSR				
Eval	uation/classification	Based on available data, the class	ification criteria are not met.			

Res	Respiratory or skin sensitisation						
No	Substance name	CAS no. EC no.					
1	zinc powder - zinc dust (stabilized)	7440-66-6 231-175-3					
Rou	te of exposure	respiratory tract					
Source		CSR					
Evaluation/classification		Based on available data, the classification criteria are not met.					
Rou	te of exposure	Skin					
Soul	rce	CSR					
Eval	uation/classification	Based on available data, the classification criteria are not met.					

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of vapours may lead to headache, drowsiness and dizziness. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)						
No	Substance name	CAS no.		EC no.		
1	ETHYLCYCLOHEXANE	1678-91-7		216-835-0		
LC5	0		0.75	mg/l		
Dura	ation of exposure		96	h		
Spe	cies	Oryzias latipes				
Meth	nod	OECD 203				
Soul	rce	CSR				
2	zinc powder - zinc dust (stabilized)	7440-66-6		231-175-3		
LC5	0		0.169	ma/l		



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

Duration of exposure	96 h
Species	Oncorhynchus mykiss
Method	OECD 202
Source	ECHA

Ioxi	Toxicity to fish (chronic)							
No	Substance name		CAS no.		EC no.			
1	zinc powder - zinc dust (stabilized)		7440-66-6		231-175-3			
NOE	EC .			0.056	mg/l			
Dura	ation of exposure			116	day(s)			
Spe	cies	Salmo trutta			- , ,			
Method		OECD 210						
Soul	rce	ECHA						

Tox	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	ETHYLCYCLOHEXANE	1678-91-7		216-835-0	
EC5	50		0.667	mg/l	
Dura	ation of exposure		48	h	
Species		Daphnia magna			
Metl	hod	OECD 202			
Sou	rce	CSR			
2	zinc powder - zinc dust (stabilized)	7440-66-6		231-175-3	
EC5	50		0.9	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Ceriodaphnia dubia			
		pH < 7			
Metl	hod	US EPA 821-R-02-012			
Sou	rce	CSR			

Toxicity to Daphnia (chronic) No Substance name CAS no. EC no.					
1	zinc powder - zinc dust (stabilized)	7440-66-6		231-175-3	
NOE	EC		82	μg/l	
Dura	ation of exposure		7	day(s)	
Spe	cies	Daphnia magna		- , ,	
with reference to		pH 6.0			
Sou	irce	CSR			

Toxi	icity to algae (acute)			
No	Substance name	CAS no.		EC no.
1	ETHYLCYCLOHEXANE	1678-91-7		216-835-0
EC5	0		0.633	mg/l
Dura	ation of exposure		72	h
Spe	cies	Pseudokirchneriella subcapi	tata	
Meth	nod	OECD 201		
Sou	rce	CSR		
2	zinc powder - zinc dust (stabilized)	7440-66-6		231-175-3
EC5	0		0.3	mg/l
Dura	ation of exposure		72	h
Spe	cies	Selenastrum capricornutum		
with	reference to	pH > 7 - 8,5		
Meth	nod	OECD 201		
Sou	rce	CSR		

Toxicity to algae (chronic)						
No	Substance name		CAS no.		EC no.	
1	ETHYLCYCLOHEXANE		1678-91-7		216-835-0	
NOE	EC .			0.22	mg/l	
Dura	ation of exposure			72	h	
Spe	cies	Algae				
2	zinc powder - zinc dust (stabilized)		7440-66-6		231-175-3	
NOE	EC .			19	μg/l	



 Current version : 6.0.1, issued: 27.10.2022
 Replaced version: 6.0.0, issued: 10.06.2020
 Region: GB

Duration of exposure	7	day(s)
Species	Pseudokirchneriella subcapitata	
with reference to	pH 8.0	
Source	CSR	

Bac	Bacteria toxicity				
No	Substance name	CAS no.		EC no.	
1	zinc powder - zinc dust (stabilized)	7440-66-6		231-175-3	
EC5	50		5.2	mg/l	
Duration of exposure			3	h	
Species		activated sludge			
Method		OECD 209			
Source		ECHA			

12.2 Persistence and degradability

Biod	Biodegradability				
No	Substance name	CAS no.		EC no.	
1	ETHYLCYCLOHEXANE	1678-91-7		216-835-0	
Valu	ie		0	%	
Dura	ation		28	day(s)	
Method		OECD 301 C			
Source		CSR			
Evaluation		not readily biodegradable			

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)					
No	Substance name		CAS no.		EC no.	
1	ETHYLCYCLOHEXANE		1678-91-7		216-835-0	
BCF		474	-	839		
Meth	nod	QSAR				
Source		CSR				l

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other	

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

Class Classification code F1 Packing group Ш Hazard identification no. 33 UN1263 **UN** number Proper shipping name **PAINT** Special Provision 640 640D Tunnel restriction code D/E Label

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 3
Packing group II
UN number UN1263
Proper shipping name PAINT

Technical name ETHYLCYCLOHEXANE

EmS F-E, S-E

Label 3

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 3
Packing group II
UN number UN1263
Proper shipping name Paint
Label 3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006



Current version: 6.0.1, issued: 27.10.2022 Replaced version: 6.0.0, issued: 10.06.2020 Region: GB

2	copper	7440-50-8	231-159-6	75	
3	Naphtha (petroleum), light alkylate	64741-66-8	265-068-8	75	
4	zinc powder - zinc dust (stabilized)	7440-66-6	231-175-3	75	

3	Naphtha (petroleum), light alkylate	64741-66-8	265-068-8	75			
4	zinc powder - zinc dust (stabilized)	7440-66-6	231-175-3	75			
Dire	Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances						
	Birotavo 2012/10/20 On the control of major accident nazarao involving adingcioac cascianico						

This product is subject to Part I of Annex I, risk category: E1. P5b If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

H228 Flammable solid. H302 Harmful if swallowed. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

The harmonised classification as a carcinogen applies unless the full refining history is

known and it can be shown that the substance from which it is produced is not a carcinogen, in which case a classification in accordance with Title II of this Regulation

shall be performed also for that hazard class.

т This substance may be marketed in a form which does not have the physical hazards as

indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s)

shall be included in the safety data sheet.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID