

colart

LIQUITEX MARKERS**Product Safety Information Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.
Issue date: 16/12/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : LIQUITEX MARKERS

1.2. Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses**

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Artists', craft and hobby paints

1.3. Details of the supplier of product safety information sheet**Distributor**

ColArt Americas Inc.
2 Corporate Place South, Piscataway
New Jersey, USA
NJ 08854
T +1 888 422 7954
r.enquiries@colart.co.uk

1.4. Emergency telephone number

Emergency number : +1 888 422 7954

SECTION 2: Hazards identification**2.1. Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act**

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.

SECTION 3: Composition/information on ingredients

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Hazardous ingredients are identified in section 15.

SECTION 4: First aid measures**4.1. Description of first aid measures**

First-aid measures general : Not expected to present a significant hazard under anticipated conditions of normal use.
First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact : Gently wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact : Rinse eyes with water as a precaution. If irritation persists, consult a doctor.
First-aid measures after ingestion : Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on potential symptoms.

12/16/2025 (Issue date)

EN

1/6

Item Numbers: 87373-0109, 87373-0119, 87373-0129, 87373-0139, 87373-0149, 87373-0159, 87373-0169, 87373-0179, 87373-0189, 87373-0199, 87373-1022, 87373-1025, 87373-1028, 87373-2022, 87373-2025, 87373-2028, 87373-2502, 87373-2505, 87373-2508, 87373-2522, 87373-2532, 87373-3012, 87373-3015, 87373-3018, 87373-3062, 87373-3072, 87373-3075, 87373-3078, 87373-3112, 87373-3192, 87373-3222, 87373-3272, 87373-3602, 87373-3772, 87373-3802, 87373-3882, 87373-4012, 87373-4015, 87373-4018, 87373-4032, 87373-4512, 87373-4515, 87373-4518, 87373-4522, 87373-4562, 87373-5022, 87373-5025, 87373-5028, 87373-5032, 87373-5035, 87373-5038, 87373-5062, 87373-5072, 87373-5102, 87373-5112, 87373-5212, 87373-5302, 87373-5312, 87373-5322, 87373-5332, 87373-5382, 87373-5502, 87373-6002, 87373-6005, 87373-6008, 87373-6082, 87373-6102, 87373-6302, 87373-6312, 87373-7012, 87373-7015, 87373-7018, 87373-7022, 87373-7025, 87373-7028, 87373-7032, 87373-7082, 87373-7092, 87373-7102, 87373-7202, 87373-7402, 87373-8012, 87373-8015, 87373-8018, 87373-8232, 87373-8235, 87373-8238, 87373-8352, 87373-8402, 87373-8452, 87373-8502, 87373-8552, 87373-9042, 87373-9052, 87373-9055, 87373-9058, 87373-9342, 87373-9345, 87373-9348, 87373-9512

Page 1 of 6

Product Safety Information Sheet

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

4.3. Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Water spray. Dry powder. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Paint: Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not allow product to spread into the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Paint: Take up liquid spill into absorbent material. Clean with water.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Paint: Avoid contact with skin and eyes, Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures : Paint: Take off immediately all contaminated clothing and wash it before reuse, Always wash hands after handling the product, Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep out of direct sunlight.

7.3. Specific end use(s)

Refer to section 1.2.1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Product Safety Information Sheet

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

8.2. Exposure controls

Personal protection equipment

Eye and face protection

Eye protection:

Paint: Avoid contact with eyes

Skin protection

Hand protection:

Paint: Always wash hands after handling the product

Respiratory protection

Respiratory protection:

No respiratory protection needed under normal use conditions

Environmental exposure controls

Consumer exposure controls:

Do not eat, drink or smoke in areas where product is used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various colours.
Appearance	: Paint: Liquid.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 76 °C (Paint)
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93 °C (Paint)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: ≈ 6 (Paint)
Viscosity, kinematic	: Not available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

Product Safety Information Sheet

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
	pH: ≈ 6 (Paint)
Serious eye damage/irritation	: Not classified
	pH: ≈ 6 (Paint)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

12.2. Persistence and degradability

LIQUITEX MARKERS	
Persistence and degradability	Not established

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Product Safety Information Sheet

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of in accordance with relevant local regulations.

SECTION 14: Transport information

Department of Transportation (DOT) : In accordance with DOT - Not applicable

Transportation of Dangerous Goods: Not applicable

Transport by sea: Not applicable

Air transport: Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

All Colors have been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects.

All colors have been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP

(Approved Product) Seal, meaning this bears no chronic or acute human health hazards.



15.2. US State regulations

No additional information available

15.3. Canada regulations

No additional information available

Product Safety Information Sheet

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 12/16/2025

Data sources : Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).

Other information : None.