92043-1003

Gallery Glass Faux Etching Medium SAFETY DATA SHEET (SDS)

Version: 01 Date of Issue:November 8, 2022

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2012, WHMIS 2015 (Hazardous Products

Regulations)

Section 1 - Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Gallery Glass Faux Etching Medium 2 fl oz (59 ml) and 8 fl oz (227.30 ml) Product Name: Product sizes:

Other Means of Identification: 19690, 19698

Product Description: Liquid etching medium formulation intended to be applied with a brush.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

1.3 Details of the supplier of the safety data sheet

Plaid Enterprises, Inc. 3225 Westech Drive Manufacturer/Supplier: Norcross, GA 30092 United States

Business Phone: 1-678-291-8259

1.4 Emergency telephone number

1-678-291-8259 Emergency Telephone:

Section 2 - Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Health	Environmental	Physical
Not classified	Not classified	Not classified

2.2. Label elements

Label Pictogram: None Signal Word: None Hazard Statement: None Precautionary Statement: None Supplemental Hazard Information: None

2.3. Other hazards

· No other hazards have been identified for this product.

Page 1 of 9

Page 1 of 9 Item Numbers: 92043-1003

Section 3 - Composition / Information on Ingredients

3.1 Substances

This product is a mixture and not a substance

3.2 Mixture

J. Z. IIII/Kture				
Chemical Name	CAS No.	EC No.	% Concentration	GHS Hazards
Crystalline silica	14808-60-7	238-878-4	up to 0.259%	H350: Carc 1 (Inhalation);
_				H372: STOT RE 1 (Causes
				damage to lungs through
				prolonged or repeated
				exposure via inhalation)
Ammonium hydroxide	1336-21-6	215-647-6	up to 2.32%	H314: Skin Corr 1B
				H318: Eye Dam 1
2,2',2"-(Hexahydro-1,3,5-	4719-04-4	225-208-0	up to 0.14%e	H302: Acute Tox 4
triazine-1,3,5-triyl)triethanol				H317: Skin Sens 1
				H319: Eye Irrit 2
				H330: Acute Tox 2
				H372: STOT RE 1 (Causes
				damage to respiratory tract)

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain crystalline silica (CAS No.14808-60-7), which may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid) airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

This SDS was prepared under the assumption that the that the petroleum hydrocarbons used in in the mixture, TRITON™ GR-7M Surfactant, are "highly refined" and contain less than 0.1% w/w benzene. If this is not the case, reassessment of the product is required.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Not required.

Section 5 - Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

Page 2 of 9

Item Numbers: 92043-1003 Page 2 of 9

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- · Irritating vapours or fumes may form if product is involved in fire:
- Also see Section 10 Stability and Reactivity.

5.3 Advice for firefighters

· Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in Section 8 – Exposure Controls/Personal Protection.

Emergency Procedures: Not available.

6.2 Environmental precautions:

 Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7- Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to Section 8 Exposure Controls/Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8- Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLV TWA	OSHA PEL TWA	NIOSH REL TWA	DFG MAK TWA
Silica, crystalline	14808-60-7	0.025 mg/m ³ R	0.05 mg/m³ ***	0.05 mg/m ³ ***	Silica, crystalline
* Total dust ** Respirable dust		R Measured	as respirable fraction	n of the aerosol	

Page 3 of 9

Item Numbers: 92043-1003 Page 3 of 9

8.2 Exposure Controls:

Appropriate engineering controls

No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Under normal conditions of use, respirator is not usually required. Use appropriate respiratory Respiratory:

protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed

whenever workplace conditions require the use of a respirator.

Eyes/Face: If contact is likely, safety glasses with side shields are recommended.

Hands: Use good industrial hygiene practices to avoid skin contact. If contact with the material may

occur, wear chemically protective gloves.

Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material. Body/Skin:

Thermal Hazards: None known.

Environmental

Exposure Controls:

Not available.

Hygiene Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the measures:

product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

Appearance:			
Physical state:	Liquid	Partition Coefficient	
Colour:	Gray	n-octanol/water:	Not available
Odour/Odour threshold:	Not available	Auto-ignition temperature:	Not available
pH (as supplied):	8.5-9.5	Decomposition temperature:	Not available
Melting/freezing point:	Not available	Dynamic viscosity:	Not available
Boiling point/range:	Not available	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	No
Flammability:	Not available	Oxidizing properties:	No
Upper/lower explosive limits:	Not available	Surface tension:	No
Vapor pressure:	Not available	Volatile component:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	>1	VOC:	Not available
Relative density:	9.6	Particle size range:	Not available

9.2 Other information

No further data available.

Page 4 of 9

Page 4 of 9 Item Numbers: 92043-1003

Section 10 - Stability and Reactivity

10.1 Reactivity

This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11 – Toxicological Information

11.1 Likely routes of exposure: Skin contact.

Potential signs and symptoms: None expected under conditions of normal use.

Acute oral toxicity: 2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4) has

been classified for acute oral toxicity (Category 4); however, product classification is not warranted based on the product's ATE. The product is practically non-toxic based on available animal and human use data. ATE >5000 mg/kg

The product is practically non-toxic based on available animal and human use data. Acute dermal toxicity:

ATE >5000 mg/kg

2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4) has been classified for acute inhalation toxicity (Category 2); however, product Acute inhalation toxicity:

classification is not warranted based on the product's ATE. The product is practically nontoxic based on available animal and human use data

Skin corrosion/irritation: Ammonium hydroxide has been classified for skin corrosion; however, product

classification is not warranted given pH of the final product (i.e., 8.5-9.5). The other components of this product at >1% are not corrosive to the skin or skin irritants

based on human and/or animal studies

Serious eye damage/irritation:

Ammonium hydroxide has been classified for eye damage; however, product classification is not warranted given pH of the final product (i.e., 8.5-9.5). 2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4) has been classified for eye irritation (Category 2); however, product classification is not warranted based on the concentration present in the product. The other

components of this product at >1% are not damaging to the eyes or eye irritants based on human and/or animal studies.

Page 5 of 9

Page 5 of 9 Item Numbers: 92043-1003

Respiratory or skin sensitization: 2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4) has

been classified for skin sensitization (Category 1); however, product classification is not warranted based on a review of available data and the concentration of 2,2',2' (hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol present in the product. The other components in this product at >0.1% are not sensitizing to the skin based on human

and/or animal studies

The components in the product at >0.1% are not mutagenic based on animal studies or no data identified for the components in this product. Mutagenicity:

Silica, crystalline (airborne, unbound particles of respirable size) has been classified Carcinogenicity:

or carcinogenicity (Category 1); however, classification is not warranted based on a review of available data and the nature of the product (i.e., liquid). Silica, crystalline is also listed as a carcinogen by NTP and ACGIH. The other components in the product at >0.1% are not carcinogenic based on animal studies or no data identified

for the components in this product.

The components in the product at >0.1% are not reproductive toxicants based on animal studies or no data identified for the components in this product. Reproductive Toxicity:

Specific target organ toxicity The components in the product at >1% are not specific target organ toxicity (single (single exposure):

exposure) toxicants based on animal studies or no data identified for the

components in this product.

Specific target organ toxicity (repeated exposure):

Silica, crystalline (airborne, unbound particles of respirable size) has been classified for specific target organ toxicity (repeated exposure, Category 1, lungs); however, classification is not warranted based on a review of available data and the nature of the product (*i.e.*, liquid). 2,2',2"-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4) has been classified for specific target organ toxicity (repeated exposure, Category 1, respiratory tract); however, product classification is not warranted based on a review of available data and the concentration of 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol present in the product. The other components in this product at >1% are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.

The components in the product at >1% are not aspiration hazards based on animal studies or no data identified for the components in this product. Aspiration hazard:

References:

ECHA (European Chemicals Agency). 2022. REACH Registered Substances Database.

https://echa.europa.eu/search-for-chemicals
IARC (International Agency for Research on Cancer). 2022. Agents Classified by the IARC Monographs, Volumes 1–
129. https://monographs.iarc.who.int/list-of-classifications/
NTP (National Toxicology Program). 2022. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC:
U.S. Department of Health and Human Services, Public Health Service. https://intp.niehs.nih.gov/go/roc14

Section 12 – Ecological Information

12.1 Toxicity

This product is not expected to be harmful or toxic to aquatic life.

12.2 Persistence and degradability

No data available for the components of the product.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in Soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

Page 6 of 9

Page 6 of 9 Item Numbers: 92043-1003

12.6 Other adverse effects

No further data available

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 - Transport Information

Note: This product is not regulated as dangerous goods for transport.

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es):	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3 – Composition / Information on Ingredients.

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

Chemical Name	CAS No	CERCLA	RQ CAA112(r) TQ
Ammonium hydroxide	1336-21-	-6 1,000 lbs	Not applicable

No other components in this product >0.1% are subject to reporting under CERCLA.

Clean Water Act (CWA): No components in this product are listed as toxic pollutants.

Clean Air Act (CAA): Ethylene oxide (CAS No. 75-21-8) is listed by the CAA with a threshold quantity of 10,000 lbs.

Formaldehyde (CAS No. 50-00-0) is listed by the CAA with a threshold quantity of 15,000 lbs. No other components in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:
SARA 302 Components: Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 1,000 lbs in accordance with S.302. Formaldehyde (CAS No. 50-00-0) has a reporting quantity of 500 lbs in accordance with S.302. No other components in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 10 lbs in accordance with S.304. Formaldehyde (CAS No. 50-00-0) has a reporting quantity of 100 lbs in accordance with S.304. No other components in this product are subject to reporting requirements of S.304. SARA 311/312 Hazards: None.

SARA 313 Components: Ammonium hydroxide (CAS No. 1336-21-6), formaldehyde (CAS No. 50-00-0), and ethylene oxide (CAS No. 75-21-8), are subject to reporting requirements of S.313. No other components in this product are

subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): 2-Ethylhexyl disodium sulfosuccinate (CAS No. 63782-88-7) is not listed on the TSCA inventory. All other components are listed on the non-confidential TSCA inventory or are exempt.

Page 7 of 9

Page 7 of 9 Item Numbers: 92043-1003

State Regulations:

California Candidate Chemicals List: Formaldehyde (CAS No. 50-00-0), and ethylene oxide (CAS No. 75-21-8) are listed on California's Candidate Chemicals List. No other components in this product are listed on the Candidate Chemicals List.

California Proposition 65 List: Crystalline silica (CAS No. 14808-60-7) [listed as silica, crystalline (airborne particles of respirable size)] are listed on the Proposition 65 List; however, given the nature/physical form of the product (i.e., liquid), airborne respirable particles would not likely be released from this product and therefore the listed form of silica, crystalline is not relevant for the product. Formaldehyde (CAS No. 50-00-0), acetaldehyde (CAS No. 75-07-0), ethylene oxide (CAS No. 75-21-8), 1,4-dioxane (CAS No. 123-91-1), arsenic (CAS No. 7440-38-2), naphthalene (CAS No. 91-20-3), ethylbenzene (CAS No. 100-41-4), and lead (CAS No. 7439-92-1) are listed on the Proposition 65 List. A screening assessment indicates that the trace levels of these constituents are not expected to be a cause for concern or require warnings as per California Proposition 65. No other components in this product are listed on the Proposition 65 List. Maine List of Chemicals of High Concern: Given the product is not considered to be a toy and is not intended for use by children, the List of Chemicals of High Concern is not applicable to the product.

Massachusetts Toxic or Hazardous Substance List: Formaldehyde (CAS No. 50-00-0) is listed on the Toxic or Hazardous Substance List. No other components in this product are listed on the Toxic or Hazardous Substance List.

Minnesota Chemicals of High Concern List and Priority List: Quartz (CAS No. 14808-60-7), formaldehyde (CAS No. 50-00-0), ethylene oxide (CAS No. 75-21-8), and 2-ethylhexanol (CAS No. 104-76-7) are listed on the Chemicals of High Concern and Priority list. No other components in this product are listed on the Chemicals of High Concern and Priority

New Jersey Right to Know Hazardous Substance List: Silica colloidal (listed as silica, amorphous, precipitate & gel) (CAS No. 12926-00-8), propylene glycol (CAS No. 57-55-6), 2-amino-2-methyl-1-propanol (CAS No. 124-68-5), quartz (CAS No. 14808-60-7), magnesium oxide (CAS No. 1309-49-4), ammonium hydroxide (CAS No. 1336-21-6), zinc oxide (CAS No. 1314-13-2), formaldehyde (CAS No. 50-00-0), and ethylene oxide (CAS No. 75-21-8), are listed on the Right to Know Hazardous Substance List. No other components present at >0.1% in the product are listed on the Right to Know Hazardous Substance List.

Pennsylvania Hazardous Substance List: Propylene glycol (CAS No. 57 55-6), 2-amino-2-methyl-1-propanol (CAS No. 124-68-5), quartz (CAS No. 14808-60-7), magnesium oxide (CAS No. 1309-49-4), ammonium hydroxide (CAS No. 1336-21-6), 2-aminoethanol (CAS No. 141-43-5), formaldehyde (CAS No. 50-00-0), diethylbenzene (CAS No. 25340-17-4) and ethylene oxide (CAS No. 75-21-8) are listed on the Hazardous Substance List. No other components in this product are listed on the Hazardous Substance List.

Vermont Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children list is not applicable to the product.

Washington Chemicals of High Concern to Children: Given the product is not considered to be a toy and is not intended for use by children, the Chemicals of High Concern to Children list is not applicable to the product. Canada

CEPA DSL/NDSL: Silica colloidal (CAS No. 12926-00-8), 2-methylamino-2-methyl-1-propanol (CAS No. 27646-80-6), zinc bis(pyridine-2-thiolate 1-oxide) (CAS No. 13462-41-7), 2,2',2"-(hexahydro-1,3,5-triazine-1,3,5-triazine-1,3,5-triyl)triethanol (CAS No. 4719-04-4), 2-ethylhexyl disodium sulfosuccinate (CAS No. 63782-88-7) are not listed on the DSL/NDSL. All other components are listed on the DSL/NDSL or are exempt from DSL/NDSL requirements

International

INARC: Crystalline silica (particles of respirable size) (CAS No.14808-60-7) is listed as Group 1, carcinogenic to humans. Formaldehyde (CAS No.50-00-0), ethylene oxide (CAS No.75-21-8), and arsenic (CAS No.7440-38-2), and ethylene oxide (CAS No.75-21-8) are listed as Group 1, carcinogenic to humans. 1,4-Dioxane (CAS No. 123-91-1), lead (CAS No. 7439-92-1), and acetaldehyde (CAS No. 75-07-0) are listed as Group 2B, possibly carcinogenic to humans. No other components in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

None available for the components in this product.

Page 8 of 9

Page 8 of 9 Item Numbers: 92043-1003

Section 16 - Other Information

List of acronyms and abbreviations:

ACGIH: American conference of Governmental Hygienists	OSHA: Occupational Safety and Health Administration
ATE: Acute Toxicity Estimate	PAH: Polycyclic aromatic hydrocarbons
CAA: Clean Air Act	PBT: Persistent, Bioaccumulative and Toxic
CAS: Chemical Abstract Service Number	PEL: Permissible Exposure Level
CERCLA: Comprehensive Environmental Response and	PPE: Personal Protective Equipment
Liability Act	
CWA: Clean Water Act	REACH: Registration, Evaluation, Authorisation and
	Restriction of Chemicals
DFG MAK: Deutsche Forschungsgemeinschaf Maximale	REL: Recommended exposure level
Arbeitsplatz-Konzentration	·
EC: European Commission	SARA: Superfund Amendment and Reauthorization Act
ECHA: European Chemicals Agency	SDS: Safety Data Sheet
GHS: Global Harmonized System	TLV: Threshold limit value
HEPA: High Efficiency Particulate Air	TSCA: Toxic Substances Control Act
IARC: International Agency for Research on Cancer	TWA: Time-weighted average
IBC: International Bulk Chemical	UN: United Nations
MARPOL: Maritime Pollution	vPvB: very Persistent, very Bioaccumulative
NIOSH: National Institute for Occupational Safety & Health	WHMIS: Workplace Hazardous Materials Information
	System

References:
ECHA (European Chemicals Agency). 2022. REACH Registered Substances Database.

https://echa.europa.eu/search-for-chemicals
IARC (International Agency for Research on Cancer). 2022. Agents Classified by the IARC Monographs, Volumes 1–129. https://monographs.iarc.who.int/list-of-classifications/
NTP (National Toxicology Program). 2022. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc14

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: November 8, 2022

Page 9 of 9

Page 9 of 9 Item Numbers: 92043-1003