

92056-XXXX

Folk Art Texture Mediums

SAFETY DATA SHEET (SDS)

Version: 01**Date of Issue:** May 14, 2025

According to: OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2024, WHMIS 2015 (Hazardous Products Regulations), UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 10th Revision

Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name: Folk Art Texture Mediums
Product Colors: Snow, Sand, Bark, Concrete, Rust, Moss, Tintable Medium
Product Sizes: 2 fl. oz (59 mL)
Reference number: 60418, 60419, 60422, 60424, 60421, 60423, 60425
Product Description: Colored, liquid formulation that is intended to create texture to mixed media art, intended to be applied with a brush.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Plaid Enterprises, Inc.
 3225 Westech Drive
 Norcross, GA 30092
Supplier Phone: 1-678-291-8259

1.4 Emergency telephone number

Emergency Telephone: For health emergencies call the Poison Control Center: 1-800-222-1222.
 For transportation emergencies only call CHEMTREC: 1800-262-8200 (US only)

Section 2 – Hazard(s) Identification

2.1. Classification of the substance or mixture

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals Tenth Revised Edition (GHS).

| Physical | Health | Environmental ^a |
|----------------|----------------|---|
| Not classified | Not classified | H400: Hazardous to the aquatic environment – short term (acute) hazard (Category 1) H412: Hazardous to the aquatic environment – long term (chronic) hazard (Category 3) |

^a Environmental hazards are outside the scope of OSHA and WHMIS; therefore, product classification for acute aquatic toxicity (Category 1) and chronic aquatic toxicity (Category 3) is not mandatory.

2.2. Label elements



Label Pictogram:

Signal Word: Warning

Hazard Statements & Precautions:

**Acute aquatic toxicity
(Category 1) (H400)**

Very toxic to aquatic life.

P273: Avoid release to the environment.

P391: Collect spillage.

P501: Dispose of contents/container in accordance with local, regional, national, and/or international regulation.

**Chronic aquatic toxicity
(Category 3) (H412)**

Harmful to aquatic life with long lasting effects.

P273: Avoid release to the environment.

P501: Dispose of contents/container in accordance with local, regional, national, and/or international regulation.

2.3. Other hazards

- None

Section 3 – Composition / Information on Ingredients

3.1 Substances

The product is a mixture and not a substance.

3.2 Mixtures

| Chemical Name | CAS No. | EC No. | % Concentration ^a | GHS Hazards |
|--------------------|------------|-----------|------------------------------|---|
| Crystalline silica | 14808-60-7 | 238-878-4 | up to 0.2036% | H350: Carcinogenicity (Category 1A) (inhalation) H372: Specific target organ toxicity (repeated exposure, Category 1 - lungs) |
| Titanium dioxide | 13463-67-7 | 236-675-5 | up to 0.7195% | H351: Carcinogenicity (Category 2) (Inhalation) |
| Carbon black | 1333-86-4 | 215-609-9 | up to 0.1696% | H351: Carcinogenicity (Category 2) (Inhalation) |
| Pyrrithione zinc | 13463-41-7 | 236-671-3 | up to 0.08869% | H301: Acute oral toxicity (Category 3) H318: Eye damage (Category 1) H331: Acute inhalation toxicity (Category 3) H400: Acute aquatic toxicity (Category 1) H410: Chronic aquatic toxicity (Category 1) |

^a Concentration is calculated as a maximum across all colors, rather than by color.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain crystalline silica (CAS No. 14808-60-7), titanium dioxide (CAS No. 13463-67-7), and carbon black (CAS No. 1333-86-4) which may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid mediums), airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

Section 4 – First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to **Section 11 - Toxicological Information**.

4.3 Indication of any immediate medical attention and special treatment needed

- Not required.

Section 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10 - Stability and Reactivity**.

5.3 Advice for firefighters

- Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

Emergency Procedures: No specific precautions required. Keep unauthorized personnel away.

6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

- Refer to **Section 8 - Exposure Controls/Personal Protection** and **Section 13 – Disposal Considerations**.

Section 7– Handling and Storage

7.1 Precautions for safe handling

- Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to **Section 8 - Exposure Controls/Personal Protection**.

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

- Refer to **Section 1.2 - Relevant identified uses**.

Section 8– Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

| Chemical Name | CAS No. | ACGIH TLV TWA | OSHA PEL TWA | NIOSH REL TWA |
|---|------------|---------------------------|---|---------------------------|
| Carbon black | 1333-86-4 | 3 mg/m ³ I | 3.5 mg/m ³ | 3.5 mg/m ³ * |
| Crystalline silica | 14808-60-7 | 0.025 mg/m ³ R | 0.05 mg/m ³ ** | 0.05 mg/m ³ ** |
| Titanium dioxide | 13463-67-7 | 10 mg/m ³ | 15 mg/m ³ *** | N/A |
| N/A – Not applicable | | * | 0.1 in presence of polycyclic aromatic hydrocarbons | |
| I – Measured as inhalable fraction of the aerosol | | ** | Respirable dust | |
| R – Measured as respirable fractions of the aerosol | | *** | Total dust | |

Note: Titanium dioxide (CAS No. 13463-67-7) values listed above are related to non-ultrafine and non-nanoscale or finescale particles.

8.2 Exposure Controls:

Appropriate engineering controls

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

| | |
|---|---|
| Respiratory: | Under normal conditions of use, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. |
| Eyes/Face: | If contact is likely, safety glasses with side shields are recommended. |
| Hands: | Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves. |
| Body/Skin: | Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material. |
| Thermal Hazards: | None known. |
| Environmental Exposure Controls: | Not available. |

Hygiene measures: Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

| | | | |
|---|--|--|---|
| Appearance: Physical state: Colour: Odor/Odor threshold: | Thick Liquid See Section 1.1 Acrylic Odor | Partition Coefficient n-octanol/water: Auto-ignition temperature: | Not available Not available |
| pH (as supplied): | 8.0 – 9.0 | Decomposition temperature: | Not available |
| Melting/freezing point: | Not available | Dynamic viscosity: | Not available |
| Boiling point and boiling range: | Not available | Molecular weight: | Not available |
| Flash point: | Not applicable | Taste: | Not available |
| Evaporation rate: | Not available | Explosive properties: | Product does not present explosion hazard |
| Flammability: | Product does not self-ignite | Oxidizing properties: | Not available |
| Upper/lower explosive limits: | Not available | Surface tension: | Not available |
| Vapor pressure: | Not available | Volatile component: | Not available |
| Water solubility: | Particles not miscible | Gas group: | Not available |
| Vapor density (Air = 1): | Not available | pH (as solution): | 8.0 – 9.0 |
| Specific gravity (Water = 1): | Not available | VOC: | Not available |
| Relative density: | Not available | Particle size range: | Not available |

9.2 Other information

- No further data available.

Section 10 – Stability and Reactivity

10.1 Reactivity

- This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

- Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

Section 11 – Toxicological Information**11.1 Information on hazard classes**

Likely routes of exposure: Skin contact, ingestion.

Potential signs and symptoms:

| | |
|--|---|
| Acute oral toxicity: | The product is practically non-toxic based on available animal and human use data. Oral ATE >5000 mg/kg |
| Acute dermal toxicity: | The product is practically non-toxic based on available animal and human use data. Dermal ATE >5000 mg/kg |
| Acute inhalation toxicity: | Pyrithione zinc (CAS No. 13463-41-7) has been classified for acute inhalation toxicity (Category 3); however, product classification is not required based on the concentration of pyrithione zinc and given the product ATE >20 mg/L. |
| Skin corrosion/irritation: | The ingredients >1% of this product are not corrosive to the skin or skin irritants based on human and/or animal studies. |
| Serious eye damage/irritation: | Pyrithione zinc (CAS No. 13463-41-7) has been classified for eye damage (Category 1); however, product classification is not warranted based on the concentration of pyrithione zinc and a review of available data. The other ingredients >1% of this product are not corrosive to the eyes or eye irritants based on human and/or animal studies. |
| Respiratory or skin sensitization: | The ingredients >0.1% in this product are not sensitizing to the skin based on human and/or animal studies. |
| Mutagenicity: | The ingredients >0.1% in the product are not mutagenic based on human and/or animal studies. |
| Carcinogenicity: | Crystalline silica (CAS No. 14808-60-7) (airborne, unbound particles of respirable size) has been classified for carcinogenicity (Category 1A). Titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size) and carbon black (CAS No. 1333-86-4) have been classified for carcinogenicity (Category 2). Titanium dioxide and carbon black are listed as a Group 2B carcinogen by IARC. Crystalline silica (listed as silica dust, crystalline, in the form of quartz or cristobalite) is listed as Group 1 by IARC. Titanium dioxide, carbon black and crystalline silica are also listed as carcinogens by NTP and ACGIH. Product classification is not warranted for carcinogenicity based on a review of available data and the nature/physical form of the product (<i>i.e.</i> , liquid mediums). The other ingredients >0.1% are not carcinogenic based on animal studies or no data identified for the components in this product. |
| Reproductive Toxicity: | The ingredients >0.1% in the product are not reproductive toxicants based on animal studies or no data identified for the components in this product. |
| Specific target organ toxicity (single exposure): | The ingredients >1% in the product are not specific target organ toxicity (single exposure) toxicants based on human and/or animal studies. |
| Specific target organ toxicity (repeated exposure): | Crystalline silica (CAS No. 14808-60-7) has been classified for specific target organ toxicity (repeated exposure, Category 1 - lungs). Product classification is not warranted for specific target organ toxicity based on a review of available data and the nature/physical form of the product (<i>i.e.</i> , liquid mediums). The other ingredients >1% are not specific target organ toxicity (repeated exposure) toxicants based on human and/or animal studies. |
| Aspiration hazard: | The ingredients >1% in the product are not aspiration hazards based on animal studies or no data identified for the ingredients in this product. |

References:

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>
 IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>
 NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/whatwestudy/assessments/cancer/roc>

Section 12 – Ecological Information**12.1 Toxicity**

Environmental hazards are outside the scope of OSHA and WHMIS. Based on the criteria outlined in the 10th revision of the GHS, the product is classified for acute aquatic toxicity (Category 1) and chronic aquatic toxicity (Category 3).

| Chemical Name | CAS No. | Species | Value |
|------------------|------------|----------------------------------|--|
| Zinc pyrithione* | 13463-41-7 | <i>Pimephales promelas</i> | LC ₅₀ (96h): 0.0026 mg/L NOEC (96h): 0.011 mg/L |
| | | <i>Daphnia magna</i> | LC ₅₀ (48h): 0.0082 mg/L NOEC (48h): 0.011 mg/L |
| | | <i>Selenastrum capricornutum</i> | EC ₅₀ (120h): 0.028mg/L NOEC (120h): 0.0078 mg/L |

*According to Regulation (EC) No. 1272/2008 (CLP), M=1000 for acute aquatic effects and M=10 for chronic aquatic effects.

12.2 Persistence and degradability

- Zinc pyrithione (CAS No. 13463-41-7) is not persistent and rapidly degrades in water and the anaerobic sediment layer.
- No data available for the other ingredients in the product.

12.3 Bioaccumulative potential

- Zinc pyrithione (CAS No. 13463-41-7) is unlikely to bioaccumulate in aquatic species, either directly or through the food chain. The estimated log K_{ow} is -1.99.
- No data available for the other ingredients in the product.

12.4 Mobility in Soil

- Zinc pyrithione (CAS No. 13463-41-7) is slightly (K_{oc}=784) or very slightly (K_{oc}=2347) mobile in soils and very slightly mobile (K_{oc}=3597-10633) in sediments.
- No data available for the other ingredients in the product.

12.5 Results of PBT and vPvB assessment

- The ingredients in this product are not considered PBT or vPvB.

12.6 Endocrine disrupting properties

- This product is not expected to be endocrine disrupting.

12.7 Other adverse effects

- No further data available.

References:

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>

Section 13 – Disposal Considerations**13.1 Waste treatment methods**

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Waste should not be disposed of by release to sewers. Dispose of waste in accordance with local, regional, national, and/or international regulations.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 – Transport Information

Note: This product is regulated as dangerous goods for transport.

| | |
|--|---|
| 14.1 UN number | 3082 |
| 14.2 UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PAINT) |
| 14.3 Transport hazard class(es): | 9 |
| 14.4 Packing group | III |
| 14.5 Environmental hazards | Marine Pollutant |
| 14.6 Special precautions for user | 274, 331, 335, 375, 601 |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable |

Section 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

United States

Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): No ingredients in this product >0.1% are subject to reporting under CERCLA.

Clean Water Act (CWA): Chromium (III) oxide (CAS No. 1308-38-9), pyrrithione zinc (CAS No. 13463-41-7), zinc oxide (CAS No. 1314-13-2), arsenic (CAS No. 7440-38-2), cadmium (CAS No. 7440-43-9), hexavalent chromium (CAS No. 7440-47-3), lead (CAS No. 7439-92-1), mercury (CAS No. 7439-97-6), nickel (CAS No. 7440-02-0), polychlorinated biphenyls (CAS No. 1336-36-3), 3,3'-dichlorobenzidine (CAS No. 91-94-1), benzene (CAS No. 71-43-2), naphthalene (CAS No. 91-20-3), ethylbenzene (CAS No. 100-41-4), and toluene (CAS No. 108-88-3) are listed as toxic pollutants. No other ingredients in this product are listed as toxic pollutants.

Clean Air Act (CAA): Ethylene oxide (CAS No. 75-21-8) is listed by the CAA with a threshold quantity of 10,000 lbs. Formaldehyde (CAS No. 50-00-0) is listed by the CAA with a threshold quantity of 15,000 lbs. 1,2-Ethylenediamine (CAS No. 107-15-3) is listed by the CAA with a threshold quantity of 20,000 lbs. No other ingredients in this product are listed under the CAA.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: Ammonia (CAS No. 7664-41-7) and formaldehyde (CAS No. 50-00-0) have a reporting quantity of 500 lbs in accordance with S.302. Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 1,000 lbs in accordance with S.302. 1,2-Ethylenediamine (CAS No. 107-15-3) has a reporting quantity of 10,000 lbs in accordance with S.302. No other ingredients in this product are subject to reporting requirements of S.302.

SARA 304 Emergency Release Notification: Ethylene oxide (CAS No. 75-21-8) has a reporting quantity of 10 lbs in accordance with S.304. Formaldehyde (CAS No. 50-00-0) and ammonia (CAS No. 7664-41-7) have a reporting quantity of 100 lbs in accordance with S.304. 1,2-Ethylenediamine (CAS No. 107-15-3) has a reporting quantity of 5,000 lbs in accordance with S.304. No other ingredients in this product are subject to reporting requirements of S.304.

SARA 311/312 Hazards: Acute aquatic toxicity, chronic aquatic toxicity.

SARA 313 Components: Aluminum oxide (CAS No. 1344-28-1), barium compounds (CAS No. 7585-41-3), alkyl phenoxypolyoxyethylene (CAS No. 9016-45-9), 4-nonylphenol branched, ethoxylated (CAS No. 127087-87-0), 1,2,4-trimethylbenzene (CAS No. 95-63-6), arsenic (CAS No. 7440-38-2), cadmium (CAS No. 7440-43-9), cobalt (CAS No. 7440-48-4), lead (CAS No. 7439-92-1), mercury (CAS No. 7439-97-6), nickel (CAS No. 7440-02-0), styrene (CAS No. 100-42-5), polychlorinated biphenyls (CAS No. 1336-36-3), 3,3'-dichlorobenzidine (CAS No. 91-94-1), o-toluidine (CAS No. 95-53-4), 1,4-dioxane (CAS No. 123-91-1), hexachlorobenzene (CAS No. 118-74-1), ethylene oxide (CAS No. 75-21-8), benzene (CAS No. 71-43-2), naphthalene (CAS No. 91-20-3), ethylbenzene (CAS No. 100-41-4), ethyl acrylate (CAS No. 140-88-5), toluene (CAS No. 108-88-3), methanol (CAS No. 67-56-1), and formaldehyde (CAS No. 50-00-0) are subject to reporting requirements of S.313. No other ingredients in this product are subject to reporting requirements of S.313.

Toxic Substances Control Act (TSCA): Silicic acid aluminum sodium salt sulfurized (CAS No. 101357-30-6), 2-ethylhexyl disodium sulfosuccinate (CAS No. 63782-88-7), and 2-methylamino-2-methyl-1-propanol (CAS No. 27646-80-6) are not listed on the non-confidential TSCA inventory. All other ingredients are listed on the non-confidential TSCA inventory or are exempt.

State Regulations:

California Proposition 65 List: Titanium dioxide (CAS No. 13463 67 7) (airborne particles of respirable size), carbon black (CAS No. 1333-86-4) (airborne particles of respirable size), and crystalline silica (CAS No. 14808-60-7) [listed as silica, crystalline (airborne particles of respirable size)] are listed on the California Proposition 65 List as chemicals known to the State of California to cause cancer. Given the nature/physical form of the product (*i.e.*, liquid mediums), airborne respirable particles would not likely be released from this product and therefore the listed forms of titanium dioxide, silica, crystalline, and carbon black are not relevant for the product. Styrene (CAS No. 100-42-5), alphas-methyl styrene (CAS No. 98-83-9), polychlorinated biphenyls (CAS No. 1336-36-3), 3,3'-dichlorobenzidine (CAS No. 91-94-1), o-toluidine (CAS No. 95-53-4), 1,4-dioxane (CAS No. 123-91-1), hexachlorobenzene (CAS No. 118-74-1), ethylene oxide (CAS No. 75-21-8), benzene (CAS No. 71-43-2), naphthalene (CAS No. 91-20-3), ethylbenzene (CAS No. 100-41-4), ethyl acrylate (CAS No. 140-88-5), toluene (CAS No. 108-88-3), methanol (CAS No. 67-56-1), formaldehyde (gas) (CAS No. 50-00-0), arsenic (inorganic arsenic compounds) (CAS No. not specified), lead (also listed as lead and lead compounds) (CAS No. not specified), mercury (listed as mercury and mercury compounds) (CAS No. not specified), cadmium (also listed as cadmium and cadmium compounds) (CAS No. 7440-43-9), hexavalent chromium [listed as chromium (hexavalent compounds)] (CAS No. not specified), cobalt (listed as cobalt [II] oxide) (CAS No. 1307-96-6), nickel (soluble compounds) (CAS No. not specified) are listed on the Proposition 65 List. Warnings for the purpose of California Proposition 65 for cobalt and nickel are not warranted given the nature/physical form of the product (*i.e.*, liquid mediums). Additionally, a screening assessment indicates that the concentrations of styrene, alphas-methyl styrene, polychlorinated biphenyls, 3,3'-dichlorobenzidine, o-toluidine, 1,4-dioxane, hexachlorobenzene, ethylene oxide, benzene, naphthalene, ethylbenzene, ethyl acrylate, toluene, methanol, formaldehyde, arsenic, lead, mercury, cadmium, and hexavalent chromium are not expected to be a cause for concern and warnings for the purpose of California Proposition 65 are not required.

Canada

CEPA DSL/NDSL: Silicic acid aluminum sodium salt sulfurized (CAS No. 101357-30-6), 2-ethylhexyl disodium sulfosuccinate (CAS No. 63782-88-7), and 2-methylamino-2-methyl-1-propanol (CAS No. 27646-80-6) are not listed on the DSL/NDSL. The other ingredients in the product are listed on the DSL or are exempt from DSL/NDSL requirements.

International:

International Agency for Research on Cancer (IARC): Crystalline silica (listed as silica dust, crystalline, in the form of quartz or cristobalite) (CAS No. 14808-60-7), arsenic (CAS No. 7440-38-2), cadmium (listed as cadmium and cadmium compounds) (CAS No. 7440-43-9), hexavalent chromium (listed as chromium, metallic) (CAS No. 7440-47-3), o-toluidine (CAS No. 95-53-4), ethylene oxide (CAS No. 75-21-8), benzene (CAS No. 71-43-2), and formaldehyde (CAS No. 50-00-0) are listed as Group 1, carcinogenic to humans. Cobalt (CAS No. 7440-48-4) and styrene (CAS No. 100-42-5) are listed as Group 2A, probably carcinogenic to humans. Titanium dioxide (CAS No. 13463-67-7), carbon black (CAS No. 1333-86-4), lead (CAS No. 7439-92-1), nickel (CAS No. 7440-02-0), alphas-methyl styrene (CAS No. 98-83-9), 3,3'-dichlorobenzidine (CAS No. 91-94-1), 1,4-dioxane (CAS No. 123-91-1), hexachlorobenzene (CAS No. 118-74-1), naphthalene (CAS No. 91-20-3), ethylbenzene (CAS No. 100-41-4), and ethyl acrylate (CAS No. 140-88-5) are listed as Group 2B, possibly carcinogenic to humans. Iron (III) oxide (listed as ferric oxide) (CAS No. 1309-37-1), polypropylene (CAS No. 9003-07-0), mercury (CAS No. 7439-97-6), and toluene (CAS No. 108-88-3) are listed as Group 3, not classifiable as to its carcinogenicity to humans. No other ingredients in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

- None available for the components in this product.

Section 16 – Other Information

An **AP (Approved Product)** label is appropriate for this product. The product, *Folk Art Texture Mediums*, is safe and is certified to contain no materials in sufficient quantities to be toxic or injurious to humans, including children, or to cause acute or chronic health problems.



List of acronyms and abbreviations:

| | |
|--|---|
| ACGIH: American conference of Governmental Hygienists | NIOSH: National Institute for Occupational Safety & Health |
| ATE: Acute Toxicity Estimate | NOEC: No Observed Effect Concentration |
| CAA: Clean Air Act | NTP: National Toxicology Program |
| CAS: Chemical Abstract Service Number | OSHA: Occupational Safety and Health Administration |
| CERCLA: Comprehensive Environmental Response and Liability Act | PAH: Polycyclic Aromatic Hydrocarbon |
| CEPA: Canadian Environmental Protection Act | PBT: Persistent, Bioaccumulative and Toxic |
| CFR: Code of Federal Regulations | PEL: Permissible Exposure Level |
| CWA: Clean Water Act | PPE: Personal Protective Equipment |
| DFG MAK: Deutsche Forschungsgemeinschaft Maximale Arbeitsplatz-Konzentration | REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals |
| DSL: Domestic Substances List | REL: Recommended exposure level |
| EC: European Commission | SARA: Superfund Amendment and Reauthorization Act |
| EC ₅₀ : Median effective concentration | SDS: Safety Data Sheet |
| ECHA: European Chemicals Agency | TLV: Threshold limit value |
| GHS: Global Harmonized System | TWA: Time-weighted average |
| IARC: International Agency for Research on Cancer | TSCA: Toxic Substances Control Act |
| IBC: International Bulk Chemical | UN: United Nations |
| LC ₅₀ : Lethal Concentration 50% | WHMIS: Workplace Hazardous Materials Information System |
| MARPOL: Maritime Pollution | vPvB: very Persistent, very Bioaccumulative |
| NDSL: Non-Domestic Substances List | |

References:

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database.

<https://echa.europa.eu/search-for-chemicals>

IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service.

<https://ntp.niehs.nih.gov/whatwestudy/assessments/cancer/roc>

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a new Safety Data Sheet.

Creation Date: May 14, 2025