## 92077-0133

Page: 1 of 11 InfoTox No. Z\_060921M-1

# SAFETY DATA SHEET

Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

# 1. Identification

# Nova Color (54 Colors).

- 101 Burnt Umber
- 103 Carbazole Dioxazine Violet
- 106 Indian Yellow
- 107 Hansa Yellow Light
- 108 Iron Oxide/Mars Black
- 110 Organic Pyrrole Orange
- 114 Alizarin Crimson Hue
- 115 Phthalo Blue (Red Shade)
- 115D Phthalo Blue Deep (Green Shade)
- 116 Phthalo Green
- 117 Raw Umber
- 117D Raw Umber Dark
- 119 Venetian/Iron Oxide Red
- 120 Yellow Green
- 122 Ultramarine Blue
- 126 Quinacridone Purple
- 129 Quinacridone Red
- 133 Bismuth Yellow
- 140 Payne's Gray
- 141 Mars/Iron Oxide Violet
- 143 Permanent Green Light
- 144 Azo Yellow Medium
- 147 Quinacridone Magenta
- 148 Super Pearl Gold
- 149 Transparent Red Iron Oxide
- 152 Stainless Steel
- 155 Golden Bronze,
- 171 Naphthol Crimson
- 175 Transparent Yellow Iron Oxide
- 176 Indanthrone Blue
- 177 Phthalo Green Yellow Shade
- 178 Arylide Benzimidazolone Yellow
- 180 Iridescent Base & Glaze
- 181 Quinacridone Violet
- 183 Bone/Ivory Black

Page: 2 of 11 InfoTox No. Z\_060921M-1

184 Deep Green

187 Pyrrole Red

190 Fluorescent Magenta

194 Fluorescent Invisible Blue

199 Fluorescent Blue

204 Matte Medium

205 Matte Varnish

206 Gloss Medium & Varnish

207 Nova Gel

208 Matte Gel

209 Super Gel

213 Flex Gel

216 Exterior Varnish

217 Slow Dry Matte Liquid

233 Novaplex

235 Novaplex

250 Coarse Lava Gel

251 Lightweight Texture Paste

299 Acrylic Retarder

Effective Date: April 25, 2021

Manufacturer: Nova Color Inc.

5894 Blackwelder St

Culver City, CA-USA 90232

**Emergency Contact:** 310-204-6900

**Fax:** 310-848-3077 or 310-838-2094

Intended Use: Painting and Creation of Art

# 2. Hazard(s) identification

Classification: None Required

Hazard Pictogram: None required

Signal Word: CAUTION

**Hazard Statement:** May cause eye and skin irritation.

Cautionary Statements: Avoid contact with skin and eye. Avoid breathing mist

in case of spray painting. Use in well ventilated

areas. Wash hands after use.

Page: 3 of 11 InfoTox No. Z\_060921M-1

NFPA Classification: Health Hazard: 1, Slight

Fire Hazard: 0, (Insignificant)

Reactivity Hazard: 0, (Insignificant) Special Hazards: 0, (Insignificant)

# 3. Composition/Information on Complex Substance

**Chemical identity** 

(Mixtures): Pigments (Mixture): <45%

Surfactants (Mixture): <5% Other Ingredients (Mixture): <50%

**Common name:** Artist Paints of Various colors.

CAS Number(s): Proprietary

## 4. First-aid measures

Inhalation: If affected, remove to fresh air. If symptoms persist,

consult a physician.

**Skin contact:** Wash the affected area with plenty soap and water.

**Eye contact:** Hold eyelids apart and flush eyes with plenty of water

for at least 15 minutes, tilting head sideways to allow the water to wash out the dust. If irritation persists,

seek medical attention.

**Ingestion:** If swallowed, do NOT induce vomiting. Other than

abdominal discomfort there should be no acute exposure problems from small amounts ingested (less than 5 grams). If massive quantities are ingested, seek

medical attention.

## 5. Firefighting measures

**Extinguishing media:** This product is not expected to be flammable,

combustible or explosive. However, in case there is a fire, water, foam, carbon dioxide, or dry chemical fire

extinguishers can be used.

Flash Point: Not applicable (Water Based)

Page: 4 of 11 InfoTox No. Z\_060921M-1

## 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Contain spill. Collect as much as possible. Absorb remainder with an inert material. Place in a closed container and dispose properly. Wash the spill area with soap and water.

# **Environmental precautions:**

This product will not harm the environment but may stain surfaces.

# Methods and materials for containment and cleaning up:

Gently, without spreading and by using gloves and spatula collect as much as of spilled paints into a closeable container, label and seal the container immediately. Do not let people or vehicles walk or drive over the spill to avoid splicing and getting hurt. After collection, use the mop or wipes to clean the area. Dispose of the container, and the wipes/mop properly.

## 7. Handling and storage

# Precautions for safe handling:

Use in well ventilated areas. Avoid contact with eyes and skin. Avoid inhalation of mist. When working with large quantity (<I gallon approximately), wear protective equipment specified in section 8, such as proper goggles, and proper gloves. Keep container closed when not in use. Keep container secure and upright to avoid spillage.

### **Environmental Precautions:**

Keep container closed, when not in use. Keep container upright to avoid spillage.

### Storage:

Keep the product in a cool, dry and well-ventilated area. Keep away from heating source. Store between 50 - 100 deg. F.

Page: 5 of 11 InfoTox No. Z\_060921M-1

# 8. Exposure controls / personal protection

## **Appropriate engineering controls**

#### Ventilation:

Use in well-ventilated area. When working with large quantity (>5 gallon approximately), use negative pressure fume hood.

# Personal Protective Equipment (PPE)

## Eye protection:

Safety glasses with side shields are recommended to avoid exposure to mist during spray.

### Skin protection:

When working with large quantity, use water resistant impervious gloves and practice good personal hygiene.

## Respiratory protection:

If it is not possible to reduce airborne exposure levels to below the OSHA PEL with ventilation, wear approved NIOH/MSHA respirator/ The table below can be used to assist you in selecting respirators that will reduce personal exposures to below the OSHA PEL. This table is part of the NIOSH Respirator Selection Logic, 2004, Chapter III, Table 1, "Particulate Respirators". The full document can be found at <a href="https://www.cdc.gov/niosh/npptl/topics/respirators">www.cdc.gov/niosh/npptl/topics/respirators</a>; the user of this SDS document is directed to that site for information concerning respirator selection and use. The assigned protection factor (APF) is the minimum anticipated level of protection provided by each type of respirator worn in accordance with an adequate respiratory protection program. For example, an APF of 10 means that the respirator should reduce the airborne concentration of a particulate by a factor of

10, so that if the workplace concentration of a particulate was 150ug/m3, then a respirator with an APF of 10 should reduce the concentration of particulate to 15

ug/m3.

Page: 6 of 11 InfoTox No. Z\_060921M-1

	T (D : 1		
Assigned	Type of Respirator		
protection	(Use only NIOSH-certified respirators)		
Factor (APF)			
10	Any air-purifying elastomeric half-mask respirator equipped		
	with appropriate type of particulate filter. (2)		
	Appropriate filtering face piece respirator. (2)(3)		
	Any air-purifying full face piece respirator equipped with		
	appropriate type of particulate filter. (2)		
	Any negative pressure (demand) supplied-air respirator		
	equipped with a half-mask.		
25	Any powered air-purifying respirator equipped with a hood or		
	helmet and a high efficiency (HEPA) filter.		
	Any continuous flow supplied-air respirator equipped with a		
	hood or helmet.		
50	Any air-purifying full face piece respirator equipped with N-		
	100, R-100, or P-100 filter(s).		
	Any powered air-purifying respirator equipped with a tight-		
	fitting face piece (half or full-face piece) and a high-efficiency		
	filter.		
	Any negative pressure (demand) supplied air respirator		
	equipped with a full-face piece.		
	Any continuous flow supplied-air respirator equipped with a		
	tight-fitting face piece (half or full-face piece)		
	Any negative pressure (demand) self-contained respirator		
	equipped with a full-face piece.		
1,000	Any pressure-demand supplied-air respirator equipped with a		
1,000	half-mask.		
1	Hall-Hasn.		

## **Explanation for numbers given above:**

- The protection offered by a given respirator is contingent upon (1) the
  respirator user adhering to complete program requirements (such as the
  ones required by OSHA in 29CFR1910,134), (2) the use of NIOSHcertified respirators in their approved configuration, and (3) individual fit
  testing to rule out those respirators that cannot achieve a good fit on
  individual workers.
- 2. Appropriate means that the filter medium will provide protection against the particulate in question.
- 3. An APF of 10 can only be achieved if the respirator is qualitatively or quantitatively fit tested on individual workers.

Page: 7 of 11

InfoTox No. Z\_060921M-1

## 9. Physical and chemical properties

Physical state: Viscous Liquids

**Colours:** Various colours (referenced above)

Odor: Acrylic
Boiling Point: 212 F
Freezing Point: 32F

pH-value:
Specific Gravity:
Viscosity:
Flash point:
Vapor pressure:
Vapor density:
Solubility:
Not Determined
Not Applicable
Similar to water
Similar to water
Miscible or dilutable

# 10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of

normal use

Chemical stability: Stable under recommended storage conditions

Possibility of hazardous reactions: None known.

**Precautions** 

When applied with brush/Roller: None required

When Sprayed: Avoid creating dust or mist without

proper Engineering control.

**Incompatible materials:** Strong oxidizing agents and acids.

Hazardous decomposition products: None are known.

## 11. Toxicological information

Studies have not been performed on these paints. The information below is based on the available toxicological literature on individual ingredients.

## **Acute Toxicity**

**Health Effects:** Under normal use conditions, no toxicity of any significance is expected among general consumer population.

Page: 8 of 11 InfoTox No. Z\_060921M-1

**Eye Hazard:** Direct contact with eyes may cause irritation,

predominantly of mechanical nature.

**Skin Hazard:** Prolonged contact with the paints may cause irritation

or redness.

**Respiratory Tract Hazard:** Not likely. However, burning or high

temperature may release fumes which may

cause respiratory tract irritation.

**Sensitization:** Not expected to occur among general consumer

population.

**Ingestion Hazard:** Under normal use conditions, exposure through

ingestion is not expected. However, accidental ingestion may cause irritation of mouth, throat, and stomach. May result in nausea and vomiting. No effects known in usual and ordinary use conditions.

## **Chronic Effects**

When used and handled according to specifications, and by adopting recommended precautions, the paints are not expected to cause any harmful effects.

## 12. Ecological information

The paints are not expected to cause harm to the environment.

# 13. Waste Disposal

Dispose of all the waste material in accordance with all the applicable federal, state and local regulations.

### 14. Transport information

This regulation does not apply to the non-bulk material This regulation does not apply to the non-bulk material This regulation does not apply to the non-bulk material

This information is not intended to be conveyed all specific regulatory or operational requirements/information relating to this product. It is the responsibility of transporter to follow all applicable laws, regulations and rules relating to transportation of this material.

Page: 9 of 11 InfoTox No. Z\_060921M-1

# 15. Regulatory information

### **UNITED STATES (FEDERAL AND STATE)**

Emergency Planning and Community Right to Know Act (SARA Title III): Not applicable to this mixture.

**SARA Section 355 (Extremely Hazardous Substances):** Not applicable to this mixture.

**SARA Section 313 (Specific Toxic Chemical Listing)**; Not applicable to this mixture.

TSCA: All ingredients are listed

# California Proposition 65:

These products contain chemicals such as Acrylic Monomer, Formaldehyde or 1, 4-Dioxane that are below California Proposition 65's "Safe Harbor Levels" as determined via risk assessments. Therefore, the chemicals are not required to be listed as Prop-65 chemicals on the SDS or the label.

<u>California</u>, <u>Inhalation Reference Exposure Level (REL)</u>: California established a chronic REL of 3 ug for silica (crystalline, respirable). A chronic REL is an airborne level of a substance at or below which no adverse health effects are anticipated in individuals indefinitely exposed to the substance at that level.

<u>Massachusetts Toxic Use Reduction Act:</u> Silica, crystalline (respirable size, <10 microns) is "toxic" for purposes of the Massachusetts Toxic Use Reduction Act.

<u>Pennsylvania Worker and Community Right to Know Act</u>: Quartz is a hazardous substance under the Act but it is <u>not</u> a special hazardous substance or an environmental hazardous substance.

#### **CANADA**

<u>Domestic Substances List:</u> Agulis pigments Co Ltd products, are mined outside of Canada and are not on the Canadian DSL. WHMIS Classification: D2A

## 16. Other information

SDS Preparation Date: April 25, 2021 Prepared by: InfoTox International

Page: 10 of 11 InfoTox No. Z\_060921M-1

Revision Date: New on June 11, 2021 (Should be revised annually or when regulations change or when new information becomes available)

Reason for Revision: New on June 11, 2021

The information in this SDS pertains only to the products referenced above

Key or legend to abbreviations and acronyms used in the safety data sheet and pertinent to safety and health considerations

ACGIH	American Conference of	LD50	Lethal Dose 50%
АСВІП	Government Industrial	LDSU	Lethal Duse 50%
AICS	Hygienists Australia, Inventory of	LOAEL	Lowest Observed Adverse Effect Level
AICS	Chemical	LOAEL	Lowest Observed Adverse Effect Level
	Substances		
DSL	Canada, Domestic	NFPA	National Fire Protection Agency
DSL	Substances List	NEFA	National File Protection Agency
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
NDSL	Substances List	NIOSH	Safety and Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS		NZioC	New Zealand Inventory of Chemicals
EC50	Chemical Abstract Service		
EGEST	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGESI	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
FOCCA	Scenario Tool	PEL	Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
EINECS	Chemicals Association	DICCC	Dhilipping Lawrenton, of Consequential
EINECS	European Inventory of	PICCS	Philippines Inventory of Commercial
	Existing Chemical		Chemical Substances
B# A 1/	Substances	DDMT	December 4 Not Tools
MAK	Germany Maximum	PRNT	Presumed Not Toxic
CLIC	concentration Values	DCDA	December Consequetion December Act
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal to	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
IARC	International Assessment	TLV	Reauthorization Act Threshold Limit Value
IARC	International Agency for	ILV	i nresnoid Limit Value
IFCCC	Research on Cancer	TWA	Time a Maintena di Avenana
IECSC	Inventory of Existing Chemical Substances in	IWA	Time Weighted Average
	China China		
ENCS		TSCA	Toxic Substances Control Act
ENCS	Japan, Inventory of Existing and New Chemical	ISCA	Toxic Substances Control Act
KECI	Substances Korea, Existing Chemical	UVCB	Unknown or Variable composition,
RECI	Inventory	UVCB	Complex Reaction Products, and
	Inventory		Biological Materials
<=	Less Than or Equal to	WHMIS	Workplace Hazardous Materials
<=	Less man or Equal to	AALINIS	Information System
LC50	Lethal Concentration 50%	UK	United Kingdom Occupational
LCSU	Lethal Concentration 50%	OES	
German	Germany Maximum	STOT	Exposure Standards Specific Target Organ Toxicity
German MAK	Allowable Concentration	3101	Specific rarger Organ Toxicity
IVIAN	Allowable Concentiation	I .	

Page: 11 of 11 InfoTox No. Z\_060921M-1

#### **DISCLAIMER**

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF INFOTOX'S KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. MOREOVER, THE SDS GENERATED MAY WARY IN FORMAT AND MATERIAL FROM ANY OTHER PROFESSIONAL AND THAT THE MANUFACTURER(S) WILL NOT HOLD RESPONSIBLE OR TAKE ANY LEGAL ACTION AGAINST INFOTOX INTERNATIONAL. INC OR ANY OF ITS EMPLOYEES OR OWNERS. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.