

**Safety Data Sheet** BOB ROSS OIL CLR  
 according to Regulation (EC) No. 1907/2006 (REACH)  
 according to Regulation (EU) No 453/2010

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
 Print date 13.04.2021 Revision date 13.04.2021 EN  
 Version 1.1 Issue date 13.04.2021 Page 1 / 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. product identifiers

Article No. (manufacturer/supplier): 750006740  
 Identification of the substance or mixture BOB ROSS PAINTING MEDIUM

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses:

Artists supply and hobby preparations  
 Coatings and paints, thinners, paint removers

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/downstream user/distributor):

Daler-Rowney Ltd  
 Peacock Lane Telephone: +44 (0) 1344 461083  
 Bracknell, RG12 8SS Telefax: +44 (0) 1344 486511  
 ENGLAND

##### Dept. responsible for information:

E-mail Philip.Gray@daler-rowney.com

#### 1.4. Emergency telephone number

Emergency telephone: 03030686700 03030686700

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Flam. Liq. 3 / H226	Flammable liquids	Flammable liquid and vapour.
Aquatic Chronic 4 / H413	Hazardous to the aquatic environment	May cause long lasting harmful effects to aquatic life.

#### 2.2. Label elements

The product is classified and labelled according to EC directives or corresponding national laws.

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard pictograms



**Warning**

##### Hazard statements

H226 Flammable liquid and vapour.  
 H413 May cause long lasting harmful effects to aquatic life.

##### Precautionary statements

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P102 Keep out of the reach of children.  
 P103 Read label before use.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 Keep container tightly closed.  
 P243 Take precautionary measures against static discharges.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/or shower.  
 P370 + P378 In case of fire: Use foam to extinguish.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P501 Dispose of contents/container in accordance with local legislation.

##### contains:

not applicable

##### Supplemental Hazard information (EU)

not applicable

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
Print date 13.04.2021 Revision date 13.04.2021  
Version 1.1 Issue date 13.04.2021

EN  
Page 2 / 7

2.3. **Other hazards**

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

**SECTION 3: Composition / information on ingredients**

3.2. **Mixtures**

**Product description / chemical characterization**

**Description** Painting Medium for Oil-Colour

**Hazardous ingredients**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

EC No.	REACH No.	Wt %
CAS No.	Chemical name	Remark
INDEX No.	classification:	
918-167-1	01-2119472146-39	
64741-65-7	Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Aquatic Chronic 4 H413	25 - 50

**Additional information**

Full text of classification: see section 16

**SECTION 4: First aid measures**

4.1. **Description of first aid measures**

**General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

**In case of inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

**Following skin contact**

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

**After eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**After ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. **Most important symptoms and effects, both acute and delayed**

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed**

**SECTION 5: Firefighting measures**

5.1. **Extinguishing media**

**Suitable extinguishing media**

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

**Extinguishing media which must not be used for safety reasons:**

strong water jet

5.2. **Special hazards arising from the substance or mixture**

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

5.3. **Advice for firefighters**

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Cool closed containers that are near the source of the fire.

**SECTION 6: Accidental release measures**

Article No.:	750006740	BOB ROSS PAINTING MEDIUM	
Print date	13.04.2021	Revision date 13.04.2021	EN
Version	1.1	Issue date 13.04.2021	Page 3 / 7

- 6.1. **Personal precautions, protective equipment and emergency procedures**  
Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.
- 6.2. **Environmental precautions**  
Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.
- 6.3. **Methods and material for containment and cleaning up**  
Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).
- 6.4. **Reference to other sections**  
Observe protective provisions (see section 7 and 8).

## SECTION 7: Handling and storage

- 7.1. **Precautions for safe handling**  
**Advices on safe handling**  
Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.  
**Precautions against fire and explosion:**  
Vapours are heavier than air. Vapours form explosive mixtures with air.
- 7.2. **Conditions for safe storage, including any incompatibilities**  
**Requirements for storage rooms and vessels**  
Storage in accordance with the Ordinance on Industrial Safety and Health (BetRSIVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".  
**Hints on joint storage**  
Keep away from strongly acidic and alkaline materials as well as oxidizers.  
**Further information on storage conditions**  
Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.
- 7.3. **Specific end use(s)**  
Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

- 8.1. **Control parameters**  
**Occupational exposure limit values:**  
  
INDEX No. not applicable / CAS No.
- 8.2. **Exposure controls**  
Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.  
**Occupational exposure controls**  
**Respiratory protection**  
If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.  
**Hand protection**

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
Print date 13.04.2021 Revision date 13.04.2021  
Version 1.1 Issue date 13.04.2021

EN  
Page 4 / 7

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)  
Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.  
Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374  
Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

**Eye protection**

Wear closely fitting protective glasses in case of splashes.

**Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

**Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

**Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties**

9.1. **Information on basic physical and chemical properties**

**Appearance:** Liquid  
**Physical state** Liquid  
**Colour** refer to label  
**Odour** characteristic

Safety relevant basis data	Unit	Method	Remark
Flash point:	< 60 °C	DIN 53213	
Ignition temperature in °C:	300 °C		
Lower explosion limit	0,6 Vol-%		
Upper explosion limit	6 Vol-%		
Vapour pressure at 20 °C::	0,628		
Density at 20 °C::	1,00 g/cm <sup>3</sup>		
Water solubility (g/L)	insoluble		
pH at 20 °C::	-		
Viscosity at 20 °C:	< 20 mPa*s		
Solvent separation test (%)	< 3 %		
boiling point in °C at 101,3 kPa	187 °C		

9.2. **Other information:**

**SECTION 10: Stability and reactivity**

10.1. **Reactivity**

10.2. **Chemical stability**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. **Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. Vapours form explosive mixtures with air.

10.4. **Conditions to avoid**

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. **Incompatible materials**

10.6. **Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

**SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]  
No data on preparation itself available.

11.1. **Information on toxicological effects**

**Acute toxicity**

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
Print date 13.04.2021 Revision date 13.04.2021  
Version 1.1 Issue date 13.04.2021

EN  
Page 5 / 7

Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics  
oral, LD50, Rat: > 5000 mg/kg  
Method: OECD 401  
dermal, LD50, Rabbit: > 5000 mg/kg

**skin corrosion/irritation; Serious eye damage/eye irritation**

Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics  
Skin (4 h)  
Causes mild skin irritation.  
eyes: evaluation Not an irritant.

**Respiratory or skin sensitisation**

Toxicological data are not available.

**Specific target organ toxicity**

Toxicological data are not available.

**Aspiration hazard**

Toxicological data are not available.

**Practical experience/human evidence**

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

**Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

**Remark**

There is no information available on the preparation itself .

**SECTION 12: Ecological information**

**overall evaluation**

Classification according to Regulation (EC) No 1272/2008 [CLP]  
There is no information available on the preparation itself .  
Do not allow to enter into surface water or drains.

12.1. **Toxicity**

Toxicological data are not available.

**Long-term Ecotoxicity**

May cause long lasting harmful effects to aquatic life.

12.2. **Persistence and degradability**

Toxicological data are not available.

12.3. **Bioaccumulative potential**

Toxicological data are not available.

12.4. **Mobility in soil**

Toxicological data are not available.

12.5. **Results of PBT assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. **Other adverse effects**

**SECTION 13: Disposal considerations**

13.1. **Waste treatment methods**

**Appropriate disposal / Product Recommendation**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
 Print date 13.04.2021 Revision date 13.04.2021 EN  
 Version 1.1 Issue date 13.04.2021 Page 6 / 7

disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**List of proposed waste codes/waste designations in accordance with EWC**

140603\* other solvents and solvent mixtures

**packaging**

**Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

**SECTION 14: Transport information**

- 14.1. **UN number** UN 1993
- 14.2. **UN proper shipping name**  
 Land transport (ADR/RID): Flammable liquid, n.o.s.  
 (Hydrocarbons, C11-C12, Isoalka nes, <2% Aromatics)  
 Sea transport (IMDG): FLAMMABLE LIQUID, N.O.S.  
 (Hydrocarbons, C11-C12, Isoalka nes, <2% Aromatics)  
 Air transport (ICAO-TI / IATA-DGR): Flammable liquid, n.o.s.  
 (Hydrocarbons, C11-C12, Isoalka nes, <2% Aromatics)
- 14.3. **Transport hazard class(es)** 3
- 14.4. **Packing group** III
- 14.5. **Environmental hazards**  
 Land transport (ADR/RID) not applicable  
 Marine pollutant not applicable
- 14.6. **Special precautions for user**  
 Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.  
 Advices on safe handling: see parts 6 - 8
- Further information**
- Land transport (ADR/RID)**  
 tunnel restriction code D/E
- Sea transport (IMDG)**  
 EmS-No. F-E, S-E
- 14.7. **Transport in bulk according to Annex II of Marpol and the IBC Code**  
 not applicable

**SECTION 15: Regulatory information**

- 15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- EU legislation**
- Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).**  
 VOC-value (in g/L) ISO 11890-2: 343  
 VOC-value (in g/L) ASTM D 2369: 343
- National regulations**
- Restrictions of occupation**  
 Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.  
 Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
- Other regulations, restrictions and prohibition regulations**
- 15.2. **Chemical Safety Assessment**  
**For the following substances of this preparation a chemical safety assessment has been carried out:**

EC No.	Chemical name	REACH No.
CAS No.		

Article No.: 750006740 BOB ROSS PAINTING MEDIUM  
Print date 13.04.2021 Revision date 13.04.2021 EN  
Version 1.1 Issue date 13.04.2021 Page 7 / 7

918-167-1 Hydrocarbons, C11-C12, Isoalkanes, <2% Aromatics 01-2119472146-39  
64741-65-7

**16. Other information**

**Full text of classification in section 3:**

Flam. Liq. 3 / H226	Flammable liquids	Flammable liquid and vapour.
Asp. Tox. 1 / H304	Aspiration hazard	May be fatal if swallowed and enters airways.
Aquatic Chronic 4 / H413	Hazardous to the aquatic environment	May cause long lasting harmful effects to aquatic life.

**Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.