

00618-0080



# LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 11/08/2021 Revision date: 11/08/2021 Supersedes: 10/19/2020 Version: 5.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Artists', craft and hobby paints

#### 1.3. Supplier

##### Distributor

ColArt Americas Inc.  
2 Corporate Place South, Piscataway  
New Jersey, USA  
NJ 08854  
T +1 888 422 7954  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

##### Manufacturer

Colart France  
+33 2 43 83 83 00 Zone Industrielle Nord  
5 Rue René Panhard  
Le Mans, - France  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

#### 1.4. Emergency telephone number

Emergency number : +1 888 422 7954

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Labelling statements in this section are not applicable to consumer products, please see section 15.

#### GHS US classification

Carcinogenicity Category 2

Suspected of causing cancer

Calculation method

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

Suspected of causing cancer

Precautionary statements (GHS US) :

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If exposed or concerned: Get medical advice/attention.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

#### 2.4. Unknown acute toxicity (GHS US)

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
TALC	(CAS-No.) 14807-96-6	3 – 5	Carc. 2, H351

11/08/2021

US - en

Page 1

**LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

**SECTION 4: First-aid measures****4.1. Description of first aid measures**

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

**4.2. Most important symptoms and effects (acute and delayed)**

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

**4.3. Immediate medical attention and special treatment, if necessary**

Treat symptomatically.

**SECTION 5: Fire-fighting measures****5.1. Suitable (and unsuitable) extinguishing media**

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

**5.2. Specific hazards arising from the chemical**

Fire hazard	: No fire hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

**5.3. Special protective equipment and precautions for fire-fighters**

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****6.1.1. For non-emergency personnel**

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

**6.1.2. For emergency responders**

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

**6.4. Reference to other sections**

For further information refer to section 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage conditions	: Store in a well-ventilated place. Keep cool.
--------------------	--

11/08/2021

US - en

2/7

Item Numbers: 00618-0080, 00618-1007, 00618-1016

Page 2 of 7



**LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO****Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

No data available	Viscosity, kinematic	: No data available
	Viscosity, dynamic	: No data available
	Explosion limits	: No data available
	Explosive properties	: No data available
	Oxidizing properties	: No data available

**9.2. Other information****SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid**

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials**

Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT) (55965-84-9)</b>	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

<b>MPG (propane-1,2-diol) (57-55-6)</b>	
LD50 oral rat	22000 mg/kg body weight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other:, Remarks on results: other:

Skin corrosion/irritation	: Not classified pH: 9 – 10
Serious eye damage/irritation	: Not classified pH: 9 – 10
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

<b>TALC (14807-96-6)</b>	
IARC group	3 - Not classifiable, 2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

**LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**AMMONIA (1336-21-6)**

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

**MPG (propane-1,2-diol) (57-55-6)**

NOAEL (subchronic,oral,animal/male,90 days) : 443 mg/kg body weight Animal: cat, Animal sex: male

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

**SECTION 12: Ecological information****12.1. Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

**MPG (propane-1,2-diol) (57-55-6)**

LC50 - Fish [1] : 51400 mg/l Test organisms (species): Pimephales promelas

LC50 - Fish [2] : 51600 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

**12.2. Persistence and degradability****LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

Persistence and degradability : Not established.

**12.3. Bioaccumulative potential****LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

Bioaccumulative potential : Not established.

**12.4. Mobility in soil**

No additional information available

**12.5. Other adverse effects**

Other information : Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

**SECTION 14: Transport information****Department of Transportation (DOT)**

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods**

Not regulated

**LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Transport by sea**

Not regulated

**Air transport**

Not regulated

**SECTION 15: Regulatory information****15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT)	CAS-No. 55965-84-9	< 0.1%
AMMONIA	CAS-No. 1336-21-6	< 0.1%
MPG (propane-1,2-diol)	CAS-No. 57-55-6	5 – 10%
TALC	CAS-No. 14807-96-6	3 – 5%

This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act. This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects.

This product has been certified by ACMI (Artists Craft Material Institute, Inc.) to carry the AP (Approved Product) Seal, meaning the product bears no chronic or acute human hazards.

**15.2. International regulations****CANADA****reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CMIT/MIT) (55965-84-9)**

Listed on the Canadian DSL (Domestic Substances List)

**LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**TALC (14807-96-6)**

Listed on the Canadian DSL (Domestic Substances List)

**EU-Regulations**

No additional information available

**Labeling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazardous ingredients : titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]

EUH phrases : EUH208 - Contains 2-methyl-1,2-benzothiazol-3(2H)-one (MBIT). May produce an allergic reaction.  
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Labeling according to Directive 67/548/EEC or 1999/45/EC**

No additional information available

**15.3. US State regulations****LIQUITEX PROFESSIONAL ACRYLIC MEDIUMS GESSO**

State or local regulations

U.S. - New Jersey - Right to Know Hazardous Substance List

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
TALC(14807-96-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

**SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/08/2021

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

US SDS LHAMA 2021

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*