

01060-1012



NATURAL PIGMENTS

Safety Data Sheet Cobalt Drier

SECTION 1: Identification

1.1 GHS Product identifier

Product name	Cobalt Drier
Product number	500-CODR02, 500-CZCD02
Brand	Rublev Colours

1.2 Other means of identification

Cobalt Drier
Cobalt System Drier

1.3 Recommended use of the chemical and restrictions on use

For use with artist paint. Not for use by children.

1.4 Supplier's details

Name	Natural Pigments
Address	291 Shell Lane Willits CA 95490 US
Telephone	707-459-9998
email	service@naturalpigments.com

1.5 Emergency phone number

INFOTRAC 1-800-424-9300 within North America or +1-352-323-3500
domestically or internationally.
Account Number 115514

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

2.1 Classification of the substance or mixture

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 1 of 13

Safety Data Sheet Cobalt Drier

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Toxic to reproduction, Cat. 2
- Skin corrosion/irritation, Cat. 2
- Carcinogenicity, Cat. 2
- Eye damage/irritation, Cat. 2A
- Sensitization, skin, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 3
- Flammable liquids, Cat. 3

2.2 GHS label elements, including precautionary statements

Pictograms



Signal word

Warning

Hazard statement(s)

H226
H315
H317
H319
H335
H336
H351
H361

Flammable liquid and vapor
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness
Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

P201
P202
P210
P233
P240
P241
P242
P243
P261
P264
P271
P272
P280
P302+P352
P303+P361+P353

P304+P340
P305+P351+P338

P308+P313
P312
P332+P313
P333+P313

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, sparks, open flames, and hot surfaces. No smoking.
Keep container tightly closed.
Ground container and receiving equipment.
Use explosion-proof electrical equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing fume, mist, vapors, or spray.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, and eye protection.
IF ON SKIN: Wash with plenty of water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical attention.
Call a POISON CENTER, if you feel unwell.
If skin irritation occurs: Get medical advice.
If skin irritation or rash occurs: Get medical attention.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 2 of 13

Safety Data Sheet Cobalt Drier

P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use dry foam to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container to licensed waste facility.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)

Concentration	$\geq 10 - \leq 20$ % (weight)
EC no.	205-250-6
CAS no.	136-52-7
- Toxic to reproduction, Cat. 2	
H361d	

2. Solvent naphtha (petroleum), light aromatics

Concentration	40 - 80 % (weight)
CAS no.	64742-48-9

3. 2-ETHYLHEXANOIC ACID

Concentration	$\geq 0 - \leq 1$ % (weight)
EC no.	205-743-6
CAS no.	149-57-5
Index no.	607-230-00-6
- Toxic to reproduction, Cat. 2	
H361d	

4. N-NONANE

Concentration	$< 0 - \leq 5$ % (weight)
EC no.	203-913-4
CAS no.	111-84-2

5. PROPIONIC ACID

Concentration	≤ 3 % (weight)
EC no.	201-176-3
CAS no.	79-09-4
Index no.	607-089-00-0
- Skin corrosion/irritation, Cat. 1B	
H314	
SCLs/M-factors/ATEs	
Causes severe skin burns and eye damage	
STOT SE 3; H335: $C \geq 10$ %	
Skin Corr. 1B; H314: $C \geq 25$ %	
Skin Irrit. 2; H315: $10 \% \leq C < 25$ %	
Eye Irrit. 2; H319: $10 \% \leq C < 25$ %	

SECTION 4: First-aid measures

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 3 of 13

Safety Data Sheet Cobalt Drier

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Wash with plenty of water for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Take off contaminated clothing and wash it before reuse. Acute and delayed symptoms and effects: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice. Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

5.3 Special protective actions for fire-fighters

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 4 of 13

Safety Data Sheet Cobalt Drier

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Eating, drinking and smoking is prohibited. Wash hands with soap and water after handling. For precautions see section 2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 111-84-2

N-NONANE

AU/SWA (Australia): 200 ppm; 1050 mg/m³ TWA inhalation

CAS: 79-09-4

Propionic acid

AU/SWA (Australia): 10 ppm; 30 mg/m³ TWA inhalation

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 5 of 13

Safety Data Sheet Cobalt Drier



Eye/face protection

Safety glasses. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Appearance, such as physical state and colour	Liquid
Odour	Petroleum
Odour threshold	No data available.
pH	No data available.
Melting point and freezing point	No data available.
Initial boiling point and boiling range	163°C (325.4°F)
Flash point	39°C (102.2°F)
Evaporation rate	<1 (butyl acetate = 1)
Flammability, in the case of solids and gases	No data available.
Upper and lower flammability or explosive limits	No data available.
Vapour pressure	No data available.
Vapour density	>1 (air = 1)
Relative density	0.86 to 0.91
Solubility	Insoluble in cold water.
Partition coefficient — n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Additional properties	
Physical state	Liquid
Colour	Blue-Violet
Explosive properties	No data available.
Oxidising properties	No data available.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 6 of 13

Safety Data Sheet Cobalt Drier

Particle characteristics

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Reactive or incompatible with oxidizing materials.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Causes skin irritation. Symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 7 of 13

Safety Data Sheet
Cobalt Drier

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

Reproductive toxicity

No data available.

Specific target organ toxicity (STOT) - single exposure

Naphtha (petroleum), hydrotreated heavy
May cause respiratory irritation. May cause drowsiness or dizziness

Specific target organ toxicity (STOT) - repeated exposure

Naphtha (petroleum), hydrotreated heavy
May cause damage to lungs through prolonged or repeated exposure.

Aspiration hazard

Naphtha (petroleum), hydrotreated heavy
May be fatal if swallowed and enters airways

Additional information**2-ETHYLHEXANOIC ACID:****TOXICITY:**

Typ. Dose	Mode	Species	Amount	Unit
LD50	Oral	Rat	3000	mg/kg
LD50	Skin	Rabbit	1260	mg/kg

AQTX/TLM96: Not available

SAX TOXICITY EVALUATION:

THR: MODERATE via oral and dermal routes. MILD skin irritant. SEVERE irritant; LOW fire hazard.

CARCINOGENICITY: Not available

MUTAGENICITY: Not available

TERATOGENICITY: Not available

STANDARDS, REGULATIONS & RECOMMENDATIONS:

OSHA: None

ACGIH: None

NIOSH Criteria Document: None

NFPA Hazard Rating: Health (H): 1

Flammability (F): 1

Reactivity (R): 0

H1: Materials only slightly hazardous to health (see NFPA for details).

F1: Materials that must be preheated before ignition can occur (see NFPA for details).

R0: Materials which are normally stable even under fire exposure conditions and which are not reactive with water (see NFPA for details).

OTHER TOXICITY DATA:

Skin and Eye Irritation Data:

Skin-Rabbit 10 mg/24H

Skin-Rabbit 450 mg open MLD

Eye-Rabbit 4500 ug SEV

Status: Reported in EPA TSCA Inventory, 1980

Safety Data Sheet Cobalt Drier

EPA TSCA 8(a) Preliminary Assessment Information Proposed Rule

N-NONANE:

TOXICITY:

Typ.	Dose	Mode	Species	Amount	Unit
LC50		Inhale	Rat	3200 ppm/4H	
LD50		Intravenous	Mus	218 mg/kg	

AQTX/TLM96: Not available

SAX TOXICITY EVALUATION:

THR: Poison by intravenous route. Mildly toxic by inhalation. Irritating to the respiratory tract. Narcotic in high concentrations.

CARCINOGENICITY: Not available

MUTATION DATA: Not available

TERATOGENICITY: Not available

STANDARDS, REGULATIONS & RECOMMENDATIONS:

OSHA: Federal Register (1/19/89)

Final Limit: PEL-TWA 200 ppm [015,545,610]

ACGIH: TLV-TWA 200 ppm [015,415,421,610]

NIOSH Criteria Document: None

NFPA Hazard Rating: Health (H): 0

Flammability (F): 3

Reactivity (R): 0

H0: Materials which on exposure under fire conditions would offer no hazard beyond that of ordinary combustible material (see NFPA for details).

F3: Materials which can be ignited under almost all normal temperature conditions (see NFPA for details).

R0: Materials which are normally stable even under fire exposure conditions and which are not reactive with water (see NFPA for details).

OTHER TOXICITY DATA:

Standards and Regulations: DOT-IMO: Flammable or Combustible liquid; Label: Flammable liquid

Status: EPA TSCA Chemical Inventory, 1986

EPA TSCA Test Submission (TSCATS) Data Base, September 1989

PROPIONIC ACID:

TOXICITY:

typ. dose mode specie amount units other

LD50 orl rat 3500 mg/kg

LD50 ipr rat 200 mg/kg

LD50 ivn mus 625 mg/kg

LD50 skn rbt 500 mg/kg

AQTX/TLM96: 1000-100 ppm

SAX TOXICITY EVALUATION:

THR = MODERATE dermal; MODERATE oral and intravenous route. HIGH intraperitoneal route.

CARCINOGENICITY: Not available

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 9 of 13

Safety Data Sheet Cobalt Drier

MUTATION DATA:
Not available

TERATOGENICITY (Reproductive Effects Data): Not available

STANDARDS, REGULATIONS & RECOMMENDATIONS:

OSHA: Federal Register (1/19/89)

Final Limit: PEL-TWA 10 ppm [610]

ACGIH: TLV-TWA 10 ppm; STEL 15 ppm, with a notice of intent to delete STEL [610]

NIOSH Criteria Document: None

NFPA Hazard Rating: Health (H): 2

Flammability (F): 2

Reactivity (R): 0

H2: Materials hazardous to health, but areas may be entered freely with full-faced mask self-contained breathing apparatus which provides eye protection (see NFPA for details).

F2: Materials which must be moderately heated before ignition will occur (see NFPA for details).

R0: Materials which are normally stable even under fire exposure conditions and which are not reactive with water (see NFPA for details).

OTHER TOXICITY DATA:

Skin and Eye Irritation Data:

skn-rbt 495 mg open SEV

eye-rbt 990 ug SEV

Review: Toxicology Review

Standards and Regulations: DOT-Hazard: Corrosive Material; Label: Corrosive

DOT-Hazard: Corrosive Material; Label: Corrosive, solution

DOT-IMO: Corrosive Material; Label: Corrosive,

Flammable Liquid

Status: Reported in EPA TSCA Inventory, 1983

Meets criteria for proposed OSHA Medical Records Rule

SECTION 12: Ecological information

Toxicity

Naphtha (petroleum), hydrotreated heavy

Result	Species	Exposure
Acute LC50 >100mg/l	Algae	72 Hours

Persistence and degradability

No data available on product

Bioaccumulative potential

Naphtha (petroleum), hydrotreated heavy

BCF	Potential
10 to 2500	High

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Safety Data Sheet Cobalt Drier

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN Number: UN1993

Class: 3

Packing Group: III

Proper Shipping Name: Flammable liquids, n.o.s.

Reportable quantity (RQ):

Marine pollutant: This product may be re-classified as "Combustible Liquid," unless transported by vessel or aircraft. Non-bulk packages (less than or equal to 119 gallons) of combustible liquids that are marine pollutants are regulated as hazardous materials unless transported by vessel. This product is regulated as a marine pollutant when transported on inland waterways, in size of ≤ 5 L or ≤ 5 kg, or by road, rail, or inland air in non-bulk sizes, provided the packagings meet the general provisions §§ 173.24 and 173.24a.

IMDG

UN Number: UN1993

Class: 3

Packing Group: III

EMS Number:

Proper Shipping Name: Flammable liquids, n.o.s.

IATA

UN Number: UN1993

Class: 3

Packing Group: III

Proper Shipping Name: Flammable liquids, n.o.s.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 11 of 13

Safety Data Sheet Cobalt Drier

Acute Health Hazard

New Jersey Right To Know Components

Common name: 2-ETHYLHEXANOIC ACID
CAS number: 149-57-5

California Prop. 65 components

Chemical name: 2-ETHYLHEXANOIC ACID
CAS number: 149-57-5
08/07/2009 - Developmental

New Jersey Right To Know Components

Common name: NONANE
CAS number: 111-84-2

Pennsylvania Right To Know Components

Chemical name: Nonane
CAS number: 111-84-2

Massachusetts Right To Know Components

Chemical name: Propionic acid
CAS number: 79-09-4

New Jersey Right To Know Components

Common name: PROPIONIC ACID
CAS number: 79-09-4

Pennsylvania Right To Know Components

Chemical name: Propanoic acid
CAS number: 79-09-4

HMIS Rating

Cobalt Drier	
HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	E

NFPA Rating



SECTION 16: Other information

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 12 of 13

Safety Data Sheet
Cobalt Drier**16.1 Further information/disclaimer**

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Natural Pigments be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Natural Pigments has been advised of the possibility of such damages