



Safety Data Sheet

01282-XXXX



1. COMPANY AND PRODUCT IDENTIFICATION

Duncan Enterprises
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)
www.tulipcolor.com




EMERGENCY TELEPHONE NUMBERS

Health Emergencies:
559-291-4444 7:00 am – 3:30 pm Pacific Std. Time
Spill and Off-Hour Health Emergencies:
800-424-9300 U.S. and Canada
703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Tulip ColorShot Instant Fabric Color
Product Use/Description: Fabric Spray Paint - Aerosol
Not intended for: No data.

Colors: Bubblegum Pink, Neon Pink, Red, Coral, Neon Orange, Lemonade, Yellow, Neon Green, Green, Emerald Shimmer, Teal, Mint, Neon Blue, Blue, Sapphire Blue Shimmer, Purple, Aubergine, Brown, Espresso Shimmer, Rose Gold Shimmer, Gray, Pewter Shimmer, Silver Shimmer, Gold Shimmer, Black, White, Natural Glow.

2. HAZARDS IDENTIFICATION

Classification:	Flammable Aerosol 2 Skin Irritant 2 Eye Irritant 2
Health Hazard Statement:	Flammable Aerosol. Causes skin irritation. Causes serious eye irritation. Pressurized container: may burst if heated.
Signal Word:	Warning
Precautionary Statement:	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Pictogram(s) by GHS:	   GHS02 GHS07 GHS04

3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and it is proprietary information.

Products are made by physical manipulation and chemical reaction from the ingredients. These ingredient chemicals may not exist as its original formula in final products.

Reportable ingredients (if applicable):

Identity/Synonym	CAS Number:	Percentage/Range*:
Ethyl Alcohol	64-17-5	30 - 60

Page 1 of 8

Tulip ColorShot Instant Fabric Color – S-17-0086

Dimethyl Ether	115-10-6	15 – 30
Carboxypolymethylene	9003-01-4	10 – 30
Copper	7440-50-8	5 – 10
Titanium Dioxide	13463-67-7	1 – 10
Carbon Black	1333-86-4	5 – 10
Aluminum	7429-90-5	5 – 10

*The exact percentage (concentration of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General Advice:	Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
On Inhalation:	If breathing is difficult, seek fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
On Skin Contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops or persists.
On Eye Contact:	In case of contact, immediately flush skin with plenty of water. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
On Ingestion:	If swallowed, do NOT induce vomiting unless direct to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
Acute/Delayed Symptoms:	May cause respiratory tract irritation. Intentional inhalation may cause respiratory irritation and central nervous system effects (headache, dizziness). Causes skin irritation. Symptoms may include redness, edema, drying, defatting, and cracking of the skin. Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
Medical Advice:	Seek medical advice immediately if you feel unwell.
Note to Physician:	Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Extinguishing Media	
Suitable extinguishing media:	Dry powder, carbon dioxide, BCF, sand.
Unsuitable extinguishing media:	Do not use water jet.
Protection of Firefighters	
Specific hazards arising from the chemical:	Products of combustion may include, and are not limited to: oxides of carbon. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Protective equipment for firefighters:	See Section 8 of this SDS.
Special precautions for firefighters:	Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination. This material is a water pollutant. Notify authorities if liquid enters sewers or public waters.
Will hazardous combustion occur?:	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns or injuries.

6. ACCIDENTAL RELEASE MEASURES

Emergency Containment procedures:	Use personal protection recommended in Section 8 of this SDS. Isolate the hazard and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.
--	---

Environmental Precautions, if any?:	This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination. Notify authorities if liquid enters sewers or public waters.
Methods for Cleaning Up:	Scoop up material and place in a disposal container. Flush off any remaining material with soapy water.
Personal Protective Equipment:	See section 8 of this SDS.

7. HANDLING AND STORAGE

Safe Storage:	Keep out of reach of children. Do not expose to temperatures exceeding 50°C/122°F. Store away from direct sunlight or other heat sources.
Safe Handling:	Keep away from sources of ignition—no smoking. Pressurized container. Do not pierce or burn, even after use. Containers may explode when heated. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Do not swallow. Do not spray on an open flame or other ignition source. Handle and open container with care. When using, do not eat, drink or smoke.
Known Incompatibilities:	Heat, ignition sources.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	TLV (ACGIH)	PEL (OSHA)	REL (NIOSH)
Ethyl Alcohol	1,000 ppm (1,880 mg/m3) STEL	TWA 1000 ppm (1900 mg/m3)	TWA 1000 ppm (1900 mg/m3)
Titanium Dioxide	10 mg/m3 TWA; Appendix A4 - Not Classifiable as a Human Carcinogen	15 mg/m3 TWA	5,000 mg/m3
Carbon Black	TWA 3.5 mg/m3 (inhalable particulate matter)	TWA 3.5 mg/m3	TWA 3.5 mg/m3 Ca TWA 0.1 mg
Aluminum	No available data.	TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)	TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp)
Copper	TWA 0.2 mg/m3 (fume), 1 mg/m3 (dusts & mists, as Cu)	TWA 1 mg/m3	TWA 1 mg/m3 [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]

Appropriate Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Individual Protection measures, such as PPE (Personal Protective Equipment):

Personal Protection Equipment:	
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Eye Protection:	Wear eye protection.
Hand Protection:	Wear chemically resistant protective gloves.
Skin Protection:	Wear suitable protective clothing.
Thermal Protection:	No data.
General Safety and Hygiene Measures:	Do not eat, smoke, or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance:	Gas/Pressurized Liquid
Color:	Various
Odor:	Aerosol
Odor Threshold:	No data available.
pH:	No data available.
Boiling Point/Range:	>43°C (>109.4°F)
Melting Point/Range:	No data available.
Flash Point:	0°C (32°F)
Evaporation Rate:	No data available.
Vapor Density:	No data available.
Solubility(ies):	No data available.
Vapor Pressure:	No data available.
Relative Density:	0.92 – 1.03
Viscosity:	Dynamic:218 cP (in liquid form)
Partition Coefficient (n-octanol/water), if applicable:	No data available.
Explosive Properties:	No data available.
Flammability: (Solid, gas)	Flammable aerosol.
Flammability Limit in Air: Upper/Lower	No data available.
Autoignition temperature:	No data available.
Decomposition temperature:	No data available.

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.
Conditions to Avoid:	Heat. Direct sunlight. Extreme temperatures. Moisture. Incompatible materials.
Incompatible Materials:	Strong acids. Water.
Hazardous Decomposition Products:	May include, and are not limited to: oxides of carbon.
Possibility of Hazardous Reactions/Polymerization:	No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye Contact –Serious Eye Damage or Irritation	Causes serious eye irritation.
Skin Contact – Skin Corrosion, Sensitization or Irritation:	Causes skin irritation.
Ingestion – Carcinogenicity/Aspiration Hazard:	Based on available data, the classification criteria are not met.
Inhalation – Respiratory Sensitization/Toxicity:	Based on available data, the classification criteria are not met.
Symptoms of exposure:	Skin or eye irritation. Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (Show the label or SDS where possible).
Information on toxicological effects:	No data available.
Delayed or Immediate effects:	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity:	Based on available data, the classification criteria are

Page 4 of 8

Tulip ColorShot Instant Fabric Color – S-17-0086

Specific target organ toxicity (single exposure):		not met. Based on available data, the classification criteria are not met.	
Specific target organ toxicity (repeated exposure):		Based on available data, the classification criteria are not met.	
Chemicals listed on NTP, IARC or OSHA as a Carcinogen?:		None listed.	
Chemical Name: Ethyl Alcohol	Oral LD50 5560mg/kg guinea pig 3450mg/kg mouse 6300mg/kg rabbit 7060mg/kg (7060mg/kg) rat	Dermal LD50 No available data.	Inhalation LC50 39gm/m ³ /4H (39000mg/m ³) - mouse 20000ppm/10H (20000ppm) - rat
Dimethyl ether	No available data.	No available data.	308gm/m ³ (308000mg/m ³) rat
Carboxypolymethylene	2gm/kg (2000mg/kg) guinea pig 4600mg/kg (4600mg/kg) mouse 2500mg/kg (2500mg/kg) rat	No available data.	No available data.
Carbon Black	> 15400mg/kg (15400mg/kg) rat	> 3gm/kg (3000mg/kg) rabbit	No available data.

Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION (NON-MANDATORY)

Ecotoxicity:	No relevant data.
Persistence and degradability:	Not established.
Bioaccumulative potential:	Not established.
Mobility in soil:	No additional information available.
Other adverse effects:	No additional information available.

13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)


Disposal instructions:	This material must be disposed of in accordance with all local, state, provincial and federal regulations. The generation of waste should be avoided or minimized wherever possible. Flammable vapors may accumulate in the container. Do not incinerate closed containers.
Local disposal regulations:	See above.
EPA waste code(s):	No data.
Contaminated packaging:	Dispose of in accordance with all local, state, provincial and federal regulations.

14. TRANSPORTATION INFORMATION (NON-MANDATORY)

	DOT	IMDG	IATA
UN/ID number:	1950	1950	1950
Proper shipping name:	Aerosols; Flammable	Aerosols; Flammable	Aerosols; Flammable
Transport hazard class:	2.1	2.1	2.1
Packing group (if applicable):	N/A	N/A	N/A
Environmental Provisions:	-	-	-

Special Precautions in transport:	Do not handle until all safety precautions have been read and understood.		
Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code	No data.		
Emergency Response Guide Number:	No data.	EmS-No:	No data.

Pictograms



15. REGULATORY INFORMATION (NON-MANDATORY)

US Federal Regulations:					
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):		This product is manufactured in compliance with all provisions of the Toxic Substance Control Act, 15 U.S. C.2601 et. Seq.			
CERCLA (Superfund) reportable quantity (lbs.) (40 CFR 302.4)		Not regulated.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):		Not regulated.			
Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A):		Not regulated.			
Chemical Name:	CAS Number:	Reportable Quantity:	Threshold planning quantity:	Threshold planning quantity, lower value:	Threshold planning quantity, upper value:
None	X	X	X	X	X
Superfund Amendments and Reauthorization Act of 1986 (SARA)					
SARA/Title III:		This product does not contain any substances at or above the reported threshold under Section 313, based on available data.			
SARA 304 Emergency release notification:		Not regulated.			
SARA 311/312 (40 CFR 370) Hazardous Chemical:		Not regulated.			
SARA 313 (TRI reporting):		<u>Chemical Name:</u> Aluminum Copper	<u>CAS Number:</u> 7429-90-5 7440-50-8	<u>% by wt.</u> 5 – 10 5 - 10	
Drug Enforcement Administration (DEA) (21 CFR 1308.11-15):		Not regulated.			
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (Haps) List:		Not regulated.			
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):		Not regulated.			
Safe Drinking Water Act (SDWA):		Not regulated.			
Canadian Domestic Substances List (DSL):		Based on available data, chemical substances are listed on the DSL.			
FDA:		Not regulated.			
Conforms to Non-Toxic ASTM-4236:		Products are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary			

Page 6 of 8

Tulip ColorShot Instant Fabric Color – S-17-0086

	chronic hazard labeling standard ASTM D-4236.
California Proposition 65 Warning:	This product contains the following chemicals that are known to the State of California to cause cancer, birth defects, or other reproductive harm: Titanium Dioxide* , Carbon Black* . *Applies to airborne, unbound particles of respirable size. Chemical(s) notes above are bound and non-respirable in the manufactured, consumer product.
EPA Clean Air / Water Act:	No data.
EPA Hazardous Wastes:	No data.
HMIS III Rating:	No data.
Unless a concentration is specified in Section 2 of the SDS, the above chemical(s) are present in trace amounts.	
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).	

16. OTHER INFORMATION

The information provided in this SDS is believed to be accurate, and to the best of our knowledge represents the most current information available when the SDS was prepared. The SDS content is based on research and data disclosed from the manufacturer of the product and ingredients. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficiency of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

Table of Abbreviations			
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram
°C:	Degrees Centigrade	mm:	Millimeter
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration
CAS:	Chemical Abstract Service	N/A:	Not Applicable
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health
CPR:	Controlled Products Regulations	NTP:	National Toxicology Program
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits
EmS:	Emergency Medical Goods Services	ppm:	Parts Per Million
EPA:	Environmental Protection Agency	SARA:	Superfund Amendment and Reauthorization Act
°F:	Degrees Fahrenheit	STEL:	Short-Term Exposure Limit
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet
g/l:	Grams per Liter	SDWA:	Safe Drinking Water Act
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value
Hg:	Mercury	TRI:	Toxics Release Inventory
HMIS:	Hazardous Materials Identification System	TSCA:	Toxic Substances Control Act
HNOC:	Hazard(s) Not otherwise classified	TWA:	Time – Weighted Average
IARC:	International Agency for Research on Cancer	U.N.	United Nations
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System
ID:	Identification / Identity	>	Greater Than
IDLH:	Immediate Danger to Life or Health	<	Less Than
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978
LC:	Lethal Concentration		

Creation Date:	Version: 2	Revision date:
11/20/2014	1	
	2	9/16/2015-SP
	3	6/28/2017-JL
	4	9/6/2017 – sp
	5	10/27/2017 – sp

END SAFETY DATA SHEET