

01566-1010

**SAFETY DATA SHEET****SECTION I - IDENTIFICATION****Material Name**

Blick Studio Oil Med

**Company Information**

Blick Studio

10000

For transportation emergencies only call: 888-786-0972 or  
CHEMTRECS at 703-527-3887

For health emergencies call the Poison Control Center: 1-800-222-1222

**SECTION II - HAZARDS IDENTIFICATION**

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquid 2  
Skin Irritation - Category 2  
Eye Irritation - Category 2  
Skin Sensitization - Category 1  
Aspiration Hazard - Category 1  
Hazardous to the Aquatic Environment - Chronic - Category 2  
Flammable Liquid 3

**GHS Label Elements****Symbol(s)****Signal Word(s)**

Danger

**Hazard Statement(s)**

Causes serious eye irritation Causes skin irritation Flammable liquid and vapour. May be fatal if swallowed and enters airways. May cause an allergic skin reaction Toxic to aquatic life with long lasting effects

**Precautionary Statement(s)****Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Store in a well-ventilated place. Store locked up.

**Response**

Get medical advice/attention. Specific treatment (see label). Do NOT induce vomiting. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Rinse skin with water [or shower]. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Collect spillage. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

**SECTION III - HAZARDOUS INGREDIENTS**

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
ETHANOL	64-17-5	N/A	6.66000	N	N
TURPENTINE	8006-64-2	560.00	63.59000	N	N

**SECTION IV - FIRST AID MEASURES**

FIRST AID MEASURES: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If swallowed, do not induce vomiting. Call a physician or poison control center immediately. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician. Get prompt medical attention. If swallowed, get prompt medical attention.

**SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): 91°F (33 °C) AUTOIGNITION TEMPERATURE: N/A  
 EXPLOSION LIMITS IN AIR (% BY VOLUME): LEL 0.8% - UEL 6%  
 EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical (Class B) or Halon  
 FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
 UNUSUAL FIRE & EXPLOSION HAZARDS: FLAMMABLE. FLAMMABLE

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

**SECTION VII - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

**SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: Use only with adequate ventilation.  
 OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
 WORK/HYGIENE PRACTICES: Keep away from eyes. When using do not eat, drink or smoke.  
 ENGINEERING CONTROLS: Do not store or use near heat or flame.

FOR HOME USE: CHILD-PROOF PACKAGING REQUIRED IN CONFORMANCE WITH 16CFR1700.15 a), b), and c) and meet the child test protocol requirements of one of CSA-Z76.1, ISO 8317 or 16 CFR 1700.20 or a standard that is at least equivalent.  
**KEEP OUT OF REACH OF CHILDREN.**

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: 311° - 338°F (155° - 170°C)  
VAPOR PRESSURE: 4mm Hg  
SPECIFIC VAPOR DENSITY (AIR=1): N/A  
SOLUBILITY IN WATER: N/A

MELTING POINT: N/A  
FLASH POINT (METHOD): 91°F (33°C)  
SPECIFIC GRAVITY: 0.93  
REACTIVITY IN WATER: NON-REACTIVE

**SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
STABILITY: STABLE CONDITIONS TO AVOID: N/A  
INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and smoke

**SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EYE IRRITANT. EXPOSURE MAY RESULT IN NAUSEA, HEADACHE, CONFUSION OR INSTABILITY. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.

The summated LD50 is 3920.2 mg/kg.

The summated LC50 is 9926.4 mg/cubic meter.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

**SECTION XII - ECOLOGICAL INFORMATION****Aquatic Hazard Statement(s)**

Toxic to aquatic life with long lasting effects

**SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

**SECTION XIV - TRANSPORTATION INFORMATION**

U.S. D.O.T. Domestic Ground: ORM-D Consumer Commodity Ocean Freight: UN 1263 Paint Related Material, Class 3 PG III, Limited Quantity Air Freight: DO NOT SHIP via air without special packaging and labeling. Contact your air carrier for detailed instructions.

**SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):

NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
BUTYLATED HYDROXY TOLUENE  
CASTOR OIL  
ETHYL ALCOHOL  
TURPENTINE

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling:

**DANGER: FLAMMABLE. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. EYE IRRITANT.**  
**Contains: TURPENTINE**

**PRECAUTIONS:** Keep away from eyes. When using do not eat, drink or smoke. Do not store or use near heat or flame. Use only with adequate ventilation. **KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID TREATMENT:** If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If swallowed, do not induce vomiting. Call a physician or poison control center immediately. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician. Get prompt medical attention. If swallowed, get prompt medical attention.

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Poison Prevention Packaging Act, the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Act (LHAMA).

## SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 02/25/2021**

**Prepared by Duke OEM Toxicology**

**BRAND NAMES**

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

<b>Brand Name</b>	<b>SKU</b>	<b>SKU Description</b>
BLICK DAMAR VARNISH	4550	8 OZ, 237 ML
	4551	16 OZ, 473 ML
UTRECHT DAMAR VARNISH	UT-11399	8 OZ, 236 ML
	UT-11400	4 OZ, 118 ML
	UT-11401	16 OZ, 473 ML
WEBER DAMAR VARNISH	1441	4 OZ, 118 ML
	1442	8 OZ, 236 ML
	1443	16 OZ, 473 ML