

Safety data sheet
according to 1907/2006/EC

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** REMBRANDT WATERCOLOUR, 108 - CHINESE WHITE (Tube)

· **Article number:** 05041080, 05011080, 05981080

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Relevant identified use: Artists' colour

· **1.3 Manufacturer/Supplier:**

Manufacturer:

Royal Talens

P.O. Box 4

NL-7300 AA Apeldoorn Tel. +31 (0)55 5274700

UK Distributor:

R.Talens UK Ltd

P.O. Box 3717

Wokingham RG40 9RS, UK

Tel +44 (0)800 995 6500

· **Further information obtainable from:**

Regulatory Affairs

safety@royaltalens.com

· **1.4 Emergency telephone number:**

Great Britain: National Poisons Information Service (Birmingham) tel. (44) (0) 1215074123

Ireland: National Poisons Information Centre (Dublin) tel. 35 3 18379966

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS09

· **Signal word** Warning

· **Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

(Contd. on page 2)

GB

Safety data sheet

MSDS for #01717 - REMBRANDT WATERCOLOR

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

(Contd. of page 1)

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:

CAS: 1314-13-2	zinc oxide	50-70%
EINECS: 215-222-5	⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Reg.nr.: 01-2119463881-32-xxxx		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation: Not applicable.

· After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Not relevant

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC

MSDS for #01717 - REMBRANDT WATERCOLOR

Page 3 of 7

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

(Contd. of page 2)

- **Storage class:** -
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

1314-13-2 zinc oxide

Oral	DNEL, long term (chronic) - systemic effects	0.83 mg/kg bw/day (Consumer)
Dermal	DNEL, long term (chronic) - systemic effects	83 mg/kg bw/day (Consumer) 83 mg/kg bw/day (Employee)
Inhalative	DNEL, long term (chronic) - systemic effects	2.5 mg/m ³ (Consumer) 5 mg/m ³ (Employee)

- **PNECs**

1314-13-2 zinc oxide

PNEC, fresh water	0.0206 mg/l (aquatic organism)
PNEC, marine water	0.0061 mg/l (aquatic organism)
PNEC, fresh water sediment	117.8 mg/kg (aquatic organism)
PNEC, marine water sediment	56.5 mg/kg (aquatic organism)
PNEC, soil	35.6 mg/kg (aquatic organism)
PNEC, sewage treatment plant	0.1 mg/l (aquatic organism)

- **8.2 Exposure controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**
- **Penetration time of glove material** Not applicable.
- **Eye/face protection** Not required.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** White
- **Odour:** Characteristic
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** >99 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** >99 °C
- **Decomposition temperature:** Not determined.
- **pH at 20 °C** 5.5
- **Viscosity:**
- **Kinematic viscosity** Not applicable.
- **Dynamic:** Not applicable.

(Contd. on page 4)

GB

Safety data sheet

MSDS for #01717 - REMBRANDT WATERCOLOR

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

(Contd. of page 3)

- **Solubility**
- **water:** Fully miscible.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C:** 2.3 g/cm³
- **Vapour density** Not applicable.

· **9.2 Other information**

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Explosive properties:** Product does not present an explosion hazard.
- **Change in condition**
- **Softening point/range**
- **Oxidising properties** No further relevant information available.
- **Evaporation rate** Not applicable.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Dangerous reactions are not expected if the product is handled according to its intended use.
- **10.2 Chemical stability** Stable under recommended storage and handling conditions (see section 7).
- **10.3 Possibility of hazardous reactions**
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids; Alkali (lyes)
- **10.6 Hazardous decomposition products:** No decomposition if used according to specifications.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

1314-13-2 zinc oxide

Oral LD50 >5,000 mg/kg (rat)

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC

MSDS for #01717 - REMBRANDT WATERCOLOR

Page 5 of 7

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

(Contd. of page 4)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1314-13-2 zinc oxide

EC50, acute	0.137 mg/l (algae) 0.413 mg/l (daphnia)
NOEC, chronic	19 µg/l (algae) 82 µg/l (daphnia)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN3082

· 14.2 UN proper shipping name

· ADR

3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (zinc oxide)

· IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (zinc oxide), MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (zinc oxide)

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC

MSDS for #01717 - REMBRANDT WATERCOLOR

Printing date 13.12.2022


Version: 1.2

Revision: 13.12.2022

(Contd. of page 5)

· **14.3 Transport hazard class(es)**

· **ADR, IMDG, IATA**



· **Class**
· **Label**

9 Miscellaneous dangerous substances and articles.
9

· **14.4 Packing group**
· **ADR, IMDG, IATA**

None.
III

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances:
zinc oxide

· **Marine pollutant:**
· **Special marking (ADR):**
· **Special marking (IATA):**

Symbol (fish and tree)
Symbol (fish and tree)
Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Hazard identification number (Kemler code):**
· **EMS Number:**
· **Stowage Category**

90
F-A,S-F
A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)**
· **Excepted quantities (EQ)**

5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **Transport category**
· **Tunnel restriction code**

3
E

· **IMDG**

· **Limited quantities (LQ)**
· **Excepted quantities (EQ)**

5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (ZINC OXIDE), 9, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

Safety data sheet

MSDS for #01717 - REMBRANDT WATERCOLOR according to 1907/2006/EC

Page 7 of 7

Printing date 13.12.2022

Version: 1.2

Revision: 13.12.2022

(Contd. of page 6)

· **Relevant phrases***H400 Very toxic to aquatic life.**H410 Very toxic to aquatic life with long lasting effects.*· **Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**DNEL: Derived No-Effect Level (UK REACH)**PNEC: Predicted No-Effect Concentration (UK REACH)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*· *** Data compared to the previous version altered.**

GB