



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

ACCORDING TO US CFR 1910.1200

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Derwent Paint Pan
Product code	Sets: 2302636, 2306243, 2305789, 2306244, 2305544, 2305545, 2306318, 2305657, 2306246, 2305768, 2305790, 2306242, 2305865, 2306247, 2305866, 2306245 2305872, 2306249, 2305903, 2306248, 2305948, 2305949, 2306179, 2306223, 2306231, 2306259, 2306323, 2306260, 2306324
	Individual Colors: 2302623, 2302624, 2302625, 2302626, 2302627, 2302629, 2302630, 2302631, 2302632, 2302633, 2302634, 2302635, 2305546, 2305547, 2305548, 2305549, 2305550, 2305551, 2305552, 2305553, 2305554, 2305555, 2305556, 2305557, 2305659, 2305660, 2305661, 2305662, 2305663, 2305664, 2305665, 2305666, 2305667, 2305668, 2305669, 2305670, 2305775, 2305776, 2305777, 2305778, 2305779, 2305791, 2305792, 2305793, 2305794, 2305795, 2305796, 2305797, 2305798, 2305799, 2305800, 2305801, 2305802, 2305904, 2305905, 2305906, 2305907, 2305908, 2305909, 2305910, 2305911, 2305912, 2305913, 2305914, 2305915, 2305928, 2305929, 2305930, 2305931, 2305932, 2305933, 2305934, 2305935, 2305936, 2305937, 2305938, 2305939, 2305943, 2305944, 2305945, 2305946, 2306294, 2306295, 2306296, 2306297, 2306298, 2306299, 2306300, 2306301, 2306302, 2306303, 2306304, 2306305, 2306306, 2306307, 2306308, 2306309, 2306310, 2306311, 2306312, 2306313, 2306314, 2306315, 2306316, 2306317

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Paint pans for creative and artistic use.
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Acco UK Ltd. Millennium House, 65 Walton Street, Aylesbury, HP21 7QG.
Telephone	+44 (0) 844 209 8360
Fax	+44 (0) 845 603 1731
E-mail	informationeurope@acco.com
Website	www.acco.co.uk
Office hours	09:00 - 17:00



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

Supplier
 Company Identification ACCO Brands USA LLC
 Four Corporate Drive,
 Lake Zurich, IL 60047-8997
 USA
 Telephone +1 800-222-6462
 Website www.accobrand.com

1.4 Emergency telephone number

877-740-5015 (Toll free); 303-739-1110 (Outside US)

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

US CFR 1910.1200 Not classified as dangerous for supply/use.

2.2 Label elements

According to US CFR 1910.1200
 Product Name Derwent Paint Pan
 Hazard Pictogram(s) None.
 Signal Word(s) None.
 Hazard Statement(s) None.
 Precautionary Statement(s) None.

2.3 Other hazards

In use, the colors may cause serious eye damage. In use, the colors may cause skin irritation.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Articles for printing and writing: Derwent Paint Pan

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Kaolin	1332-58-7	<90	Not classified	None
Talc	14807-96-6	<80	Not classified	None
Graphite	7782-42-5	≤50	Not classified	None
Silicon dioxide	7631-86-9	<30	Not classified	None
Poly(oxy-1,2-ethanediy),α-hydro-ω-hydroxy-Ethane-1,2-diol, ethoxylated	25322-68-3	<10	Not classified	None
Aluminium oxide	1344-28-1	<5	Not classified	None
Alcohols, C16-18, ethoxylated	68439-49-6	<5	Eye Irrit. 2A H319	GHS07
Dipotassium oxide	12136-45-7	<2	Skin Corr. 1A H314 Eye Dam. 1 H318	GHS05
Disodium oxide	1313-59-3	<2	Skin Corr. 1B H314	GHS05



Derwent Paint Pan

SAFETY DATA SHEET

Quartz	14808-60-7	<2	Not classified	None
Calcium oxide	1305-78-8	<1	Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335	GHS05 GHS07
Magnesium oxide	1309-48-4	<1	Not classified	None
Titanium dioxide	13463-67-7	<1	Not classified	None
Manganese oxide	1344-43-0	<0.05	Not classified	None
Carbon dioxide	124-38-9	<0.05	Press. Gas (Comp.) H280	GHS04
Iron oxide	1345-25-1	<0.03	Not classified	None
Sodium hydroxide	1310-73-2	<0.01	Skin Corr. 1A H314	GHS05
Pigments:				
Diiron trioxide	1309-37-1	<90	Not classified	None
Carbon black	1333-86-4	<20	Not classified	None
Polychloro copper phthalocyanine	1328-53-6	<20	Not classified	None
Aluminium powder (stabilised)	7429-90-5	<20	Flam. Sol. 1 H228 Water-react. 2 H261	GHS02
Barium sulfate	7727-43-7	<20	Not classified	None
Mica-group minerals	12001-26-2	<15	Not classified	None
Alcohols, C6-12, ethoxylated	68439-45-2	<3	Acute Tox. 4 H302 Eye Dam. 1 H318	GHS05 GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Unlikely route of exposure. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash hands and exposed skin after use.
Eye Contact	If contact with eyes directly, flush with gently flowing fresh water thoroughly.
Ingestion	Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

No special requirements.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None known.

5.2 Special hazards arising from the substance or mixture

May decompose if heated. Decomposes in a fire giving off toxic fumes: Oxides of carbon.



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing and gloves. Wash hands and exposed skin after use.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

No hazard expected under normal conditions of use.

7.1 Precautions for safe handling

Do not use in confined spaces. Avoid contact with skin and eyes. Wash hands and exposed skin after use.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place.

Storage temperature

Ambient.

Storage life

Indefinite.

Incompatible materials

None known.

7.3 Specific end use(s)

Paint pans for creative and artistic use.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Graphite, natural, all forms except Graphite fibers	7782-42-5		2			ACGIH TLV, R
Graphite, synthetic (Total dust)	7782-42-5		10			OSHA PEL
Graphite, synthetic (Respirable fraction)	7782-42-5		5			OSHA PEL, OSHA PEL Z-1
Graphite (Natural) (Respirable)	7782-42-5		2.5			CAL-OSHA PEL_Table Z-3, NIOSH REL Z-3
Graphite, natural (Respirable dust)	7782-42-5		2.5			NIOSH REL Z-1
Graphite, natural	7782-42-5		15			OSHA PEL Z-1, (t1), (k1)
Graphite, synthetic (Total dust)	7782-42-5		15			OSHA PEL Z-1
Kaolin	1332-58-7		2			ACGIH TLV, R, E, A4
Kaolin (Respirable fraction)	1332-58-7		2			OSHA PEL, (6w)



Derwent Paint Pan

02-26-2024

SAFETY DATA SHEET

Kaolin (Total dust)	1332-58-7		10			NIOSH REL Z-1
Kaolin (Respirable fraction)	1332-58-7		5			NIOSH REL Z-1, OSHA PEL Z-1
Kaolin (Total dust)	1332-58-7		15			OSHA PEL Z-1
Silica, crystalline, α -quartz	14808-60-7		0.025			ACGIH TLV, R, A2
Silica, crystalline (respirable dust); Quartz	14808-60-7		0.05			OSHA PEL
Silica, crystalline, α -quartz (Respirable dust)	14808-60-7		0.05			NIOSH REL Z-1, Ca, OSHA PEL Z-1, (z1), (a1)
Silica: CrystallineQuartz (Respirable)	14808-60-7		10			OSHA PEL_Table Z-3, (3d), (3h), (3k), (3l), (3e), (3f)
Talc, containing no asbestos fibers	14807-96-6		2			ACGIH TLV, R, E, A4
Silicates (less than 1% crystalline silica): Talc (not containing asbestos) (Respirable)	14807-96-6		2			CAL-OSHA PEL_Table Z-3, NIOSH REL Z-3
Silicates (less than 1% crystalline silica): Talc (containing asbestos)	14807-96-6					CAL-OSHA PEL_Table Z-3
Talc, containing no asbestos fibers, < 1% Quartz (Respirable dust)	14807-96-6		2			NIOSH REL Z-1
Silicates (less than 1% crystalline silica): Talc (containing asbestos)	14807-96-6		0.1			NIOSH REL Z-3, f/cm3, Ca5, OSHA PEL_Table Z-3, f/cc
Talc, containing no asbestos fibers, containing \leq 1% Quartz	14807-96-6					OSHA PEL Z-1, (p1)
Silicates (less than 1% crystalline silica): Talc (not containing asbestos)	14807-96-6					OSHA PEL_Table Z-3, (3a), (3i)
Amorphous, including natural diatomaceous earth (Total dust)	7631-86-9		6			CAL-OSHA PEL_Table Z-3
Amorphous, including natural diatomaceous earth (Respirable)	7631-86-9		3			CAL-OSHA PEL_Table Z-3
Amorphous, including natural diatomaceous earth	7631-86-9		6			NIOSH REL Z-3
Amorphous, including natural diatomaceous earth	7631-86-9		80			OSHA PEL_Table Z-3, (3a), (3e)
Aluminium, metal and insoluble compounds	1344-28-1		1			ACGIH TLV, R, A4
alpha-Aluminum (Total dust)	1344-28-1		10			OSHA PEL
alpha-Aluminum (Respirable fraction)	1344-28-1		5			OSHA PEL
Aluminum, metal and insoluble compounds (as Al) (Total dust)	1344-28-1		10			NIOSH REL Z-1
Aluminum, metal and insoluble compounds (as Al) (Respirable fraction)	1344-28-1		5			NIOSH REL Z-1, OSHA PEL Z-1
Aluminum oxide (Total dust)	1344-28-1		15			OSHA PEL Z-1
Aluminum oxide (Respirable fraction)	1344-28-1		5			OSHA PEL Z-1



Derwent Paint Pan
SAFETY DATA SHEET

02-26-2024

Aluminum, metal and insoluble compounds (as Al) (Total dust)	1344-28-1		15			OSHA PEL Z-1
Iron oxide (Fe ₂ O ₃)	1309-37-1		5			ACGIH TLV, R, A4,
Iron oxide fume	1309-37-1		5			OSHA PEL
Rouge (Total dust)	1309-37-1		10			OSHA PEL
Rouge (Respirable fraction)	1309-37-1		5			OSHA PEL, OSHA PEL Z-1
Iron oxide (Fe ₂ O ₃), dust and fume, as Fe	1309-37-1		5			NIOSH REL Z-1
Iron oxide (Fe ₂ O ₃), fume	1309-37-1		10			OSHA PEL Z-1
Rouge (Total dust)	1309-37-1		15			OSHA PEL Z-1
Calcium oxide	1305-78-8		2			ACGIH TLV, OSHA PEL, NIOSH REL Z-1
Calcium oxide	1305-78-8		5			OSHA PEL Z-1
Magnesium oxide	1309-48-4		10			ACGIH TLV, I, A4
Magnesium oxide fume, as Mg (Total particulate)	1309-48-4		10			OSHA PEL
Magnesium oxide fume (Total particulate)	1309-48-4		15			OSHA PEL Z-1
Titanium dioxide, nanoscale particles	13463-67-7		0.2			ACGIH TLV, R, A3
Titanium dioxide, finescale particles	13463-67-7		2.5			ACGIH TLV, R, A3
Titanium dioxide - Total dust	13463-67-7		10			OSHA PEL
Titanium dioxide	13463-67-7					NIOSH REL Z-1, Ca
Titanium dioxide (Total dust)	13463-67-7		15			OSHA PEL Z-1
Manganese and inorganic compounds, as Mn	1344-43-0		0.02			ACGIH TLV, R, A4
Manganese and inorganic compounds, as Mn	1344-43-0		0.1			ACGIH TLV, I, A4
Manganese and compounds, as Mn	1344-43-0		0.2			OSHA PEL
Manganese and inorganic compounds (as Mn)	1344-43-0		1		3	NIOSH REL Z-1
Manganese and inorganic compounds (as Mn)	1344-43-0				5	OSHA PEL Z-1, C2
Carbon dioxide	124-38-9	5000	9000	30000	54000	ACGIH TLV, NIOSH REL Z-1
Carbon dioxide	124-38-9	5000		30000		OSHA PEL
Carbon dioxide	124-38-9	5000	9000			OSHA PEL Z-1
Iron oxide (Fe ₂ O ₃), dust and fume, as Fe	1345-25-1		5			NIOSH REL Z-1
Iron oxide (Fe ₂ O ₃), fume	1345-25-1		10			OSHA PEL Z-1
Barium sulfate	7727-43-7		5			ACGIH TLV, I, E
Barium sulfate (Total dust)	7727-43-7		10			OSHA PEL, NIOSH REL Z-1
Barium sulfate (Respirable fraction)	7727-43-7		5			OSHA PEL, NIOSH REL Z-1, OSHA PEL Z-1
Barium sulfate (Total dust)	7727-43-7		15			OSHA PEL Z-1



Derwent Paint Pan

02-26-2024

SAFETY DATA SHEET

Sodium hydroxide	1310-73-2				2	ACGIH TLV, STEL = C, OSHA PEL, C, NIOSH REL Z-1, C1
Sodium hydroxide	1310-73-2			2		OSHA PEL Z-1
Polyethylene Glycols (MW > 200)	25322-68-3			10		AIHA
Carbon black	1333-86-4			3		ACGIH TLV, I, A3
Carbon black	1333-86-4			3.5		OSHA PEL, OSHA PEL Z-1
Carbon black (without PAHs)	1333-86-4			3.5		NIOSH REL Z-1
Carbon black (with PAHs)	1333-86-4			0.1		NIOSH REL Z-1, Ca
Mica (Containing < 1% Crystalline silica)	12001-26-2			0.1		ACGIH TLV, R
Silicates (less than 1% crystalline silica): Mica (Respirable)	12001-26-2			3		CAL-OSHA PEL_Table Z-3, NIOSH REL Z-3
Mica (Respirable dust), containing < 1% Quartz	12001-26-2			3		NIOSH REL Z-1
Mica, < 1% Crystalline silica	12001-26-2					OSHA PEL Z-1, (p1)
Silicates (less than 1% crystalline silica):Mica	12001-26-2					OSHA PEL_Table Z-3, (3a)
Aluminium, metal and insoluble compounds	7429-90-5			1		ACGIH TLV, R, A4
Aluminum Metal (as Al) (Total dust)	7429-90-5			10		OSHA PEL
Aluminum Metal (as Al) (Respirable fraction)	7429-90-5			5		OSHA PEL
Aluminum, metal and insoluble compounds (as Al) (Total dust)	7429-90-5			10		NIOSH REL Z-1
Aluminum, metal and insoluble compounds (as Al) (Respirable fraction)	7429-90-5			5		NIOSH REL Z-1, OSHA PEL Z-1
Aluminum, metal and insoluble compounds (as Al) (Total dust)	7429-90-5			15		OSHA PEL Z-1
Copper, dusts and mists, as Cu	1328-53-6			1		ACGIH TLV, OSHA PEL, NIOSH REL Z-1, OSHA PEL Z-1

Remark	Notes
ACGIH TLV	The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®), 2022
R	Measured as respirable fraction of the aerosol.
OSHA PEL	Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs), 2019
CAL-OSHA PEL_Table Z-3	California Division of Occupational Safety and Health (CAL-OSHA) Permissible Exposure Limits (PELs) Table Z-3 Mineral Dusts, 2019
NIOSH REL Z-1	National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week, 2022
NIOSH REL Z-3	National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-3: Up to 10-hour time weighted average (TWA) during a 40-hour work week, 2019
OSHA PEL Z-1 (t1)	Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table, 2022
(k1)	15 mppcf (million particles per cubic foot)
E	based on impinger samples counted by light field techniques
A4	The value is for particulate matter containing no asbestos and <1% crystalline silica
(6w)	Not Classifiable as a Human Carcinogen
A2	no asbestos, < 1% crystalline silica
	Suspected Human Carcinogen



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

Ca	Potential occupational carcinogens
(z1)	This standard applies to any operations or sectors for which the Respirable crystalline silica standard, 1910.1053, is stayed or is otherwise not in effect.
(a1)	30 mg/m ³ (total dust)/% SiO ₂ + 2 OR 250 mppcf (respirable dust)/% SiO ₂ + 5 OR 10 mg/m ³ (respirable dust)/% SiO ₂ + 2
OSHA PEL_Table Z-3	Occupational Safety and Health (OSHA) Permissible Exposure Limits (PELs) Table Z-3 Mineral Dusts, 2019
(3d)	250 mppcf (Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Conversion factors - mppcf × 35.3 = million particles per cubic meter = particles per c.c.
(3h)	The percentage of crystalline silica in the formula is the amount determined from airborne samples, except in those instances in which other methods have been shown to be applicable.
(3k)	Both concentration and percentage quartz for the application of this limit are to be determined from the fraction passing through a size-selector with the following characteristics: Aerodynamic diameter (unit density sphere)/ percent passing selector : 2/90; 2.5/75; 3.5/50; 5/25; 10/0. The measurements under this note refer to the use of an AEC (now NRC) instrument. The respirable fraction of coal dust is determined with an MRE; the figure corresponding to that of 2.4mg/m ³ for coal dust is 4.5mg/m ³ .
(3l)	This standard applies to any operations or sectors for which the respirable crystalline silica standard, 1910.1053, is stayed or is otherwise not in effect.
(3e)	The PEL in mg/m ³ is calculated by dividing by the percentage SiO ₂ +2.
(3f)	The PEL in mppcf is calculated by dividing by the percentage SiO ₂ +5.
f/cm ³	Fibres per cubic centimetre
Ca5	Potential occupational carcinogen
(p1)	20 mppcf (million particles per cubic foot)
(3a)	20 mppcf (Millions of particles per cubic foot of air, based on impinger samples counted by light-field techniques. Conversion factors - mppcf × 35.3 = million particles per cubic meter = particles per c.c.
(3i)	Containing less than 1% quartz, if 1% quartz or more, use quartz limit
f/cc	fiber per cubic centimeter
I	Measured as Inhalable fraction of the aerosol
A3	Confirmed Animal Carcinogen with Unknown Relevance to Humans
C2	Ceiling limit of Short-term Exposure Limit
STEL = C	Ceiling limit of Short-Term Exposure Limit.
C	Ceiling limit of Short Term Exposure Limit
C1	Ceiling limit of Short-term Exposure Limit
AIHA	American Industrial Hygiene Association (AIHA) Workplace Environmental Exposure Level (WEEL)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection Not normally required.



Skin protection Not normally required. Wear suitable protective clothing and gloves.
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards Not applicable.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Solid.
	Color : Variant.
Odor	Not known.
Odor threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	Not applicable.
Evaporation rate	Not known.
Flammability (solid, gas)	Non-flammable.
Upper/lower flammability or explosive limits	Not known.
Vapor pressure	Not known.
Vapor density	Not known.
Density (g/ml)	Not known.
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Soluble in water. (Mixture) Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (°C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

No hazard expected under normal conditions of use.

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Derwent Paint Pan

SAFETY DATA SHEET

SECTION 11: TOXICOLOGICAL INFORMATION

This material is unlikely to present a significant health hazard under normal conditions of handling and use.

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Low oral toxicity. Mixture: Calculation method : Calculated acute toxicity estimate (ATE) - 18521.47
Acute toxicity - Skin Contact	Low acute toxicity.
Acute toxicity - Inhalation	Low acute toxicity.
Skin corrosion/irritation	Not classified. Mixture: In use, the colors may cause skin irritation.
Serious eye damage/irritation	Not classified. Mixture: In use, the colors may cause serious eye damage.
Skin sensitization data	Not classified. It is not a skin sensitizer.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified. There is no evidence of mutagenic potential.
Carcinogenicity	Not classified. No evidence of carcinogenicity.
Reproductive toxicity	Not classified. No evidence of reproductive effects.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Mixture: Soluble in water. The product is predicted to have high mobility in soil.

12.5 Other adverse effects

None known.



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Toxic and hazardous substances (29 CFR 1910; Subpart Z) Listed : 7782-42-5, 1332-58-7, 14808-60-7, 14807-96-6, 1344-28-1, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 1344-43-0, 124-38-9, 7727-43-7, 1310-73-2, 1333-86-4, 12001-26-2, 7429-90-5, 1328-53-6

National emission standards for hazardous air pollutants (40 CFR 61.01) Not listed

SARA Title III Section 313 Listed : 1344-28-1, 1344-43-0, 7429-90-5, 1328-53-6

TSCA (Toxic Substance Control Act) Listed : 7782-42-5 (Active), 1332-58-7 (Active), 14808-60-7 (Active), 14807-96-6 (Active), 7631-86-9 (Active), 1344-28-1 (Active), 12136-45-7 (Active), 1313-59-3 (Active), 1309-37-1 (Active), 1305-78-8 (Active), 1309-48-4 (Active), 13463-67-7 (Active), 1344-43-0 (Active), 124-38-9 (Active), 1345-25-1 (Active), 7727-43-7 (Active), 1310-73-2 (Active), 68439-49-6 (Active), 25322-68-3 (Active), 1333-86-4 (Active), 7429-90-5 (Active), 68439-45-2 (Active), 1328-53-6 (Active)

CAA 602 - Ozone Depleting Substances (ODS) Not listed

15.2 US State Regulations

State Right to Know Lists

Proposition 65 (California) Listed : 14808-60-7, 13463-67-7, 1333-86-4

Massachusetts Listed : 7782-42-5, 14808-60-7, 14807-96-6, 7631-86-9, 1344-28-1, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 124-38-9, 7727-43-7, 1310-73-2, 1333-86-4, 12001-26-2, 7429-90-5



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

Minnesota	Listed : 7782-42-5, 1332-58-7, 14808-60-7, 14807-96-6, 7631-86-9, 1344-28-1, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 1344-43-0, 124-38-9, 7727-43-7, 1310-73-2, 25322-68-3, 1333-86-4, 7429-90-5, 1328-53-6
New Jersey	Listed : 7782-42-5, 1332-58-7, 14808-60-7, 14807-96-6, 1344-28-1, 12136-45-7, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 1344-43-0, 124-38-9, 7727-43-7, 1310-73-2, 1333-86-4, 12001-26-2, 7429-90-5, 1328-53-6
Pennsylvania	Listed : 7782-42-5, 1332-58-7, 14808-60-7, 14807-96-6, 7631-86-9, 1344-28-1, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 1344-43-0, 124-38-9, 7727-43-7, 1310-73-2, 1333-86-4, 12001-26-2, 7429-90-5, 1328-53-6
Rhode Island	Listed : 7782-42-5, 1332-58-7, 14808-60-7, 14807-96-6, 1344-28-1, 1309-37-1, 1305-78-8, 1309-48-4, 13463-67-7, 1344-43-0, 124-38-9, 1310-73-2, 1333-86-4, 12001-26-2, 7429-90-5, 1328-53-6

15.3 Other

OSPAR List of Chemicals for Priority Action	Not listed
OSHA (List of Highly Hazardous Chemicals, Toxics and Reactives)	Not listed
NTP (National Toxicology Program)	Listed : 14808-60-7, 7631-86-9
IARC (International Agency for Research on Cancer)	Listed : 14808-60-7, 14807-96-6, 7631-86-9, 1309-37-1, 13463-67-7, 1333-86-4

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)	GHS02: GHS: Flame GHS04: GHS: Gas cylinder GHS05: GHS: corrosive GHS07: GHS: exclamation mark
Hazard classification	Flam. Sol. 1 : Flammable solid, Category 1 Water-react. 2 : Substance or mixture which in contact with water emits flammable gas, Category 2 Press. Gas (Comp.) : Gases under pressure, Compressed gas Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1A : Skin corrosion/irritation, Category 1A Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Eye Dam. 1 : Serious eye damage/irritation, Category 1 Eye Irrit. 2A : Serious eye damage/irritation, Category 2A STOT SE 3 : Specific target organ toxicity — single exposure, Category 3
Hazard Statement(s)	H228: Flammable solid. H261: In contact with water releases flammable gases. H280: Contains gas under pressure; may explode if heated.



Derwent Paint Pan

SAFETY DATA SHEET

02-26-2024

H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
LTEL : Long term exposure limit
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity

Key literature references and sources for US CFR 1910.1200
data used to compile the SDS

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. ACCO Brands USA LLC gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. ACCO Brands USA LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.