

## SAFETY DATA SHEET

## Georgian Water Mixeable Oil Colour

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

Georgian Water Mixeable Oil Colour

## Other names / Synonyms

All Colours except White

WAMO

## ▼ Product no.

D119xxxxxx

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Art supplies and hobby preparations, Paint

## Use descriptors (UK REACH)

**Sectors of use****Description**

LCS "C"

Consumer uses: Private households (= general public = consumers)

**Product category****Description**

PC 9a

Coatings and Paints, Fillers, Putties, Thinners

**Process category****Description**

PROC 10

Roller application or brushing

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## ▼ Company and address

**Daler-Rowney Ltd.**

Peacock Lane Bracknell

RG12 8ST Bracknell

United Kingdom

+44 1344 461 156 (0730 – 1600 GMT)

www.daler-rowney.com

## Contact person

Research and Development

## Revision

04/03/2024

## SDS Version

2.0

## Date of previous version

05/01/2023 (1.0)

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

Hazard pictogram(s)

## Georgian Water Mixeable Oil Colour

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Not applicable.

**Signal word**

Not applicable.

**Hazard statement(s)**

Not applicable.

**Precautionary statement(s)**

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

**Hazardous substances**

None known.

**▼ Additional labelling**

EUH210, Safety data sheet available on request.

**2.3. Other hazards**

**▼ Additional warnings**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. ▼ Mixtures**

Does not contain any substances required to report

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**▼ Other information**

-

### SECTION 4: First aid measures

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**▼ Inhalation**

In case of discomfort: bring the person into fresh air.

**Skin contact**

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

**▼ Eye contact**

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) and continue until irritation stops. Remove contact lenses.

**▼ Ingestion**

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

**Burns**

Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

### Georgian Water Mixeable Oil Colour

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

None known.

#### 4.3. ▼ Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. ▼ Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides  
Some metal oxides

#### 5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

#### 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 15 to 25°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

#### 8.1. ▼ Control parameters

Barium sulfate

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10(inhalable)/4(respirable)

Georgian Water Mixeable Oil Colour

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
 EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

No data available.

#### PNEC

No data available.

#### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

##### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

##### Exposure scenarios

There are no exposure scenarios implemented for this product.

##### ▼ Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

##### ▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

##### Hygiene measures

Wash hands after use.

##### Measures to avoid environmental exposure

No specific requirements.

#### Individual protection measures, such as personal protective equipment

##### Generally

Use only UKCA marked protective equipment.

##### Respiratory Equipment

No specific requirements

##### Skin protection

Recommended	Type/Category	Standards
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-



##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407



##### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Refer to label

#### Odour / Odour threshold

Characteristic

#### pH

## Georgian Water Mixeable Oil Colour

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4544, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Testing not relevant or not possible due to nature of the product.

**Density (g/cm<sup>3</sup>)**

1.5

**Kinematic viscosity**

50 mPa.s (20 °C)

**Particle characteristics**

Does not apply to liquids.

**Phase changes**

**Melting point/Freezing point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Softening point/range (waxes and pastes) (°C)**

Does not apply to liquids.

**Boiling point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Vapour pressure**

Testing not relevant or not possible due to the nature of the product.

**Relative vapour density**

Testing not relevant or not possible due to the nature of the product.

**Decomposition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Data on fire and explosion hazards**

**Flash point (°C)**

100

**Flammability (°C)**

Testing not relevant or not possible due to the nature of the product.

**Auto-ignition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Lower and upper explosion limit (% v/v)**

Testing not relevant or not possible due to the nature of the product.

**Solubility**

**Solubility in water**

Soluble

**n-octanol/water coefficient (LogKow)**

Testing not relevant or not possible due to the nature of the product.

**Solubility in fat (g/L)**

Testing not relevant or not possible due to the nature of the product.

**9.2. Other information**

**▼ Oxidizing properties**

Testing not relevant or not possible due to the nature of the product.

**Other physical and chemical parameters**

No data available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

**10.3. Possibility of hazardous reactions**

None known.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

**10.6. Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

**Georgian Water Mixeable Oil Colour**

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

## Acute toxicity

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

## Respiratory sensitisation

Based on available data, the classification criteria are not met.

## Skin sensitisation

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity

Based on available data, the classification criteria are not met.

## Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Long term effects

None known.

## ▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

## Other information

None known.

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available.

## 12.2. ▼ Persistence and degradability

Based on available data, the classification criteria are not met.

## 12.3. ▼ Bioaccumulative potential

Based on available data, the classification criteria are not met.

## 12.4. Mobility in soil

No data available.

## 12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

## 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

## Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## Georgian Water Mixeable Oil Colour

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

**EWC code**

08 01 12 Waste paint and varnish other than those mentioned in 08 01 11

▼ **Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: Transport information**

	<b>14.1</b>	<b>14.2</b>	<b>14.3</b>	<b>14.4</b>	<b>14.5</b>	<b>Other</b>
	<b>UN / ID</b>	<b>UN proper shipping name</b>	<b>Hazard class(es)</b>	<b>PG*</b>	<b>Env**</b>	<b>information:</b>
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

▼ **Restrictions for application**

No special.

**Demands for specific education**

No specific requirements.

**SEVESO - Categories / dangerous substances**

Not applicable.

**Additional information**

Not applicable.

**Sources**

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

**15.2. Chemical safety assessment**

No

**SECTION 16: Other information**

**The full text of identified uses as mentioned in section 1**

LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC 10 = Roller application or brushing

PC 9a = Coatings and Paints, Fillers, Putties, Thinners

▼ **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

**Georgian Water Mixeable Oil Colour**

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

CSA = Chemical Safety Assessment  
 CSR = Chemical Safety Report  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EINECS = European Inventory of Existing Commercial chemical Substances  
 ES = Exposure Scenario  
 EUH statement = CLP-specific Hazard statement  
 EuPCS = European Product Categorisation System  
 EWC = European Waste Catalogue  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IARC = International Agency for Research on Cancer (IARC)  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 OECD = Organisation for Economic Co-operation and Development  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
 RRN = REACH Registration Number  
 SCL = A specific concentration limit  
 SVHC = Substances of Very High Concern  
 STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
 STOT-SE = Specific Target Organ Toxicity - Single Exposure  
 TWA = Time weighted average  
 UN = United Nations  
 UVBC = Unknown or variable composition, complex reaction products or of biological materials  
 VOC = Volatile Organic Compound  
 vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information

Not applicable.

▼ The safety data sheet is validated by

ST

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en



## SAFETY DATA SHEET

## Georgian Water Mixeable Oil Colour Titanium White

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

Georgian Water Mixeable Oil Colour Titanium White

## Product no.

D119xxxx009

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Art supplies and hobby preparations, Paint

## Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 9a	Coatings and Paints, Fillers, Putties, Thinners
Process category	Description
PROC 10	Roller application or brushing

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Daler-Rowney Ltd.**  
 Peacock Lane Bracknell  
 RG12 8ST Bracknell  
 United Kingdom  
 +44 1344 461 156 (0730 – 1600 GMT)  
 www.daler-rowney.com

## Contact person

Research and Development

## Revision

04/03/2024

## SDS Version

1.0

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).  
 See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.1. Classification of the substance or mixture

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Hazard pictogram(s)



## Signal word

## Georgian Water Mixeable Oil Colour Titanium White

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Not applicable.

**Hazard statement(s)**

Toxic to aquatic life with long lasting effects. (H411)

**Precautionary statement(s)**

**General**

-

**Prevention**

Avoid release to the environment. (P273)

**Response**

Collect spillage. (P391)

**Storage**

-

**Disposal**

Dispose of contents/container in accordance with local regulation (P501)

**Hazardous substances**

zinc oxide

**Additional labelling**

Not applicable.

**2.3. Other hazards**

**Additional warnings**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
zinc oxide	CAS No.: 1314-13-2 EC No.: 215-222-5 UK-REACH: Index No.: 030-013-00-7	3-5%	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

-

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**Inhalation**

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

**Skin contact**

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

**Eye contact**

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

**Georgian Water Mixeable Oil Colour Titanium White**

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4544, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact

The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: ●3Z

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

##### Recommended storage material

Keep only in original packaging.

##### Storage temperature

Room temperature 15 to 25°C

##### Incompatible materials

### Georgian Water Mixeable Oil Colour Titanium White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]  
 Long term exposure limit (8 hours) ( $\text{mg}/\text{m}^3$ ): 10(inhalable)/4(respirable)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
 EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### DNEL

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	28 $\mu\text{g}/\text{m}^3$
Long term – Local effects - Workers	Inhalation	170 $\mu\text{g}/\text{m}^3$

### PNEC

No data available.

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

#### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

#### Respiratory Equipment

No specific requirements

#### Skin protection

Recommended	Type/Category	Standards
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-



#### Hand protection

## Georgian Water Mixeable Oil Colour Titanium White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407

**Eye protection**

No specific requirements.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Physical state**

Liquid

**Colour**

White

**Odour / Odour threshold**

Characteristic

**pH**

Testing not relevant or not possible due to the nature of the product.

**Density (g/cm<sup>3</sup>)**

1.95 (20 °C)

**Kinematic viscosity**

30 mPa.s (20 °C)

**Particle characteristics**

Does not apply to liquids.

**Phase changes****Melting point/Freezing point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Softening point/range (waxes and pastes) (°C)**

Does not apply to liquids.

**Boiling point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Vapour pressure**

Testing not relevant or not possible due to the nature of the product.

**Relative vapour density**

Testing not relevant or not possible due to the nature of the product.

**Decomposition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Data on fire and explosion hazards****Flash point (°C)**

300

**Flammability (°C)**

Testing not relevant or not possible due to the nature of the product.

**Auto-ignition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Lower and upper explosion limit (% v/v)**

Testing not relevant or not possible due to the nature of the product.

**Solubility****Solubility in water**

Soluble

**n-octanol/water coefficient (LogKow)**

Testing not relevant or not possible due to the nature of the product.

**Solubility in fat (g/L)**

Testing not relevant or not possible due to the nature of the product.

**9.2. Other information****Oxidizing properties**

Testing not relevant or not possible due to the nature of the product.

**Georgian Water Mixeable Oil Colour Titanium White**

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4033, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Other physical and chemical parameters  
No data available.

## SECTION 10: Stability and reactivity

- 10.1. **Reactivity**  
No data available.
- 10.2. **Chemical stability**  
The product is stable under the conditions, noted in section 7 "Handling and storage".
- 10.3. **Possibility of hazardous reactions**  
None known.
- 10.4. **Conditions to avoid**  
None known.
- 10.5. **Incompatible materials**  
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
- 10.6. **Hazardous decomposition products**  
The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Long term effects

None known.

### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

### Other information

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ] has been classified by IARC as a group 2B carcinogen.

## SECTION 12: Ecological information

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

## Georgian Water Mixeable Oil Colour Titanium White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Based on available data, the classification criteria are not met.

#### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

### SECTION 13: Disposal considerations

#### Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code





08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

#### Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6  	III	Yes	Limited quantities: 5 L Tunnel restriction code: (-) See below for additional information.
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6  	III	Yes	Limited quantities: 5 L EmS: F-A S-F See below for additional information.
IATA	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6	III	Yes	See below for additional information.

#### Georgian Water Mixeable Oil Colour Titanium White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
		 			

\* Packing group

\*\* Environmental hazards

**Additional information**

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: ●3Z

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Restrictions for application**

No special.

**Demands for specific education**

No specific requirements.

**SEVESO - Categories / dangerous substances**

E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

**Additional information**

Not applicable.

**Sources**

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

**15.2. Chemical safety assessment**

No

**SECTION 16: Other information****Full text of H-phrases as mentioned in section 3**

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

**The full text of identified uses as mentioned in section 1****Georgian Water Mixeable Oil Colour Titanium White**

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034



According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

LCS "C" = Consumer uses: Private households (= general public = consumers)  
 PROC 10 = Roller application or brushing  
 PC 9a = Coatings and Paints, Fillers, Putties, Thinners

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
 ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 CAS = Chemical Abstracts Service  
 CE = Conformité Européenne (European conformity)  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 CSA = Chemical Safety Assessment  
 CSR = Chemical Safety Report  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EINECS = European Inventory of Existing Commercial chemical Substances  
 ES = Exposure Scenario  
 EUH statement = CLP-specific Hazard statement  
 EuPCS = European Product Categorisation System  
 EWC = European Waste Catalogue  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IARC = International Agency for Research on Cancer (IARC)  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 OECD = Organisation for Economic Co-operation and Development  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
 RRN = REACH Registration Number  
 SCL = A specific concentration limit  
 SVHC = Substances of Very High Concern  
 STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
 STOT-SE = Specific Target Organ Toxicity - Single Exposure  
 TWA = Time weighted average  
 UN = United Nations  
 UVBC = Unknown or variable composition, complex reaction products or of biological materials  
 VOC = Volatile Organic Compound  
 vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

ST

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en

## SAFETY DATA SHEET

## Georgian Water Mixeable Oil Colour Zinc White

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## ▼ Trade name

Georgian Water Mixeable Oil Colour Zinc White

## ▼ Product no.

D119xxxx001

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Art supplies and hobby preparations, Paint

## Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 9a	Coatings and Paints, Fillers, Putties, Thinners
Process category	Description
PROC 10	Roller application or brushing

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## ▼ Company and address

**Daler-Rowney Ltd.**

Peacock Lane Bracknell

RG12 8ST Bracknell

United Kingdom

+44 1344 461 156 (0730 – 1600 GMT)

www.daler-rowney.com

## Contact person

Research and Development

## Revision

04/03/2024

## SDS Version

2.0

## Date of previous version

05/01/2023 (1.0)

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.1. ▼ Classification of the substance or mixture

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

Hazard pictogram(s)

## Georgian Water Mixeable Oil Colour Zinc White

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577



## ▼ Signal word

Not applicable.

## ▼ Hazard statement(s)

Toxic to aquatic life with long lasting effects. (H411)

## Precautionary statement(s)

General

-

Prevention

Avoid release to the environment. (P273)

Response

Collect spillage. (P391)

Storage

-

## ▼ Disposal

Dispose of contents/container in accordance with local regulation (P501)

## Hazardous substances

zinc oxide

## Additional labelling

Not applicable.

## 2.3. Other hazards

## ▼ Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
zinc oxide	CAS No.: 1314-13-2 EC No.: 215-222-5 UK-REACH: Index No.: 030-013-00-7	15-25%	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

-

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

## Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

## Georgian Water Mixeable Oil Colour Zinc White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### ▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### ▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

None known.

#### 4.3. ▼ Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medic

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact

The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: ●3Z

### SECTION 6: Accidental release measures

#### 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

### Georgian Water Mixeable Oil Colour Zinc White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4544, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Keep only in original packaging.

**Storage temperature**

Room temperature 15 to 25°C

**Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

No substances are listed in the national list of substances with an occupational exposure limit.

**DNEL**

No data available.

**PNEC**

No data available.

**8.2. Exposure controls**

Apply general control to prevent unnecessary exposure

**General recommendations**

Smoking, drinking and consumption of food is not allowed in the work area.

**Exposure scenarios**

There are no exposure scenarios implemented for this product.

**Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

**Appropriate technical measures**

Apply standard precautions during use of the product. Avoid inhalation of vapours.

**Hygiene measures**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

**Measures to avoid environmental exposure**

Keep damming materials near the workplace. If possible, collect spillage during work.

**Individual protection measures, such as personal protective equipment****Generally**

Use only UKCA marked protective equipment.

**Respiratory Equipment**

No specific requirements

**Skin protection**

Recommended	Type/Category	Standards
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-

**Hand protection**

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407

**Eye protection**

No specific requirements.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Physical state**

Georgian Water Mixeable Oil Colour Zinc White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

- Liquid
- Colour
  - White
- Odour / Odour threshold
  - Characteristic
- pH
  - Testing not relevant or not possible due to the nature of the product.
- Density (g/cm<sup>3</sup>)
  - 1.95 (20 °C)
- Kinematic viscosity
  - 30 mPa.s (20 °C)
- Particle characteristics
  - Does not apply to liquids.
- Phase changes
  - Melting point/Freezing point (°C)
    - Testing not relevant or not possible due to the nature of the product.
  - Softening point/range (waxes and pastes) (°C)
    - Does not apply to liquids.
  - Boiling point (°C)
    - Testing not relevant or not possible due to the nature of the product.
  - Vapour pressure
    - Testing not relevant or not possible due to the nature of the product.
  - Relative vapour density
    - Testing not relevant or not possible due to the nature of the product.
  - Decomposition temperature (°C)
    - Testing not relevant or not possible due to the nature of the product.
- Data on fire and explosion hazards
  - Flash point (°C)
    - 300
  - Flammability (°C)
    - Testing not relevant or not possible due to the nature of the product.
  - Auto-ignition temperature (°C)
    - Testing not relevant or not possible due to the nature of the product.
  - Lower and upper explosion limit (% v/v)
    - Testing not relevant or not possible due to the nature of the product.
- Solubility
  - Solubility in water
    - Soluble
  - n-octanol/water coefficient (LogKow)
    - Testing not relevant or not possible due to the nature of the product.
  - Solubility in fat (g/L)
    - Testing not relevant or not possible due to the nature of the product.
- 9.2. Other information
  - ▼ Oxidizing properties
    - Testing not relevant or not possible due to the nature of the product.
  - Other physical and chemical parameters
    - No data available.

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - No data available.
- 10.2. Chemical stability
  - The product is stable under the conditions, noted in section 7 "Handling and storage".
- 10.3. Possibility of hazardous reactions
  - None known.
- 10.4. Conditions to avoid
  - None known.

### Georgian Water Mixeable Oil Colour Zinc White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4037, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

##### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

##### Respiratory sensitisation

Based on available data, the classification criteria are not met.

##### Skin sensitisation

Based on available data, the classification criteria are not met.

##### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

##### Carcinogenicity

Based on available data, the classification criteria are not met.

##### Reproductive toxicity

Based on available data, the classification criteria are not met.

##### STOT-single exposure

Based on available data, the classification criteria are not met.

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Long term effects

None known.

##### ▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

##### Other information

None known.

### SECTION 12: Ecological information

#### 12.1. ▼ Toxicity

Toxic to aquatic life with long lasting effects.

#### 12.2. ▼ Persistence and degradability

Based on available data, the classification criteria are not met.

#### 12.3. ▼ Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

## SECTION 13: Disposal considerations

## ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## EWC code







08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

## ▼ Specific labelling

## Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6  	III	Yes	Limited quantities: 5 L Tunnel restriction code: (-) See below for additional information.
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6  	III	Yes	Limited quantities: 5 L EmS: F-A S-F See below for additional information.
IATA	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Transport hazard class: 9 Label: 9 Classification code: M6  	III	Yes	See below for additional information.

\* Packing group

\*\* Environmental hazards

## Additional information

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

-

Georgian Water Mixeable Oil Colour Zinc White



According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: ●3Z

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### ▼ Restrictions for application

No special.

##### Demands for specific education

No specific requirements.

##### ▼ SEVESO - Categories / dangerous substances

E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

##### Additional information

Not applicable.

##### Sources

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC 10 = Roller application or brushing

PC 9a = Coatings and Paints, Fillers, Putties, Thinners

#### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

### Georgian Water Mixeable Oil Colour Zinc White

Item Numbers: 02128-2253, 02128-2254, 02128-2563, 02128-2564, 02128-3163, 02128-3164, 02128-3503, 02128-3504, 02128-3543, 02128-3544, 02128-3553, 02128-3713, 02128-3723, 02128-3763, 02128-3764, 02128-4043, 02128-4044, 02128-4063, 02128-4064, 02128-4113, 02128-4123, 02128-4143, 02128-4144, 02128-4304, 02128-4353, 02128-4354, 02128-4533, 02128-4534, 02128-4543, 02128-4544, 02128-4913, 02128-4914, 02128-5013, 02128-5014, 02128-5073, 02128-5074, 02128-5113, 02128-5183, 02128-5184, 02128-5223, 02128-5224, 02128-5273, 02128-5274, 02128-5463, 02128-5464, 02128-5953, 02128-6523, 02128-7013, 02128-7073, 02128-7074, 02128-7093, 02128-7094, 02128-7433, 02128-7434, 02128-7693, 02128-7914, 02128-8043, 02128-8044, 02128-8053, 02128-8054, 02128-8063, 02128-8064, 02128-8073, 02128-8074, 02128-8623, 02128-8624, 02128-8923, 02128-1009, 02128-1019, 02128-1023, 02128-1024, 02128-1029, 02128-1033, 02128-1034

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

EWC = European Waste Catalogue  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IARC = International Agency for Research on Cancer (IARC)  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 OECD = Organisation for Economic Co-operation and Development  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
 RRN = REACH Registration Number  
 SCL = A specific concentration limit  
 SVHC = Substances of Very High Concern  
 STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
 STOT-SE = Specific Target Organ Toxicity - Single Exposure  
 TWA = Time weighted average  
 UN = United Nations  
 UVBC = Unknown or variable composition, complex reaction products or of biological materials  
 VOC = Volatile Organic Compound  
 vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### ▼ The safety data sheet is validated by ST

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en