

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

09420-1033 Page 1 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4.1	(05.12.19)	Page	1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name 13 100 zinc white

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Str. 2
D - 40699 Erkrath
Tel. +49 (0) 211-2509-0
Fax. +49 (0) 211-2509-497
info@schmincke.de
www.schmincke.de

Dept. responsible for information

Schmincke-labor:
mo-th 8.00-16.30, fr 8.00-13.30
Tel. +49 (0) 211-2509-474
labor@schmincke.de

1.4 Emergency telephone number

Emergency
Information
Phone #

Emergencycall Berlin
(24h - counseling in german and english)
+49 (0) 30-30686700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Acute 1; H400 Very toxic to aquatic life.
Aquatic Chronic 1; H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling



Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P391 Collect spillage.

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

Page 2 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4.1	(05.12.19)	Page	2 / 8

Text for labelling (CLP)

Contains biocidal products. Contains BIT, CIT, MIT, OIT: May produce an allergic reaction.
Full text of biocides: see section 16.

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

pigment
pure acrylate
Water

CAS-Number
EINECS / ELINCS / NLP
EU index number
REACH registration No.
Hazchem-Code
CI-Number

14 230 PW4 PW6 PR242 PY42
14 481 PW4 PB15:1
14 486 PW4 PB29
14 910 PV3
14 930 PR81:2
14 940 PV1

3.2 Mixtures

Substance 1

zinc oxide: 30 - 40 %
CAS: 1314-13-2
REACH: 01-2119463881-32-0043

Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of inhalation

No special measures are required.
If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact

Thoroughly wash skin with soap and water.
Seek medical attention if irritation persists.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Item Numbers: 09420-1033

Seek medical attention if irritation persists.

Page 2 of 8

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

Page 3 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4 . 1	(05.12.19)	Page	3 / 8

After swallowing

Rinse mouth immediately and drink plenty of water.
Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

storage temperature: 5 - 30 °C

Protect from moisture contamination.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL 13 100 Regulation (EC) No. 1907/2006 (REACH)

Page 4 of 8

PRIMAcryl 13 100 zinc white

Article No. 13100009 zinc white Issue date: 05.12.19
Version 4.1 (05.12.19) Page 4/ 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

DEU	E-dust	1,250	mg/m ³	4 (I)
DEU		10,000	mg/m ³	2 (II)

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Wear eye/face protection.

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures

After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form pasty
Colour white
Odour almost odourless

	min	max	
Initial boiling point and boiling range			
Melting point/freezing point			
Flash point/flash point range			
Flammability			
Ignition temperature			
Auto-ignition temperature			
Explosion limits			
Refraction index			
PH value	7,5	9,5	
Viscosity			
Viscosity			
Vapour pressure			
Density		1,5 - 1,6 kg/l	20 °C
Partition coefficient: n-octanol/water			

Danger of explosion

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Page 4 of 8

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

Page 5 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4.1	(05.12.19)	Page	5/ 8

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological tests

1314-13-2 zinc oxide

oral	LD50	Rat	>	10000,00000	mg/kg	-
inhalative	LC50	Rat	>	5,70000	mg/l	(4h)

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicological effects

1314-13-2 zinc oxide

EC50	Algae		0,17000	mg/l	(72h)
------	-------	--	---------	------	-------

Aquatic toxicity

Water Hazard Class 2

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient n-octanol/water

12.4 Mobility in soil

Page 5 of 8

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

Page 6 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4.1	(05.12.19)	Page	6 / 8

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 waste paint and varnish other than those mentioned in 08 01 11

Recommendation

Contaminated packaging

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN Environmentally hazardous substance, liquid n.o.s.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, ADN 9

IMDG 9

IATA 9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG

Yes

14.6 Special precautions for user

Land transport (ADR/RID)

Code M6

Kemmler-number 90

Hazard label ADR 9

Limited quantities 5I

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisions PP1

Special provisions for packing together MP19

Portable tanks: Instructions T4

Portable tanks: Special provisions TP1 - TP29

Tank coding LGBV

Tunnel restriction -

Remarks

Page 6 of 8

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Resin, Regulation (EC) No. 1907/2006 (REACH)

Page 7 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4 . 1	(05.12.19)	Page	7 / 8

EQ
Special provisions E1
274 - 335 - 375 - 601

Sea transport (IMDG)

EmS F-A, S-F
Special provisions 274 - 335 - 969
Limited quantities 5I
Contaminated packaging: Instructions P001 - LP01
Contaminated packaging: Special provisions PP1
IBC: Instructions IBC03
IBC: Provisions -
Tank instructions IMO -
Tank instructions UN T4
Tank instructions Special provisions TP1 - TP29
Stowage and segregation category A
Properties and observations
Remarks
EQ E1

Air transport (IATA-DGR)

Hazard -
Passenger 964 (450I)
Passenger LQ Y964 (30kg G)
Cargo 964 (450I)
ERG 9L
Remarks
EQ E1
Special Provisioning A97 - A158 - A197

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%] 0
Contents of VOC
[g/L]
Further regulations, limitations and legal requirements

Germany

Storage class
Water Hazard Class 2
WGK catalog number
Incident regulation
Information on working limitations
Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Numbers: 09420-1033

Further regulations, limitations and legal requirements

Page 7 of 8

SAFETY DATA SHEET

MSDS for #09420 - PRIMACRYL Acrylic Regulation (EC) No. 1907/2006 (REACH)

Page 8 of 8

PRIMAcryl 13 100 zinc white

Article No.	13100009	zinc white	Issue date:	05.12.19
Version	4 . 1	(05.12.19)	Page	8 / 8

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements

Federal Regulations

State Regulations

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

BIT - 1,2-benzisothiazol-3(2H)-one

CIT - 5-chloro-2-methyl-4-isothiazolin-3-one

MIT - 2-methyl-2H-isothiazol-3-one

OIT - 2-octyl-2H-isothiazol-3-one

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Page 8 of 8