

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)
PEBEO SAS

Version 5.1 (12/10/2023) - Page 1/8

ORIGIN ACRYLICS - ALL COLOURS - FDS451

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product identifier**

Product name : ORIGIN ACRYLICS - ALL COLOURS

Product code : FDS451.

See list of references in appendix.

UFI : NGW0-30EE-W00E-M4HF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints & Varnishes for artists

1.3. Details of the supplier of the safety data sheet

Registered company name : PEBEO SAS.

Address : CS 10106 .13881.GEMENOS CEDEX.FRANCE.

Telephone : 33 (0) 4.42.32.08.08. Fax : 33 (0) 4.42.32.01.70.

reglementation@pebeo.com

www.pebeo.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.**Other emergency numbers**

United Kingdom : 0870 600 6266

United Kingdom : 0870 600 6266 Ireland : 01 809 25 66

>SECTION 2 : HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture****In compliance with EC regulation No. 1272/2008 and its amendments.**

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements**> In compliance with EC regulation No. 1272/2008 and its amendments.**

Additional labeling :

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

2.3. Other hazardsThe mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) \geq 0.1% published by the European CHEMicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances \geq 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)
PEBEO SAS

Version 5.1 (12/10/2023) - Page 2/8

ORIGIN ACRYLICS - ALL COLOURS - FDS451**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 REACH: 01-2120761540-60 1,2-BENZISOTHIAZOL-3(2H)-ONE	GHS05, GHS07, GHS09 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 0.05

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9 REACH: 01-2120761540-60 1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1: H317 C>= 0.05%	

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

>SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures**In the event of exposure by inhalation :**

In the event of an allergic reaction, seek medical attention.

> In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

> In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

>SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media**> Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist

▷ Unsuitable methods of extinction

In the event of a fire, do not use :
- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

▷SECTION 6 : ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

▷ 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

▷SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

▷ 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

▷ Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

▷ Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

▷ Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters**

No data available.

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

>SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****Physical state**

Physical state : Paste.

Colour

Unspecified

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not relevant.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not relevant.

Flammability

Flammability (solid, gas) : Not stated.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)
PEBEO SAS

Version 5.1 (12/10/2023) - Page 5/8

ORIGIN ACRYLICS - ALL COLOURS - FDS451**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) Not stated.
:
Explosive properties, upper explosivity limit (%) Not stated.
:

Flash point

Flash point interval : Not relevant.

Auto-ignition temperature

Self-ignition temperature : Not relevant.

Decomposition temperature

Decomposition point/decomposition range : Not relevant.

pH

pH (aqueous solution) : Not stated.
pH : 9.30 .
Slightly basic.

Kinematic viscosity

Viscosity : Not stated.

Solubility

Water solubility : Dilutable.
Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : 1.15

Relative vapour density

Vapour density : Not stated.

▷ **Particle characteristics**

The mixture does not contain nanoforms.

▷ **9.2. Other information**

VOC (g/l) : 12.52

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

▷ **SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

▷ **10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)
PEBEO SAS

Version 5.1 (12/10/2023) - Page 6/8

ORIGIN ACRYLICS - ALL COLOURS - FDS451**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

>SECTION 11 : TOXICOLOGICAL INFORMATION**> 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture**Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

11.2. Information on other hazards**> Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 75-21-8 : IARC Group 1 : The agent is carcinogenic to humans.

CAS 140-88-5 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 9003-01-4 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION**12.1. Toxicity****12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

>SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)
PEBEO SAS

Version 5.1 (12/10/2023) - Page 7/8

ORIGIN ACRYLICS - ALL COLOURS - FDS451**▷ Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :**

- 20 01 27 * paint, inks, adhesives and resins containing dangerous substances
- 15 01 02 plastic packaging
- 15 01 01 paper and cardboard packaging

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

-

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

No data available.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):
<https://echa.europa.eu/substances-restricted-under-reach>.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H302

Harmful if swallowed.

Reference	Désignation Référence
817001	ORIGIN ACRYLIC 60ML JN CAD CITR IMI
817002	ORIGIN ACRYLIC 60ML JN PRIMAIRE
817003	ORIGIN ACRYLIC 60ML JN CAD MOY IMIT
817004	ORIGIN ACRYLIC 60ML JN CAD PROF IMIT
817005	ORIGIN ACRYLIC 60ML ORANGE CAD IMIT
817006	ORIGIN ACRYLIC 60ML VERMILLON
817007	ORIGIN ACRYLIC 60ML ROUGE CAD IMIT
817008	ORIGIN ACRYLIC 60ML ROUGE PRIMAIRE
817009	ORIGIN ACRYLIC 60ML ROUGE CARMIN
817010	ORIGIN ACRYLIC 60ML MAGENTA QUINACID
817011	ORIGIN ACRYLIC 60ML ROSE VIF
817012	ORIGIN ACRYLIC 60ML ROSE LUMIERE
817013	ORIGIN ACRYLIC 60ML VIOLET OUTREMER
817014	ORIGIN ACRYLIC 60ML VIOLET COBA IMIT
817015	ORIGIN ACRYLIC 60ML BLEU DE PRUSSE
817016	ORIGIN ACRYLIC 60ML BLEU PHTALOCYANI
817017	ORIGIN ACRYLIC 60ML BLEU OUTREMER
817018	ORIGIN ACRYLIC 60ML BLEU COBALT IMIT
817019	ORIGIN ACRYLIC 60ML CYAN PRIMAIRE
817020	ORIGIN ACRYLIC 60ML BLEU CERULEUM
817021	ORIGIN ACRYLIC 60ML BLEU TURQUOISE
817022	ORIGIN ACRYLIC 60ML EMER PHTALOCYANI
817023	ORIGIN ACRYLIC 60ML VERT PERMA CLAIR
817024	ORIGIN ACRYLIC 60ML VERT DE HOOKER
817025	ORIGIN ACRYLIC 60ML VERT DE VESSIE
817026	ORIGIN ACRYLIC 60ML VERT OLIVE CLAIR
817027	ORIGIN ACRYLIC 60ML IVOIRE
817028	ORIGIN ACRYLIC 60ML BEIGE ROSÉ
817029	ORIGIN ACRYLIC 60ML JAUNE DE NAPLES
817030	ORIGIN ACRYLIC 60ML OCRE JAUNE
817031	ORIGIN ACRYLIC 60ML SIENNE NATURELLE
817032	ORIGIN ACRYLIC 60ML SIENNE BRULÉE
817033	ORIGIN ACRYLIC 60ML OMBRE NATURELLE
817034	ORIGIN ACRYLIC 60ML OMBRE BRULÉE
817035	ORIGIN ACRYLIC 60ML GRIS NEUTRE
817036	ORIGIN ACRYLIC 60ML GRIS DE PAYNE
817037	ORIGIN ACRYLIC 60ML BLANC DE TITANE
817038	ORIGIN ACRYLIC 60ML BLANC DE MELANGE
817039	ORIGIN ACRYLIC 60ML NOIR DE MARS
817040	ORIGIN ACRYLIC 60ML NOIR IVOIRE IMIT
817041	ORIGIN ACRYLIC 60ML OR
817042	ORIGIN ACRYLIC 60ML ARGENT
817043	ORIGIN ACRYLIC 60ML CUIVRE
817044	ORIGIN ACRYLIC 60ML BLANC IRID
817045	ORIGIN ACRYLIC 60ML GRAPHITE IRID
817046	ORIGIN ACRYLIC 60ML JAUNE FLUO
817047	ORIGIN ACRYLIC 60ML ROSE FLUO
817048	ORIGIN ACRYLIC 60ML VERT FLUO
817101	ORIGIN ACRYLIC 120ML JN CAD CITR IMI
817102	ORIGIN ACRYLIC 120ML JN PRIMAIRE
817103	ORIGIN ACRYLIC 120ML JN CAD MOY IMIT
817104	ORIGIN ACRYLIC 120ML JN CAD PROF IMI
817105	ORIGIN ACRYLIC 120ML ORANGE CAD IMIT
817106	ORIGIN ACRYLIC 120ML VERMILLON
817107	ORIGIN ACRYLIC 120ML ROUGE CAD IMIT
817108	ORIGIN ACRYLIC 120ML ROUGE PRIMAIRE
817109	ORIGIN ACRYLIC 120ML ROUGE CARMIN
817110	ORIGIN ACRYLIC 120ML MAGENT QUINACID
817111	ORIGIN ACRYLIC 120ML ROSE VIF
817112	ORIGIN ACRYLIC 120ML ROSE LUMIERE
817113	ORIGIN ACRYLIC 120ML VIOLET OUTREMER
817114	ORIGIN ACRYLIC 120ML VIOLET COBA IMI
817115	ORIGIN ACRYLIC 120ML BLEU DE PRUSSE
817116	ORIGIN ACRYLIC 120ML BLEU PHTALOCYAN
817117	ORIGIN ACRYLIC 120ML BLEU OUTREMER
817118	ORIGIN ACRYLIC 120ML BLEU COBALT IMI

817119	ORIGIN ACRYLIC 120ML CYAN PRIMAIRE
817120	ORIGIN ACRYLIC 120ML BLEU CERULEUM
817121	ORIGIN ACRYLIC 120ML BLEU TURQUOISE
817122	ORIGIN ACRYLIC 120ML EMER PHTALOCYAN
817123	ORIGIN ACRYLIC 120ML VERT PERM CLAIR
817124	ORIGIN ACRYLIC 120ML VERT DE HOOKER
817125	ORIGIN ACRYLIC 120ML VERT DE VESSIE
817126	ORIGIN ACRYLIC 120ML VERT OLIV CLAIR
817127	ORIGIN ACRYLIC 120ML IVOIRE
817128	ORIGIN ACRYLIC 120ML BEIGE ROSÉ
817129	ORIGIN ACRYLIC 120ML JAUNE DE NAPLES
817130	ORIGIN ACRYLIC 120ML OCRE JAUNE
817131	ORIGIN ACRYLIC 120ML SIENNE NATURELL
817132	ORIGIN ACRYLIC 120ML SIENNE BRULÉE
817133	ORIGIN ACRYLIC 120ML OMBRE NATURELLE
817134	ORIGIN ACRYLIC 120ML OMBRE BRULÉE
817135	ORIGIN ACRYLIC 120ML GRIS NEUTRE
817136	ORIGIN ACRYLIC 120ML GRIS DE PAYNE
817137	ORIGIN ACRYLIC 120ML BLANC DE TITANE
817138	ORIGIN ACRYLIC 120ML BLANC DE MELANGE
817139	ORIGIN ACRYLIC 120ML NOIR DE MARS
817140	ORIGIN ACRYLIC 120ML NOIR IVOIR IMIT
817141	ORIGIN ACRYLIC 120ML OR
817142	ORIGIN ACRYLIC 120ML ARGENT
817143	ORIGIN ACRYLIC 120ML CUIVRE
817144	ORIGIN ACRYLIC 120ML BLANC IRID
817145	ORIGIN ACRYLIC 120ML GRAPHITE IRID
817146	ORIGIN ACRYLIC 120ML JAUNE FLUO
817147	ORIGIN ACRYLIC 120ML ROSE FLUO
817148	ORIGIN ACRYLIC 120ML VERT FLUO
817202	ORIGIN ACRYLIC 240ML JN PRIMAIRE
817203	ORIGIN ACRYLIC 240ML JN CAD MOY IMIT
817205	ORIGIN ACRYLIC 240ML ORANGE CAD IMIT
817206	ORIGIN ACRYLIC 240ML VERMILLON
817208	ORIGIN ACRYLIC 240ML ROUGE PRIMAIRE
817210	ORIGIN ACRYLIC 240ML MAGENT QUINACID
817211	ORIGIN ACRYLIC 240ML ROSE VIF
817213	ORIGIN ACRYLIC 240ML VIOLET OUTREMER
817217	ORIGIN ACRYLIC 240ML BLEU OUTREMER
817219	ORIGIN ACRYLIC 240ML CYAN PRIMAIRE
817220	ORIGIN ACRYLIC 240ML BLEU CERULEUM
817221	ORIGIN ACRYLIC 240ML BLEU TURQUOISE
817222	ORIGIN ACRYLIC 240ML EMER PHTALOCYAN
817223	ORIGIN ACRYLIC 240ML VERT PERM CLAIR
817225	ORIGIN ACRYLIC 240ML VERT DE VESSIE
817227	ORIGIN ACRYLIC 240ML IVOIRE
817228	ORIGIN ACRYLIC 240ML BEIGE ROSE
817230	ORIGIN ACRYLIC 240ML OCRE JAUNE
817231	ORIGIN ACRYLIC 240ML SIENNE NATURELL
817233	ORIGIN ACRYLIC 240ML OMBRE NATURELLE
817234	ORIGIN ACRYLIC 240ML OMBRE BRULÉE
817235	ORIGIN ACRYLIC 240ML GRIS NEUTRE
817236	ORIGIN ACRYLIC 240ML GRIS DE PAYNE
817237	ORIGIN ACRYLIC 240ML BLANC DE TITANE
817238	ORIGIN ACRYLIC 240ML BLANC DE MELANGE
817239	ORIGIN ACRYLIC 240ML NOIR DE MARS
817240	ORIGIN ACRYLIC 240ML NOIR IVOIR IMIT
817241	ORIGIN ACRYLIC 240ML OR
817242	ORIGIN ACRYLIC 240ML ARGENT
817243	ORIGIN ACRYLIC 240ML CUIVRE
817302	ORIGIN ACRYLIC 480 ML JAUNE PRIMAIRE
817308	ORIGIN ACRYLIC 480 ML ROUGE PRIMAIRE
817310	ORIGIN ACRYLIC 480 ML MAGENTA QUINACID
817317	ORIGIN ACRYLIC 480 ML BLEU OUTREMER
817319	ORIGIN ACRYLIC 480 ML CYAN PRIMAIRE
817323	ORIGIN ACRYLIC 480 ML VERT PERMA CLAIR
817334	ORIGIN ACRYLIC 480 ML OMBRE BRULÉE

817336	ORIGIN ACRYLIC 480 ML GRIS DE PAYNE
817337	ORIGIN ACRYLIC 480 ML BLANC DE TITANE
817339	ORIGIN ACRYLIC 480 ML NOIR DE MARS
817341	ORIGIN ACRYLIC 480 ML OR
817342	ORIGIN ACRYLIC 480 ML ARGENT