

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1: Product identifier

UFI Code: 2H00-003W-E00X-NPNW
 Trade name: Blick Studio Art Marker Ink (All Colors)
 Substance name: n/a
 Index No: n/a
 CAS-No: n/a
 EC-No: 32159070
 HS Tariff code: 9608.20.0000

1.2: Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Preparation for use in writing instruments.
 Recommended restrictions on use: No information available.

1.3: Supplier's Details

Company: Blick Art Materials
 PO Box 1267
 Galesburg, IL 61402-1267

Telephone: (800) 828-4548

Fax: (800) 621-8293

E-mail: info@dickblick.com

1.4: Emergency telephone number

+44 7887 612 787

SECTION 2: Hazards Identification

2.1: Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 and GB CLP			
Hazard class	Hazard category	Target organs	Hazard statements
Flammable liquids	2	n/a	H225
Acute toxicity	4	oral	H302
Skin corrosion/irritation	1	skin	H314
Serious eye damage/eye irritation	1	eyes	H318
STOT-SE	3	CNS	H336
Aquatic chronic	2	n/a	H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Most important adverse effects: Highly flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP
Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)
**see section 16 for colour names*

Data Sheet No: DS505
 Issue Date: 22nd June 2022

Version No: 005
 Page 2

2.2: Label Elements

Labelling according to Regulation (EC) No. 1272/2008 and GB CLP

Hazard Symbols:



Signal word:

DANGER

Hazard statements:

H225 Highly flammable liquid and vapour
 H302 Harmful if swallowed
 H314 Causes severe skin burns and eye damage
 H318 Causes serious eye damage
 H336 May cause drowsiness or dizziness
 H411 Toxic to aquatic life with long lasting effects

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
 P233 Keep container tightly closed
 P240 Ground/bond container and receiving equipment
 P243 Take precautionary measures against static discharge
 P270 Do not eat, drink or smoke when using this product
 P280 Wear protective gloves/protective clothing/eye protection
 P305/P351/P338 IF IN EYES: rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing
 P337/P313 If eye irritation persists: get medical advice/attention
 P303/P361/P353 IF ON SKIN (or hair): remove/take off immediately all contaminated clothing. Rinse skin with water/shower
 P403/P235 Store in a well-ventilated place. Keep cool.

2.3: Other hazards

<7% of the mixture consists of ingredient(s) of unknown acute oral toxicity.

SECTION 3: Composition / information on ingredients

3.1: Substances

Not applicable

3.2: Mixtures

Substance name	CAS No. EC No. Index No. Registration No.	% (weight)	Classification according to Regulation (EC) No. 1272/2008 (CLP) and GB MCL	SCL, M-factor, ATE
1-Methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	<75%	H226 (3), H336 (3)	ATE (oral) LD50 3739-4277 mg/kg

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 3

				ATE (inhalation) LC50 (4 h) 6000 – 7000 ppm ATE (dermal) LD50 2000 mg/kg
Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	<20%	H225 (2), H319 (2), H336 (3)	ATE (oral) LD50 5 840 mg/kg ATE (inhalation) LC50 (6 h) 10 000 ppm ATE (dermal) LD50 16.4 mL/kg
Basic Yellow 37	6358-36-7 228-770-5 - -	≤0 <7%	H301 (3), H314 (1), H319 (2), H410 (1)	ATE (oral) LD50 300 mg/kg ATE (dermal) LD50 2 000 mg/kg
Basic Blue 7	2390-60-5 219-232-0 - -	≤0% <3.2%	H301 (3), H318 (1), H410 (1)	No data available
2-amino-2-methylpropanol	124-68-5 204-709-8 603-070-00-6 01-2119475788-16	≤0% <1%	H315 (2), H319 (2), H412 (3)	ATE (oral) LD50 2 900 mg/kg ATE (dermal) LD50 2 000 mg/kg

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: Description of first aid measures

4.1: Description of first aid measures

4.1.1: General advice:

Remove affected person from source of contamination. Place unconscious person on the side in the recovery position and ensure breathing can take place.

4.1.2: In case of inhalation:

Remove to fresh air. If symptoms persist, seek medical advice if any discomfort continues.

4.1.3: In case of skin contact:

Remove contaminated clothing immediately and wash skin with soap and water. If skin irritation persists, seek medical advice.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 4

4.1.4: In case of eye contact:

Make sure to remove any contact lenses before rinsing. Rinse thoroughly with plenty of water, also under the eyelids. Seek medical advice if any discomfort continues.

4.1.5: In case of ingestion:

If large quantity swallowed, give luke warm water (500ml) if victim is conscious and alert. Do NOT induce vomiting. Seek medical advice immediately and show this container or label.

4.1.6: Self-protection for first aider:

Wear appropriate PPE to prevent contamination of skin, eyes and personal clothing.

4.2: Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause drowsiness or dizziness.

4.3: Indication of immediate medical attention and special treatment needed

Treat symptomatically. No further information available

SECTION 5: Firefighting measures

5.1: Extinguishing media

5.1.1: Suitable extinguishing media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide (do not use carbon dioxide in enclosed spaces).

5.1.2: Unsuitable extinguishing media:

High volume water jet.

5.2: Special hazards arising from the substance or mixture

Highly flammable. Vapours may form explosive mixtures with air. Flash back possible. In case of fire hazardous decomposition products may be produced, such as carbon monoxide (CO) and carbon dioxide (CO₂).

5.3: Advice for firefighter

5.3.1: Special protective equipment for firefighters:

In the event of fire, wear self-contained breathing apparatus. Wear appropriate body protection (full protective suit).

5.3.2: Further information:

Cool closed containers exposed to fire with water spray. Heating will cause a pressure rise – with risk of bursting. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 5

SECTION 6: Accidental release measures

6.1: Personal precautions, protective equipment and emergency procedures

6.1.1: For non-emergency personnel

Protective equipment:

Wear appropriate PPE to prevent contamination of skin, eyes and personal clothing.

Emergency procedures:

Provide adequate ventilation. Keep away from heat and sources of ignition. Avoid contact with skin and eyes. Do not breathe vapours. Evacuate the area.

6.1.2: For emergency responders

Tight fitting safety goggles, appropriate gloves, and protective clothing (please refer to Section 8).

6.2: Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. Do not allow to contaminate ground water system.

6.3: Methods and materials for containment and cleaning up

6.3.1: For containment

Contain spillage using bunding. Cover drains where possible. Re-cap leaking containers and take whatever steps possible to prevent further leakage.

6.3.2 – For cleaning up

Collect with non-combustible absorbent material (for example, sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see Section 13).

6.3.3 – Other information

Treat recovered material as described in Section 13.

6.4: Reference to other sections

For personal protection see Section 8.

Section 7: Handling and storage

7.1: Precautions for safe handling

7.1.1: Protective measures:

Keep container tightly closed. Ensure adequate ventilation. Avoid contact with skin and eyes. Do not breath vapours. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

7.1.2: Measures to prevent fire:

Combustible liquid. Keep away from sources of ignition – no smoking. Take measures to prevent the build-up of electrostatic charge. Vapours may form explosive mixtures in air. Use only in an area containing explosion proof equipment.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 6

7.1.3: Measures to prevent aerosol and dust generation:

Avoid generating any spray mist. Ensure all equipment is electrically grounded before beginning transfer operations.

7.1.4: Measures to protect the environment:

Do not let product enter drains. If the product contaminates rivers and lakes or drains inform respective authorities.

7.1.5: Advice on general occupational hygiene:

Keep away from food, drink, and animal feeding stuffs. Smoking, eating, and drinking should be prohibited in the application area. Wash hands before breaks and at the end of the working day. Take off all contaminated clothing.

7.2: Conditions for safe storage, including any incompatibilities

7.2.1: Technical measures and storage conditions:

Combustible liquid. Keep away from sources of ignition – no smoking. Take measures to prevent the build-up of electrostatic charge. Vapours may form explosive mixtures in air. Use only in an area containing explosion proof equipment.

7.2.2: Packaging materials:

Store tightly closed in original container.

7.2.3: Requirements for storage rooms and vessels:

Use only in an area containing explosion proof equipment. Ensure all equipment is electrically grounded before beginning transfer operations. Take measures to prevent the build-up of electrostatic charge.

7.2.4 – Further information on storage conditions:

Keep tightly closed in a cool and dry place. Keep away from direct sunlight. Keep in a well-ventilated place. Keep away from food, drink and animal feedstuffs. Do not store together with oxidizing and self-igniting products. Incompatible with strong acids, oxidizing agents and alkaline earth metals.

7.3: Specific end use(s)

7.3.1: Recommendations:

Preparation for use in writing instruments. Please refer to sections 7.1 and 7.2

7.3.2: Industrial sector specific solutions:

No information available.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 7

SECTION 8: Exposure controls/personal protection

8.1: Control parameters

SUBSTANCE NAME: 1-Methoxy-2-propanol								
EC number: 203-539-1					CAS number: 107-98-2			
DNELs								
Route of exposure	Workers				Consumers			
	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				No hazard identified	No hazard identified	No hazard identified	33 mg/kg bw/day
Inhalation	553.5 mg/m ³	553.5 mg/m ³	No hazard identified	369 mg/m ³	950 mg/m ³	No hazard identified	No hazard identified	43.9 mg/m ³
Dermal	No hazard identified	No hazard identified	No hazard identified	183 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified	78 mg/kg bw/day

PNECs	
Environmental protection target	PNEC
Fresh water	10 mg/L
Freshwater sediments	52.3 mg/kg d.w.
Marine water	1 mg/L
Marine sediments	5.2 mg/kg d.w.
Food chain	No potential for bioaccumulation
Microorganisms in sewage treatment	100 mg/L
Soil (agricultural)	4.9 mg/kg d.w.
Air	No hazard identified

SUBSTANCE NAME: Propan-2-ol								
EC number: 200-661-7					CAS number: 67-63-0			
DNELs								
Route of exposure	Workers				Consumers			
	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				No hazard identified	No hazard identified	No hazard identified	26 mg/kg bw/day
Inhalation	No hazard identified	No hazard identified	No hazard identified	500 mg/m ³	No hazard identified	No hazard identified	No hazard identified	89 mg/m ³
Dermal	No hazard identified	No hazard identified	No hazard identified	888 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified	206 mg/kg bw/day

PNECs	
Environmental protection target	PNEC
Fresh water	140.9 mg/L
Freshwater sediments	552 mg/kg d.w.
Marine water	140.9 mg/L
Marine sediments	552 mg/kg d.w.
Food chain	160 mg/kg food
Microorganisms in sewage treatment	2.251 g/L
Soil (agricultural)	28 mg/kg d.w.
Air	No hazard identified

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 8

SUBSTANCE NAME: 2-amino-2-methylpropanol								
EC number: 204-709-8					CAS number: 124-68-5			
DNELs								
Route of exposure	Workers				Consumers			
	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				No hazard identified	No hazard identified	No hazard identified	460 µg/kg bw/day
Inhalation	No hazard identified	No hazard identified	No hazard identified	6.5 mg/m ³	No hazard identified	No hazard identified	No hazard identified	1.6 mg/m ³
Dermal	No hazard identified	No hazard identified	No hazard identified	7.3 mg/kg bw/day	No hazard identified	No hazard identified	No hazard identified	37 mg/kg bw/day

PNECs	
Environmental protection target	PNEC
Fresh water	188 µg/L
Freshwater sediments	710 µg/kg d.w.
Marine water	18.8 µg/L
Marine sediments	71 µg/kg d.w.
Food chain	No potential for bioaccumulation
Microorganisms in sewage treatment	10 mg/L
Soil (agricultural)	30 µg/kg d.w.
Air	No hazard identified

8.2: Exposure controls

8.2.1: Appropriate engineering controls:

Ensure adequate ventilation. Refer to protective measures listed in Sections 7 and 8.

8.2.2: Individual protection measures, such as personal protective equipment:

8.2.2.1: Eye/face protection:

Tight fitting safety goggles.

8.2.2.2: Skin protection:

Hand protection:

Wear suitable gloves. Take note of the information given by the producer concerning permeability and breakthrough times, and of special workplace conditions (mechanical strain, duration of contact). Protective gloves should be replaced at first signs of wear. Butyl rubber, 0.5 mm, Fluorocarbon rubber, 0.4 mm.

Other skin protection:

Wear suitable protective clothing.

8.2.2.3: Respiratory protection:

Required, if exposure limit is exceeded. Respirator with a gas filter. Recommended filter type: A.

8.2.2.4: Thermal hazards:

Not applicable.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

*see section 16 for colour names

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 9

8.2.3: Environmental exposure controls:

Do not let product enter drains. If the product contaminates rivers and lakes or drains inform respective authorities. Refer to section 6 for further information.

SECTION 9: Physical and chemical properties

9.1: Information on basic physical and chemical properties

Physical state:	liquid
Colour:	various
Odour:	Alcohol-like, ether-like, odour threshold - no data available
Melting point / freezing point:	-89.5°C (propan-2-ol)
Boiling point:	82°C (propan-2-ol)
Flammability:	Highly flammable
Upper/lower flammability or explosive limits:	1.7% (V), 11.5% (V) (1-methoxy-propan-2-ol)
Flash point:	12°C (propan-2-ol)
Auto-ignition temperature:	287°C (1-methoxy-propan-2-ol)
Decomposition temperature:	Not applicable (only applies to self-reactive substances and mixtures)
pH:	4 to 9 (100%)
Viscosity:	3 to 4 mm ² /s
Solubility:	Partially miscible in water, fully miscible with other solvents
Partition coefficient: n-octanol/water:	Not applicable (does not apply to mixtures)
Vapour pressure:	16.5 hPa @ 19.6 – 24.85°C (1-methoxy-propan-2-ol)
Absolute density:	0.96 g/cm ³
Relative density:	0.8 g/cm ³ @ 20°C (propan-2-ol)
Particle characteristics:	Not applicable (only applies to solids)

9.2 - Other information

Not applicable (the mixture is a flammable liquid, see 9.1)

SECTION 10: Stability and reactivity

10.1 – Reactivity

Vapours may cause explosive mixtures with air.

10.2 - Chemical Stability

Stable under normal storage conditions.

10.3 – Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

10.4 – Conditions to avoid

Keep away from heat and sources of ignition (such as flames, sparks, extreme heat and direct sunlight).

10.5 – Incompatible materials

Alkali metals, alkaline earth metals, strong oxidizing agents, strong acids.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

*see section 16 for colour names

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 10

10.6 – Hazardous decomposition products

Under fire conditions: carbon monoxide (CO), carbon dioxide (CO₂).

SECTION 11 – Toxicological information

11.1 – Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 – Acute toxicity

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Oral

LD50 3739 - 4277 mg/kg bw (rat)

Inhalation

LC50 (4 h) 6000 – 7000 ppm (mouse)

Dermal

LD50 2000 mg/kg bw (rat)

Other routes

No data available

Propan-2-ol (CAS No. 67-63-0)

Oral

LD50 5 840 mg/kg bw (rat)

Inhalation

LC50 (6 h) 10 000 ppm (rat)

Dermal

LD50 16.4 mL/kg bw (rabbit)

Other routes

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

Oral

LD50 300 mg/kg bw (rat)

Inhalation

No data available

Dermal

LD50 2 000 mg/kg bw (rat)

Other routes

No data available

Basic Blue 7 (CAS No. 2390-60-5)

Oral

No data available

Inhalation

No data available

Dermal

No data available

Other routes

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 11

2-amino-2-methylpropanol (CAS No. 124-68-5)

Oral

LD50 2 900 mg/kg bw (rat)

Inhalation

No data available

Dermal

LD50 2 000 mg/kg bw (rabbit)

Other routes

No data available

11.1.2 – Skin corrosion/irritation

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No adverse effect observed (not irritating)

Propan-2-ol (CAS No. 67-63-0)

No adverse effect observed (not irritating)

Basic Yellow 37 (CAS No. 6358-36-7)

Adverse effect observed (corrosive)

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Adverse effect observed (irritating)

11.1.3 – Serious eye damage/irritation

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No adverse effect observed (not irritating)

Propan-2-ol (CAS No. 67-63-0)

Adverse effect observed (irritating)

Basic Yellow 37 (CAS No. 6358-36-7)

Adverse effect observed (irritating)

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Adverse effect observed (irritating)

11.1.4 – Respiratory or skin sensitisation

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Skin

No adverse effect observed (not sensitising)

Respiratory

No adverse effect observed (not sensitising)

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 12

Propan-2-ol (CAS No. 67-63-0)

Skin

No adverse effect observed (not sensitising)

Respiratory

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

Skin

No adverse effect observed (not sensitising)

Respiratory

No data available

Basic Blue 7 (CAS No. 2390-60-5)

Skin

No data available

Respiratory

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Skin

No adverse effect observed (not sensitising)

Respiratory

No adverse effect observed (not sensitising)

11.1.5 – Germ cell mutagenicity

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Toxicity – InVitro

No adverse effect observed (negative)

Propan-2-ol (CAS No. 67-63-0)

Toxicity – InVitro

No adverse effect observed (negative)

Basic Yellow 37 (CAS No. 6358-36-7)

Toxicity – InVitro

No adverse effect observed (negative)

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

11.1.6 – Carcinogenicity

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 13

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

11.1.7 – Reproductive toxicity

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

11.1.8 – Summary of evaluation of the CMR properties

No data available.

11.1.9 – STOT-single exposure

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

11.1.10 – STOT-repeated exposure

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Oral

NOAEL (mouse): 919 mg/kg bw/day

Inhalation

NOAEL (mouse): 1000 ppm

Dermal

NOAEL (rabbit): 1000 - 1838 mg/kg bw/day

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 14

Propan-2-ol (CAS No. 67-63-0)

Oral

No data available

Inhalation

NOEC (rat): 500 - 5 000 ppm

Dermal

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

Oral

NOAEL (rat): 100 mg/kg bw/day

Inhalation

No data available

Dermal

No data available

Basic Blue 7 (CAS No. 2390-60-5)

Oral

No data available

Inhalation

No data available

Dermal

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Oral

NOAEL (dog): 110 mg/kg bw/day

Inhalation

No data available

Dermal

No data available

11.1.11 – Aspiration hazard

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

*see section 16 for colour names

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 15

SECTION 12 – Ecological information

12.1 – Toxicity

12.1.1 – Acute (short term) toxicity fish

1-methoxy-propan-2-ol (CAS No. 107-98-2)

LC50 (4 days) 1 - 20.8 g/L

Propan-2-ol (CAS No. 67-63-0)

LC50 (4 days) 9.64 - 10 g/L

Basic Yellow 37 (CAS No. 6358-36-7)

LC50 (4 days) 625 - 7 700 µg/L

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

LC50 (4 days) 190 mg/L

12.1.2 – Acute (short term) toxicity crustacea

1-methoxy-propan-2-ol (CAS No. 107-98-2)

LC50 (48 h) 21.1 - 25.9 g/L

Propan-2-ol (CAS No. 67-63-0)

LC50 (24 h) 10 g/L

Basic Yellow 37 (CAS No. 6358-36-7)

EC50 (48 h) 116 – 4 600 µg/L

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

LC50 (48 h) 179 g/L

12.1.3 – Acute (short term) toxicity algae/aquatic plants

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Algae

No data available

Aquatic plants other than algae

No data available

Propan-2-ol (CAS No. 67-63-0)

Algae

No data available

Aquatic plants other than algae

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 16

Basic Yellow 37 (CAS No. 6358-36-7)

Algae

EC50 (72 h) 130 - 30 000 µg/L

Aquatic plants other than algae

No data available

Basic Blue 7 (CAS No. 2390-60-5)

Algae

No data available

Aquatic plants other than algae

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Algae

EC50 (72 h) 402 - 609 mg/L

Aquatic plants other than algae

No data available

12.1.4 – Acute (short term) toxicity other organisms

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Microorganisms

IC50 (3 h) 1 g/L

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

Microorganisms

EC50 (30 min) 13.6 mg/L

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Microorganisms

EC50 (3 h) 342.9 mg/L

12.1.5 – Chronic (long term) toxicity fish

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 17

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.1.6 – Chronic (long term) toxicity crustacea

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.1.7 – Chronic (long term) toxicity algae/aquatic plants

1-methoxy-propan-2-ol (CAS No. 107-98-2)

Algae

EC50 (7 days) 1 g/L

Aquatic plants other than algae

No data available

Propan-2-ol (CAS No. 67-63-0)

Algae

No data available

Aquatic plants other than algae

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

Algae

No data available

Aquatic plants other than algae

No data available

Basic Blue 7 (CAS No. 2390-60-5)

Algae

No data available

Aquatic plants other than algae

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Algae

No data available

Aquatic plants other than algae

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 18

12.1.8 – Chronic (long term) toxicity other organisms

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.2 - Persistence and biodegradability

12.2.1 – Abiotic degradation

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.2.2 – Physical and photo-chemical elimination

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Phototransformation in air

Dissipation half life (DT50)

14.4 h

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 19

12.2.3 – Biodegradation

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

Biodegradation in water – screening tests

Readily biodegradable (100%)

Basic Yellow 37 (CAS No. 6358-36-7)

Biodegradation in water – screening tests

Inherently biodegradable (50%), under test conditions no biodegradation observed (50%)

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

Biodegradation in water – screening tests

Readily biodegradable (100%)

12.3 – Bioaccumulative potential

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.3.1 – Partition coefficient n-octanol / water (log Kow)

1-methoxy-propan-2-ol (CAS No. 107-98-2)

0.37 @ 20 °C

Propan-2-ol (CAS No. 67-63-0)

0.05 @ 25 °C

Basic Yellow 37 (CAS No. 6358-36-7)

1.757 - 2.55 @ 25 °C

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

-0.63 @ 20 °C

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

*see section 16 for colour names

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 20

12.3.2 – Bioconcentration factor (BCF)

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

22.33 L/kg ww

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.4 – Mobility in soil

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.4.1 – Known or predicted distribution to environmental compartments

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.4.2 – Surface tension

1-methoxy-propan-2-ol (CAS No. 107-98-2)

70.7 mN/m @ 1 g/L and 20 °C

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 21

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

67.7 mN/m @ 10 000 mg/L

12.4.3 – Adsorption/desorption

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.5 – Results of PBT and vPvB assessment

1-methoxy-propan-2-ol (CAS No. 107-98-2)

This substance is not a PBT or a vPvB

Propan-2-ol (CAS No. 67-63-0)

This substance is not a PBT or a vPvB

Basic Yellow 37 (CAS No. 6358-36-7)

This substance is not a PBT or a vPvB

Basic Blue 7 (CAS No. 2390-60-5)

This substance is not a PBT or a vPvB

2-amino-2-methylpropanol (CAS No. 124-68-5)

This substance is not a PBT or a vPvB

12.6 – Endocrine disrupting properties

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 22

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.7 – Other adverse effects

1-methoxy-propan-2-ol (CAS No. 107-98-2)

No data available

Propan-2-ol (CAS No. 67-63-0)

No data available

Basic Yellow 37 (CAS No. 6358-36-7)

No data available

Basic Blue 7 (CAS No. 2390-60-5)

No data available

2-amino-2-methylpropanol (CAS No. 124-68-5)

No data available

12.8 – Additional information

No additional information available.

SECTION 13 – Disposal considerations

13.1 – Waste treatment methods

13.1.1 – Product / Packaging disposal

Disposal together with normal waste is not allowed. Special disposal is required according to regional, national, and European legislation. Do not empty into drains. Contact waste disposal services. Contaminated packaging should be emptied thoroughly. It can be recycled after thorough and proper cleaning. Packaging that cannot be cleaned should be disposed of in the same manner as the product. Do not burn or use a cutting torch on the empty drum. Risk of explosion.

13.1.2 – Waste treatment – relevant information

No information available – treat as hazardous waste and dispose of in accordance with regional, national and European legislation.

13.1.3 – Sewage disposal – relevant information

Do not allow to enter the sewage system.

13.1.4 – Other disposal recommendations

No further information available.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

*see section 16 for colour names

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 23

SECTION 14 – Transport Information

14.1 - UN Number

1993

14.2 – UN proper shipping name

- ADR: Flammable Liquid n.o.s (contains iso-propanol and 4,4'-carbonimidoylbis[N,N-diethylaniline] monohydrochloride)
RID: Flammable Liquid n.o.s (contains iso-propanol and 4,4'-carbonimidoylbis[N,N-diethylaniline] monohydrochloride)
IMDG: Flammable Liquid n.o.s (contains iso-propanol and 4,4'-carbonimidoylbis[N,N-diethylaniline] monohydrochloride)
IATA-DGR : Flammable Liquid n.o.s (contains iso-propanol and 4,4'-carbonimidoylbis[N,N-diethylaniline] monohydrochloride)

14.3 – Transport hazardous class(es)

Labels/classification code/ hazard identification number /tunnel restriction code

- ADR: 3; F1 ; 33 : (D/E)
RID: 3 ; F1 ; 33
IMDG : 3 ; (F-E, S-E)
IATA-DGR : 3

14.4 - Packing group

- ADR: II
RID: II
IMDG: II
IATA-DGR : II

14.5 - Environmental hazards

Labelling according to 5.2.1.8 ADR:

Labelling according to 5.2.1.8 RID:

Labelling according to 5.2.1.6.3 IMDG:

Labelling according to IATA-DGR:

Classification as environmentally hazardous according to 2.9.3 IMDG:

Classified as 'P' according to 2.10 IMDG:



Yes

Yes

14.6 - Special precautions for user

No information available.

14.7 – Maritime transport in bulk according to IMO instruments

Not applicable.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP
Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)
*see section 16 for colour names

Data Sheet No: DS505
Issue Date: 22nd June 2022

Version No: 005
Page 24

SECTION 15 – Regulatory Information

15.1 – Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 (REACH)
Regulation (EC) No. 2020/878 Annex II
Regulation (EC) No. 1272/2008 (CLP)
Regulation (EC) No 1907/2006 (REACH), Article 57 SVHC Candidate list – none
UN GHS
GB CLP
GB MCL

International Inventories:

Europe (EINECS): all components are listed or exempt
US (TSCA): all components are listed or exempt
Canada (DSL/NDL): all components are listed or exempt
Japan (ENCS): at least one component is not listed
Philippines (PICCS): at least one component is not listed
China (IECSC): all components are listed or exempt
Australia (AICS): all components are listed or exempt
Korea (KECL): at least one component is not listed
New Zealand (NZIoC): at least one component is not listed
Taiwan (TCSI): all components are listed or exempt

15.2 - Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16 – Other Information

16.1 – Indication of changes

SDS amended in accordance with Regulation (EC) No. 2020/878 Annex II

16.2 – Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (The European Agreement concerning the International Carriage of Dangerous Goods by Road).
ATE: Acute Toxicity Estimate
BCF: Bio Concentration Factor
CLP: Classification, Labelling and Packaging
DNEL: Derived No Effect Level
DT50: Half life
EC: European Commission
EC50: Effective Concentration Limit (half maximal)
GB CLP: Great Britain Classification, Labelling and Packaging
GB MCL: Great Britain Mandatory Classification List
IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 25

LC50:	Lethal Concentration (50% of sample population)
LD50:	Lethal Dose (50% of sample population)
M-Factor:	Multiplying Factor
NOAEC:	No Observed Adverse Effect Concentration
NOAEL:	No Observed Adverse Effect Level
PBT:	Persistent, bioaccumulative and toxic
PNEC:	Predicted No Effect Concentration
PPE:	Personal Protective Equipment
RID:	Regulations Concerning the International Transport of Dangerous Goods by Rail
SCL:	Specific Concentration Limit
STOT:	Specific Target Organ Toxicity
UFI:	Unique Formula Identifier code
UN GHS:	United Nations Globally Harmonised System
vPvB:	Very persistent, very bioaccumulative

16.3 - Key literature references and sources for data

European Chemicals Agency (ECHA) - information on chemicals

16.4 – Classification and procedures used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Hazard class	Hazard category	Classification procedure
Flammable liquids	2	Calculation method
Acute toxicity	4	Calculation method
Skin corrosion/irritation	1	Calculation method
Serious eye damage/eye irritation	1	Calculation method
STOT-SE	3	Calculation method
Aquatic chronic	2	Calculation method

16.5 – Relevant H-statements (number and full text)

- H225: Highly flammable liquid and vapour
- H226: Flammable liquid and vapour
- H301: Toxic if swallowed
- H302: Harmful if swallowed
- H314: Causes severe skin burns and eye damage
- H315: Causes skin irritation
- H318: Causes serious eye damage
- H319: Causes serious eye irritation
- H336: May cause drowsiness or dizziness
- H410: Very toxic to aquatic life with long lasting effects
- H411: Toxic to aquatic life with long lasting effects
- H412: Harmful to aquatic life with long lasting effects

16.6 - Training advice

None.

Safety Data Sheet according to UN GHS, Regulation (EC) No. 1907/2006 (REACH), Regulation (EU) No. 2020/878 Annex II, Regulation (EC) No. 1272/2008 (CLP) and GB CLP

Permanent ink PP170*, SP117*, PCM Bases*, All PCM's (including PCM19)

***see section 16 for colour names**

Data Sheet No: DS505

Version No: 005

Issue Date: 22nd June 2022

Page 26

16.7 - Further information

Colour names:

Dark Blue, Dark Blue 143B, Dark Blue 32, Bright Blue 58B, Lemon Grass, Lime Green, Turquoise, Bright Yellow 58A, Green 143E, Orange 1585C, Bright Yellow Base, Blue Base

The information provided in this safety data sheet is correct to our knowledge at the date of its revision. The information given only describes the products regarding safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this safety data sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.