SAFETY DATA SHEET
WICKED COLORS

1. Identification of the Preparation and of The Company

1.1 Product Name and/or code:	Wicked Colors
Effective Date:	7/19/2023
1.2 Manufacturer:	Color Craft Ltd / Createx Colors 14 Airport Park Road, PO Box 120 East Granby, CT 06026
Information Contact:	860-563-5505
1.3 Emergency Contact:	800-255-3924 813-248-0573
Emergency Response Service:	ChemTel Inc. 1305 North Florida Avenue Tampa, FL 33602 USA 813-248-0573 www.chemtelinc.com
Contact Number:	MIS4120068
Within the United States, Canada, Puerto Rico, and the U.S. Virgin Islands:	1-800-255-3924
Outside the United States, Canada, Puerto Rico, and the U.S. Virgin Islands:	+01-813-248-0585
	China: 400-120-0751 Brazil: 0-800-591-6042 India: 000-800-100-4086 Mexico: 01-800-099-0731
For Health Emergencies:	Contact your local Poison Control Center.
1.4 Product Use:	Art Material – Consumer Product

2. Hazards Identification

Emergency Overview

CAUTION! MAY CAUSE EYE IRRITATION.

2.1 Classification of the Product:

Label Elements	Conforms to ASTM D-4236 (USA)
Hazard Pictograms	 GHS07
Signal Word	CAUTION!

SAFETY DATA SHEET
WICKED COLORS

Hazard Statement	May cause respiratory irritation if inhaled. May cause skin irritation.
Precaution Statement:	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mist. Wash thoroughly after handling. Use with adequate ventilation. Do not eat, drink or smoke when using this product. Avoid release to the environment. For spray application: Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness, wear an appropriate, properly fitted respirator (NIOSH approved). Follow respirator manufacturer's directions for respirator use.
Children's Statement	**KEEP OUT OF REACH OF CHILDREN.**
2.2 Other hazards	
NFPA	Health: 1 *Health: 2* (If sprayed applied)* Flammability: 0 Reactivity: 0
HMIS	Health: 1 *Health: 2* (If sprayed applied)* Flammability: 0 Reactivity: 0

3.Composition/Information on Ingredients:

3.1 Substances:

Mixture of the following chemicals:	Surfactants Dispersants < 1.00% Proprietary Pigment (Mixture) ***The remainder of the formulation is composed of non-hazardous ingredients.***

4. First Aid Measures

4.1 Description of first aid measures

Inhalation	If you experience difficulty in breathing, leave the area to obtain fresh air, get medical attention immediately.
Skin Contact	Wash the affected area thoroughly with plenty of soap and water.
Eye Contact	Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.
Ingestion	If swallowed, do not induce vomiting. Contact a physician immediately.

5. Firefighting Measures

5.1 Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.

SAFETY DATA SHEET

WICKED COLORS

5.2 Fire/Explosion Hazards	This product is not known to present any fire hazard.
5.3 Flashpoint/Flammability	Not flammable

6. Accidental Release Measures

6.1 Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

7.1 Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.
7.2 Environmental precautions	No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.
7.3 Storage	Store containers in a cool, dry, well ventilated area.

8. Exposure Controls/Personal Protection

8.1 Personal Protective Equipment	Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.
8.2 Exposure Limits (USA)	Not applicable.
8.3 Respiratory and Ventilation	Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.
Skin Protection	Wear water resistant impervious gloves if handling bulk amounts.
Eye Protection	Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Liquid
Physical State	Liquid
Color	Various
Odor	Ether-like odor
Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	No data available
Specific Gravity	No data available
Viscosity	No data available
Flashpoint	Not Flammable

SAFETY DATA SHEET
WICKED COLORS

Vapor Pressure	Not determined
Vapor Density	Not determined
Solubility in water	Miscible

10. Stability and Reactivity

10.1 Reactivity	No dangerous reaction known under conditions of normal use.
10.2 Chemical Stability	Stable under recommended storage conditions.
10.3 Conditions to Avoid	Avoid all sources of ignition.
10.4 Incompatible materials	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds.
10.5 Hazardous Decomposition	Carbon monoxide, carbon dioxide.

11. Toxicological Information

11.1 Information on toxicological effects

Health Effects	None known for the usual and ordinary uses of this product.
Acute Toxicity	None known for the usual and ordinary uses of this product.

**Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.*

Eye Effects	May cause eye irritation
Skin Effects	May cause skin irritation on sensitive individuals.
Inhalation	May cause respiratory irritation.
Sensitization	No effects are likely to occur during the foreseeable and reasonable use of the product.
Ingestion	No effects are likely to occur during the foreseeable and reasonable use of the product.
Chronic Effects	No effects are likely to occur during the foreseeable and reasonable use of the product.
Additional toxicological information:	When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided.

12. Ecological Information

12.1 Toxicity:	Not expected to be harmful to the environment. No product should be released to the environment.
Aquatic toxicity	Non-hazardous to water.
12.2 Persistence and degradability	Not persistent. Biodegradable. *Not relevant to this mixture.*
12.3 Bio accumulative potential	Does not occur. *Not relevant to this mixture.*
12.4 Mobility in soil	Mixture is similar to water. *Not relevant to this mixture.*
12.5 Additional ecological information	As a general rule, no product should be released to the environment.

13. Disposal Considerations

SAFETY DATA SHEET
WICKED COLORS

13.1 Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

14. Transport Information

14.1 The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT	This regulation does not apply to the non-bulk material.
IMDG	This regulation does not apply to the non-bulk material.
ICAO/IATA	This regulation does not apply to the non-bulk material.

14.2 This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA	Not applicable to this mixture.
Section 355 (extremely hazardous substances)	Not applicable to this mixture.
Section 313 (specific toxic chemical listing)	Not applicable to this mixture.
TSCA (Toxic Substance Control Act)	All ingredients are listed.

California Proposition 65

W003,W005, W006, W007, W009, W010, W012, W015, W016, W052, W053, W055, W056, W057, W058, W059, W060, W061, W062, W063, W064, W065, W074, W081, W083, W084, W088, W301, W303, W304, W305, W307, W308, W309, W310, W311, W313, W350, W351, W352, W353, W360, W361, W362, W363, W364, W365, W367, W381, W382, W383, W400, W401, W402, W403, W404, W405, W420, W421, W422, W423, W424, W425, W426, W440, W441, W442, W443, W444, W445, W446, W450, W452, W453, W454, W455, W456, W457, W458, W459	As of May 17, 2023, this product contains no listed substances known to the state of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning under the statue.
W001, W002, W008, W011, W013, W014, W017, W018, W030, W031, W032, W050, W051, W068, W069, W070, W071, W072, W073, W075, W076, W080, W082, W085, W086, W087, W089, W211, W300, W312, W366, W368, W369, W370, W371, W451	⚠ WARNING: This product can expose you to Titanium Dioxide, Silica, Carbon Black which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

W011, W004, W054, W066, W067, W068, W370, W302, W306	⚠ WARNING: This product can expose you to chemicals including 1,4 dioxane, ethylene oxide, polychlorinated biphenyls which are known to the State of California to cause cancer, and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
W011, W004, W054, W066, W067, W068, W370, W302, W306	⚠ WARNING: This product can expose you to chemicals including 3,3'-dichlorobenzidine which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
W019, W020, W021, W022, W023, W024, W025, W026, W027, W028, W029, W210, W211, W212	⚠ WARNING: This product can expose you to chemicals including formaldehyde which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
Carcinogenicity categories	Not applicable to this mixture.
EPA (Environmental Protection Agency)	Not applicable to this mixture.
TLV (Threshold Limit Value established by ACGIH)	Not applicable to this mixture. Refer to section 8 for further information on individual substances of this mixture.
NIOSH (National Institute for Occupational Safety & Health)	Not applicable to this mixture.
OSHA (Occupational Safety & Health Administration)	Not applicable to this mixture.

16. Other Information

Color List

PRODUCT CODE	*PRODUCT NAME*
W001	Wicked White
W002	Wicked Black
W003	Wicked Yellow
W004	Wicked Orange
W005	Wicked Red
W006	Wicked Violet
W007	Wicked Blue
W008	Wicked Deep Blue
W009	Wicked Phthalo Green
W010	Wicked Brown
W011	Wicked Golden Yellow
W012	Wicked Red Oxide
W013	Wicked Laguna Blue

SAFETY DATA SHEET
WICKED COLORS

W014	Wicked Grey
W015	Wicked Crimson
W016	Wicked Apple Green
W017	Wicked High Gloss White
W018	Wicked High Gloss Black
W019	Wicked Fluorescent Aqua
W020	Wicked Fluorescent Purple
W021	Wicked Fluorescent Raspberry
W022	Wicked Fluorescent Red
W023	Wicked Fluorescent Green
W024	Wicked Fluorescent Yellow
W025	Wicked Fluorescent Sunburst
W026	Wicked Fluorescent Pink
W027	Wicked Fluorescent Orange
W028	Wicked Fluorescent Blue
W029	Wicked Fluorescent Magenta
W032	Wicked Detail Opaque Flat White
W050	Wicked Detail White
W051	Wicked Detail Black
W052	Wicked Detail Yellow
W053	Wicked Detail Scarlet
W054	Wicked Detail Orange
W055	Wicked Detail Violet
W056	Wicked Detail Red Violet
W057	Wicked Detail Blue Violet
W058	Wicked Detail Blue Green
W059	Wicked Detail Moss Green
W060	Wicked Detail Viridian
W061	Wicked Detail Cobalt Blue
W062	Wicked Detail Cerulean Blue
W063	Wicked Detail Carmine
W064	Wicked Detail Magenta
W065	Wicked Detail Yellow Ochre
W066	Wicked Detail Burnt Orange
W067	Wicked Detail Raw Sienna
W068	Wicked Detail Raw Umber
W069	Wicked Detail Burnt Umber
W070	Wicked Detail Sepia
W071	Wicked Detail Paynes Grey
W072	Wicked Detail Smoke Black

SAFETY DATA SHEET

WICKED COLORS

W073	Wicked Detail Flesh Tone
W074	Wicked Detail Burnt Sienna
W075	Wicked Detail Black Magenta
W076	Wicked Detail Cory Saint Clair's Universal Fleshtone
W030	Wicked Opaque White
W031	Wicked Opaque Jet Black
W080	Wicked Opaque Hansa Yellow
W081	Wicked Opaque Bismuth Vanadate Yellow
W082	Wicked Opaque Pyrrole Orange
W083	Wicked Opaque Pyrrole Red
W084	Wicked Opaque Phthalo Green
W085	Wicked Opaque Limelight Green
W086	Wicked Opaque Phthalo Blue
W087	Wicked Opaque Daylight Blue
W088	Wicked Opaque Dioxazine Purple
W089	Wicked Opaque Cream
W210	Wicked UV Glow Base
W211	Wicked UV Glow White
W212	Wicked Transparent Glow in the Dark
W300	Wicked Pearl Black
W301	Wicked Pearl White
W302	Wicked Pearl Yellow
W303	Wicked Pearl Red
W304	Wicked Pearl Blue
W305	Wicked Pearl Lime Green
W306	Wicked Pearl Orange
W307	Wicked Pearl Plum
W308	Wicked Pearl Green
W309	Wicked Pearl Teal
W310	Wicked Pearl Magenta
W311	Wicked Pearl Purple
W312	Wicked Pearl Silver
W313	Wicked Pearl Gold
W381	Wicked Pearl Brite Blue
W382	Wicked Pearl Electric Blue
W383	Wicked Pearl Electric Purple
W350	Wicked Metallic Gold
W351	Wicked Metallic Silver

SAFETY DATA SHEET

WICKED COLORS

W352	Wicked Metallic Platinum
W353	Wicked Metallic Fastback Green
W360	Wicked Metallic White (Fine)
W361	Wicked Metallic White (Coarse)
W362	Wicked Metallic Bronze
W363	Wicked Metallic Copper
W364	Wicked Metallic Blue Silver
W365	Wicked Metallic Burnt Orange
W366	Wicked Metallic Midnight Blue
W367	Wicked Metallic Elegance
W368	Wicked Metallic Charcoal-Viola
W369	Wicked Metallic Pewter
W370	Wicked Metallic Light Brown
W371	Wicked Metallic Dark Brown
W400	Wicked Hi-Lite Gold
W401	Wicked Hi-Lite Orange
W402	Wicked Hi-Lite Red
W403	Wicked Hi-Lite Green
W404	Wicked Hi-Lite Blue
W405	Wicked Hi-Lite Purple
W420	Wicked Hot Rod Sparkle White
W421	Wicked Hot Rod Sparkle Spectrum
W422	Wicked Hot Rod Sparkle Gold
W423	Wicked Hot Rod Sparkle Blue
W424	Wicked Hot Rod Sparkle Green
W425	Wicked Hot Rod Sparkle Red
W426	Wicked Hot Rod Sparkle Purple
W440	Wicked Cosmic Sparkle Silver
W441	Wicked Cosmic Sparkle Gold
W442	Wicked Cosmic Sparkle Red
W443	Wicked Cosmic Sparkle Copper
W444	Wicked Cosmic Sparkle Blue
W445	Wicked Cosmic Sparkle Green
W446	Wicked Cosmic Sparkle Autumn Red
W450	Wicked Flair Tint Violet
W451	Wicked Flair Teal/Purple
W452	Wicked Flair Blue/Copper
W453	Wicked Flair Silver Spectrum

SAFETY DATA SHEET
WICKED COLORS

W454	Wicked Flair Blue/Violet
W455	Wicked Flair Blue/Magenta
W456	Wicked Flair Fuchsia/Gold
W457	Wicked Flair Blue/Turquoise
W458	Wicked Flair Green/Blue
W459	Wicked Flair Lemon/Lime

Prepared by: Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
778 Carver Avenue
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health:	1 - Caution. May be irritating. 2 - Warning. May be harmful if inhaled or absorbed. *
Fire:	0 - Not combustible.
Reactivity:	0 - Stable. Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health:	1 - Slight hazard: Irritation or minor reversible injury possible. 2 - Moderate hazard: Temporary or minor injury may occur.*
Fire:	0 - Minimal hazard: Materials that will not burn.
Physical Hazard:	0 - Minimal hazard: This material is normally stable, even under fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Exposure Limits

TWA - Time Weighted Average (8 hr.)
STEL - Short Time Exposure Limit (15 min.)
REL - Recommended Exposure Limit
PEL - Permissible Exposure Limit
IDLH - Immediately Dangerous to Life or Health