



## 802 - Adhesive Size

### Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
 Revision date: 07/01/2015 Supersedes 01/01/2014 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product Identifier

Product name : 802 - Adhesive Size  
 Product form : Mixture  
 Other means of identification : Water based liquid adhesive

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.3. Details of the supplier of the safety data sheet

Applied Products, Inc.  
 13152 East Imperial Highway  
 Santa Fe Springs, CA 90670  
 U.S.A.  
 Phone: 888.700.5527  
 Fax: 562.926.7382

##### 1.4. Emergency telephone number

Emergency number : CHEMTREC: (800) 424-9300

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GHS-US classification

Carc. 2 H351

##### 2.2. Label elements

###### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS08

Signal word (GHS-US) :

**Warning**

Hazard statements (GHS-US) :

H351 - Suspected of causing cancer

Precautionary statements (GHS-US) :

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P280 - Wear eye protection, protective clothing, protective gloves  
 P308+P313 - If exposed or concerned: Get medical advice/attention  
 P405 - Store locked up  
 P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

##### 2.3. Other hazards

No additional information available

##### 2.4. Unknown acute toxicity (GHS US)

No data available

#### SECTION 3: Composition/information on ingredients

##### 3.1. Substance

Not applicable

##### 3.2. Mixture

Name	Product Identifier	%
2-Butenedioic acid (Z)-, dioctyl ester, polymer with ethenyl acetate and 2-ethylhexyl 2-propenoate	(CAS No) 25280-35-7	15 - 40

07/01/2015

802 - Adhesive Size  
 13152 East Imperial Highway,  
 Santa Fe Springs, CA 90670  
 free: 888-700-5527 fax: 526-926-7392  
 www: Applied adhesives.com

Page 1

## 802 - Adhesive Size

### Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product Identifier	%
Vinyl acetate	(CAS No) 108-05-4	0.1 - 1
Acetaldehyde	(CAS No) 75-07-0	0.1 - 1

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

- First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
- First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.
- First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes.
- First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing.
- First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

##### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Suspected of causing cancer.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause skin irritation.
- Symptoms/injuries after eye contact : Direct contact with the eyes is likely to be irritating.
- Symptoms/injuries after ingestion : May cause gastrointestinal irritation.
- Chronic symptoms : Suspected of causing cancer.

##### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Water spray.

##### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : The product is not flammable.
- Explosion hazard : Product is not explosive.
- Reactivity : No dangerous reactions known under normal conditions of use.

##### 5.3. Advice for firefighters

- Precautionary measures fire : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear Protective equipment as described in Section 8.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

##### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

07/01/2015

802 - Adhesive Size

2/7

13152 East Imperial Highway,  
Santa Fe Springs, CA 90670  
free: 888-700-5527 fax: 526-926-7392  
www.AppliedAdhesives.com

**802 - Adhesive Size****Safety Data Sheet**

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**6.3. Methods and material for containment and cleaning up**

- For containment** : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up** : Product may create slip hazard. Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation.

**6.4. Reference to other sections**

See Sections 8 and 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

- Precautions for safe handling** : Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Mixing without introduction of air may be necessary before use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

**7.2. Conditions for safe storage, including any incompatibilities**

- Storage conditions** : Store in a well-ventilated place. Keep the container tightly closed. Avoid temperature extremes. Avoid freezing.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

<b>2-Butenedioic acid (Z)-, dioctyl ester, polymer with ethenyl acetate and 2-ethylhexyl 2-propenoate (25280-35-7)</b>	
Remark (ACGIH)	OELs not established
Remark (OSHA)	OELs not established
<b>Vinyl acetate (108-05-4)</b>	
ACGIH TWA (ppm)	10
ACGIH STEL (ppm)	15
<b>Acetaldehyde (75-07-0)</b>	
ACGIH Ceiling (ppm)	25
Remark (ACGIH)	Eye & URT irr; A2
OSHA PEL (TWA) (mg/m <sup>3</sup> )	360
OSHA PEL (TWA) (ppm)	200
OSHA PEL (STEL) (mg/m <sup>3</sup> )	270
OSHA PEL (STEL) (ppm)	150

**8.2. Exposure controls**

- Appropriate engineering controls** : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.
- Personal protective equipment** : Gloves. Protective goggles. Protective clothing.



- Hand protection** : Use gloves chemically resistant to this material when prolonged or repeated contact could occur.
- Eye protection** : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.
- Skin and body protection** : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.
- Respiratory protection** : Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

07/01/2015

802 - Adhesive Size  
 13152 East Imperial Highway,  
 Santa Fe Springs, CA 90670  
 free 888-700-5527 fax 526-926-7392  
 www.Appliedadhesives.com

3/7

**802 - Adhesive Size****Safety Data Sheet**

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
Color	: Milky. White.
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 °C (212 °F) (Water)
Flash point	: Not determined
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: Same as water
Relative vapour density at 20 °C	: Same as water
Relative density	: ≈ 1.1 @ 24 °C (75 °F) (Water = 1)
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No dangerous reactions known under normal conditions of use.

**10.2. Chemical stability**

Stable under recommended handling and storage conditions (see section 7).

**10.3. Possibility of hazardous reactions**

None known.

**10.4. Conditions to avoid**

Keep from freezing.

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products**

Thermal decomposition generates : Toxic fumes.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

Acute toxicity : Not classified

**Vinyl acetate (108-05-4)**

LD50 oral rat : 2920 mg/kg

07/01/2015

802 - Adhesive Size

4/7

13152 East Imperial Highway,  
 Santa Fe Springs, CA 90670  
 free: 888-700-5527 fax: 528-926-7392  
 www.AppliedAdhesives.com

**802 - Adhesive Size****Safety Data Sheet**

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Vinyl acetate (108-05-4)</b>	
LD50 dermal rabbit	2320 mg/kg
LC50 inhalation rat (mg/l)	11.4 mg/l/4h
LC50 inhalation rat (ppm)	3200 ppm/4h
ATE CLP (gases)	4500.000 ppmv/4h
ATE CLP (vapours)	11.000 mg/l/4h
ATE CLP (dust,mist)	1.500 mg/l/4h

<b>Acetaldehyde (75-07-0)</b>	
LC50 inhalation rat (ppm)	13000 ppm/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

<b>Vinyl acetate (108-05-4)</b>	
IARC group	2B - Possibly carcinogenic to humans

<b>Acetaldehyde (75-07-0)</b>	
IARC group	2B - Possibly carcinogenic to humans

National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen
--	---

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation.
Chronic symptoms	: Suspected of causing cancer.

**SECTION 12: Ecological information**

<b>12.1. Toxicity</b>	
Ecology - general	: No information available.

**12.2. Persistence and degradability**

<b>802 - Adhesive Size</b>	
Persistence and degradability	Readily biodegradable.

**12.3. Bioaccumulative potential**

<b>802 - Adhesive Size</b>	
Bioaccumulative potential	No information available.

**12.4. Mobility in soil**

<b>802 - Adhesive Size</b>	
Ecology - soil	No information available.

**12.5. Other adverse effects**

Other adverse effects	: No data available.
-----------------------	----------------------

07/01/2015

802 - Adhesive Size  
13152 East Imperial Highway,  
Santa Fe Springs, CA 90670  
free: 888-700-5527 fax: 526-926-7392  
www. Applied adhesives.com

5/7

**802 - Adhesive Size****Safety Data Sheet**

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

- Waste treatment methods : Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.
- Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.

**SECTION 14: Transport information**

In accordance with DOT

Not hazardous for transport

Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

**SECTION 15: Regulatory information****15.1. US Federal regulations****802 - Adhesive Size**

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard

**Vinyl acetate (108-05-4)**

Section 302 (EHS) TPQ	1000 lb
Section 304 EHS RQ	5000 lb
CERCLA RQ	5000 lb
Section 313	Listed on US SARA Section 313

**3,5,7-Triaza-1-azoniatricyclodecano-1-(3-chloro-2-propenyl)-, chloride (4080-31-3)**

Section 302 (EHS) TPQ	
Section 304 EHS RQ	
CERCLA RQ	
Section 313	Listed on US SARA Section 313

**Methylene chloride (75-09-2)**

Section 302 (EHS) TPQ	
Section 304 EHS RQ	
CERCLA RQ	1000 lb
Section 313	Listed on US SARA Section 313

**15.2. International regulations**

No additional information available.

**15.3. US State regulations****California Proposition 65**

WARNING! This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

07/01/2015

802 - Adhesive Size  
 13152 East Imperial Highway,  
 Santa Fe Springs, CA 90670  
 free: 888-700-5527 fax: 526-926-7392  
 www. Appliedadhsives.com

6/7

**802 - Adhesive Size****Safety Data Sheet**


Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Acetaldehyde (75-07-0)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	90 (inhalation) µg/day
<b>Vinyl acetate (108-05-4)</b>				
U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List				
<b>Acetaldehyde (75-07-0)</b>				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List				
<b>1,2-Propylene glycol (57-55-6)</b>				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				

**SECTION 16: Other information**

Indication of changes : Revision 1.0: New SDS Created.  
Revision date : 04/14/2015  
Other information : Author: BCS.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.  
NFPA fire hazard : 1 - Must be preheated before ignition can occur.  
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

**HMIS III Rating**

Health : 1\*  
Flammability : 1  
Physical : 0  
Personal Protection :

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Applied Products from its suppliers, and because Applied Products has no control over the conditions of handling and use, Applied Products makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information and product are supplied solely for your information and discretionary use, Applied Products assumes no responsibility for reliance or use thereon. It is the responsibility of the user of the product to comply with all applicable federal, state and local laws and regulations.

07/01/2015

802 - Adhesive Size  
13152 East Imperial Highway,  
Santa Fe Springs, CA 90670  
free: 888-700-5527 fax: 526-926-7392  
www.Appliedadhesives.com

7/7