

34936-1030



## Safety Data Sheet

Mineral Oil  
 Distributed by:  
 Durvet, Inc.  
 100 SE Magellan Drive  
 Blue Springs, MO 64014  
 816-229-9101  
 www.durvet.com

### 1) Identification of Material and Manufacturer

March 28, 2019

|                            |  |
|----------------------------|--|
| <b>Product Name</b>        | Polishing Oil                                  |
| <b>Product Use(s)</b>      | Reagent/Cleaner                                |
| <b>Manufacturer/Seller</b> | Sculpture House, Inc.                          |
| <b>Address</b>             | 3804 Crossroads Parkway, Fort Pierce, FL 34945 |
| <b>Emergency Telephone</b> | Chemtrec 800.424.9300                          |
| <b>E-mail</b>              | customerrelations@sculpturehouse.com           |

### 2) Hazards Identification

|                                    |                                |                  |
|------------------------------------|--------------------------------|------------------|
| <b>Chemical Name</b>               | Mineral Oil                    | Vitamin E        |
| <b>Classification of Substance</b> | Non-Hazardous                  | Non-Hazardous    |
| <b>CAS</b>                         | 8042-47-5 (previous 8012-95-1) | 10191-41-0       |
| <b>OSHA PEL</b>                    | 5 mg/m <sup>3</sup>            | None Established |
| <b>ACGIH TLV</b>                   | 10 mg/m <sup>3</sup> STEL      | None Established |

### 3) Composition Information

| <b>Ingredient</b>            | <b>Concentration</b> |
|------------------------------|----------------------|
| Mineral Oil                  | >99%                 |
| (±)-α-Tocopherol (Vitamin E) | 20 ppm               |

### 4) First Aid Measures

Prepared by: M. Buffa, Scientific Consultant

1

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Move victim to fresh air. Seek medical attention if breathing is distressed.   |
| <b>Skin Contact</b> | Wash exposed area thoroughly with soap and water. Seek medical attention if irritation persists.   |
| <b>Eye Contact</b>  | Immediately flush eyes with water, remove contacts if present, flush with water for another 10 minutes. Seek medical attention if irritation persists. |
| <b>Ingestion</b>    | Promptly drink large quantities of water.  |

### 5) Firefighting Measures

|                               |  |
|-------------------------------|--|
| <b>Extinguishing Media</b>    | Carbon dioxide, or foam.   |
| <b>Special Hazards</b>        | Not readily flammable, may ignite at high temperatures.                  |
| <b>Additional Information</b> | Firefighter should wear self-contained breathing apparatus, if possible. |

### 6) Accidental Release Measures

|   |   |
|---|---|
| <b>In case of spill, leak, or release</b> | Use absorbent. Collect in appropriate containers. Do not release into environment without governmental approval. Wash contaminated water into dedicated drain, or collect with an industrial vacuum truck.  |
| <b>Method of waste disposal</b>           | Do not release the concentrated or diluted product directly into storm drains, undedicated surface, or groundwater supplies. Follow all local, municipal, state, and federal guidelines, if in the United States of America. For all other countries, consult local, regional, or country regulations as applicable to a non-hazardous product. |

- ***This material is non-hazardous.***
- ***Dry material may be placed in appropriate containers and disposed of in accordance with applicable governmental agencies for your location.***

### 7) Handling and Storage

Prepared by: M. Buffa, Scientific Consultant

2

|  |  |   |
|--|--|---|
| <ul style="list-style-type: none"> <li>• Store in cool, dry location</li> </ul>            | <ul style="list-style-type: none"> <li>• Protect from heat, light, moisture</li> </ul>     | <ul style="list-style-type: none"> <li>• Must use with adequate ventilation</li> </ul>                      |
| <ul style="list-style-type: none"> <li>• Chemical resistant gloves must be worn</li> </ul> | <ul style="list-style-type: none"> <li>• Safety glasses or goggles must be worn</li> </ul> | <ul style="list-style-type: none"> <li>• Wash hands thoroughly, immediately before and after use</li> </ul> |
| <ul style="list-style-type: none"> <li>• Do NOT reuse container</li> </ul>                 | <ul style="list-style-type: none"> <li>• Do not use waterless hand cleaners</li> </ul>     | <ul style="list-style-type: none"> <li>• Use good personal hygiene</li> </ul>                               |

## 8) Exposure Controls and Personal Protection

|                                  |                  |                           |
|----------------------------------|------------------|---------------------------|
| <b>Mineral Oil (as Oil Mist)</b> | <b>OSHA PEL</b>  | 5 mg/m <sup>3</sup>       |
|                                  | <b>ACGIH TLV</b> | 10 mg/m <sup>3</sup> STEL |

|                             |   |
|-----------------------------|---|
| <b>Engineering Controls</b> | Use adequate ventilation from mechanical source to control airborne dust exposure.  |
| <b>Personal Protection</b>  | <ul style="list-style-type: none"> <li>• Wear a NIOSH/MSHA-approved respirator with a HEPA cartridge or equivalent.</li> <li>• Wear chemical resistant gloves based on nitrile, neoprene, or rubber construction.</li> <li>• Wear safety glasses with side shields, or goggles.</li> <li>• Wear body protection to avoid skin contact.</li> </ul> |

## 9) Physical and Chemical Properties

Prepared by: M. Buffa, Scientific Consultant

3

|                            |                    |                                   |  |
|----------------------------|--------------------|-----------------------------------|--|
| <b>Appearance</b>          | Water White liquid | <b>Flash Point</b>                | >320°F                                     |
| <b>Odor</b>                | Mild petroleum     | <b>Est. Explosive Range Limit</b> | LEL - Not Available<br>UEL - Not Available |
| <b>Odor Threshold</b>      | Not Applicable     | <b>Flash Point Method Used</b>    | Cleveland Open Cup                         |
| <b>pH</b>                  | Not Applicable     | <b>Partition Coefficient</b>      | Not Available                              |
| <b>Melting Point</b>       | Not Available      | <b>Specific Gravity</b>           | 0.82-0.88                                  |
| <b>Boiling Point</b>       | Not Available      | <b>Viscosity</b>                  | 50-650 SUS@100°F                           |
| <b>Vapor Pressure</b>      | <1 mmHg            | <b>Explosive Properties</b>       | Not Explosive                              |
| <b>Evaporation Rate</b>    | Not Available      | <b>Oxidizing Properties</b>       | Not an Oxidizer                            |
| <b>Solubility in Water</b> | Insoluble          | <b>Other Information</b>          | None                                       |

### 10) Stability and Reactivity Data

|                                 |  |
|---------------------------------|--|
| <b>Chemical Stability</b>       | Stable                                     |
| <b>Conditions to Avoid</b>      | Exposure to strong oxidizers and high heat |
| <b>Incompatibility</b>          | Strong oxidizers, high heat                |
| <b>Hazardous Polymerization</b> | Will not occur                             |
| <b>Hazardous Decomposition</b>  | None                                       |

### 11) Toxicology Information

|                    |                                      |                      |
|--------------------|--------------------------------------|----------------------|
| <b>Mineral Oil</b> | <b>LD<sub>50</sub> (oral/dermal)</b> | >5 g/kg, Not harmful |
|--------------------|--------------------------------------|----------------------|

Prepared by: M. Buffa, Scientific Consultant

4

- ***Not considered orally toxic except with extreme intake levels.***
- ***Not considered a skin corrosive or irritant under normal exposure.***
- ***May cause eye irritation as evidenced by pain, redness and tearing of eyes.***
- ***Not irritating to respiratory tract under normal conditions.***
- ***Avoid breathing mist.***
- ***Germ cell mutagenicity has not been conducted for this material.***
- ***This product does not contain any known carcinogens.***
- ***This product does not cause reproductive toxicity.***

## 12) Ecological Information

|   |  |
|---|--|
| <b>Toxicity</b>                               | Not toxic to environment under U.S. EPA regulations.                                 |
| <b>Persistence/Degradation in Environment</b> | Expected to completely degrade under typical circumstances under U.S. EPA standards. |
| <b>Bioaccumulation</b>                        | Does not accumulate under U.S. EPA standards.  |
| <b>Mobility in Soil</b>                       | Not studied.   |

## 13) Disposal

- ***Under applicable U.S. Environmental Protection Agency regulations this material is not considered to be environmentally hazardous in regards to waste disposal.***
- ***Follow all local, municipal, U.S. state, and U.S. federal regulations if in the United States of America.***
- ***For other countries consult your local, area, or country regulatory authority as applicable to a non-hazardous product.***

## 14) Transportation and Shipping

|                             |  |
|-----------------------------|--|
| <b>Americas Region</b>      | Not classified as hazardous by DoT for ground shipping |
| <b>Proper Shipping Name</b> | 65 Petroleum Oil, N.O.I.B.N                            |

Prepared by: M. Buffa, Scientific Consultant

5

|                      |  |
|----------------------|--|
| <b>U.N. Number</b>   | Not classified as hazardous  |
| <b>International</b> | Follow U.N. recommendations on The Transport of Dangerous Goods, 17th edition, revised |
| <b>Ocean</b>         | Follow IMO International Maritime Dangerous Goods Code                                 |
| <b>Air</b>           | Follow IATA Dangerous Goods Regulation   |

- *NOTE: Material is unregulated unless shipped by land in a packaging having a capacity of 3,500 gallons or more. Then the provisions of 49 CFR, Part 130 apply.*

### 15) Regulatory Information

|                             |    |                           |     |
|-----------------------------|----|---------------------------|-----|
| <b>CERCLA Sec. 103 RQ#</b>  | NO | <b>EHS 302 TPQ</b>        | NO  |
| <b>RCRA Sec. 261.33</b>     | NO | <b>TSCA Listed?</b>       | YES |
| <b>SARA Sec. 261.33 RQ#</b> | NO | <b>EPA Special Hazard</b> | NO  |
| <b>SARA 312 Name List</b>   | NO | <b>CA Prop 65</b>         | NO  |
| <b>SARA 313 Name List</b>   | NO | <b>REACH Listed?</b>      | NO  |

|  |    |
|--|----|
| <b>SARA Section 312 Hazardous Categories</b> |    |
| <b>Immediate (acute) Health Hazard</b>       | NO |
| <b>Delayed (chronic) Health Hazard</b>       | NO |
| <b>Fire Hazard</b>                           | NO |
| <b>Reactivity Hazard</b>                     | NO |
| <b>Sudden Release of Pressure</b>            | NO |

### 16) Other Information

*The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for*

Prepared by: M. Buffa, Scientific Consultant

6

***injuries from the use of the product described herein.*****RESOURCES:**

United States Environmental Protection Agency  
 United States Occupational Health and Safety Administration  
 United States Department of Transportation  
 United State Drug Enforcement Administration  
 United Nations "Transport of Dangerous Goods" 17<sup>th</sup> Edition, 2011  
 International Maritime "Dangerous Goods Code"  
 International Air Transportation Association "Dangerous Goods Regulation"

**TERMINOLOGY:**

|                        |   |              |  |
|------------------------|---|--------------|--|
| <b>ACGIH</b>           | American Conference of Governmental Industrial Hygienists             | <b>RCRA</b>  | Resource Conservation and Recovery Act                               |
| <b>CA</b>              | State of California, U.S.A.   | <b>REACH</b> | Registration, Evaluation, Authorization and Restriction of Chemicals |
| <b>CAS</b>             | Chemical Abstract Services  | <b>SARA</b>  | Superfund And Reauthorization Act                                    |
| <b>CERCLA</b>          | Comprehensive Environmental Response, Compensation, and Liability Act | <b>TLV</b>   | Threshold Limit Value  |
| <b>EHS</b>             | Environmental Health and Safety                                       | <b>TPQ</b>   | Threshold Planning Quantity  |
| <b>HEPA</b>            | High Efficiency Particulate Air                                       | <b>TSCA</b>  | Toxic Substances Control Act   |
| <b>LEL</b>             | Lower Explosive Limit   | <b>UEL</b>   | Upper Explosive Limit  |
| <b>LD<sub>50</sub></b> | Lethal dose for 50% of population                                     | <b>UN</b>    | United Nations   |
| <b>MSHA</b>            | Mine Safety Health Administration                                     | <b>IATA</b>  | International Air Transport Association                              |
| <b>NIOSHA</b>          | National Institute of Occupational Safety and Health                  | <b>EPA</b>   | Environmental Protection Agency                                      |
| <b>OSHA</b>            | Occupational Safety and Health Administration                         | <b>DoT</b>   | Department of Transportation   |
| <b>PEL</b>             | Permissible Exposure Limits   | <b>IMO</b>   | International Maritime Organization                                  |

Prepared by: M. Buffa, Scientific Consultant

7



---

---

## SAFETY DATA SHEET

---

---

### SECTION 1 : IDENTIFICATION

---

---

Product identifier used on the label:

Product Name: **Coated Finished Sheets**  
Product Code: Coated  
UPC Number: 66261100945

Other means of identification:

Recommended use of the chemical and restrictions on use:

Product Use/Restriction: Abrasive Product.

Chemical manufacturer address and telephone number:

|                       | <u>United States</u>                     | <u>Canada</u>                                   |
|-----------------------|--|---|
| Manufacturer Name:    | Saint-Gobain Abrasives, Inc.             | Saint-Gobain Canada, Inc.                       |
| Address:              | 1 New Bond Street<br>Worcester, MA 01615 | 28 Albert Street, W.<br>Plattsville, ON N0J 1S0 |
| Website:              | www.Nortonabrasives.com                  | www.Nortonabrasives.com                         |
| General Phone Number: | 800-551-4413                             | 519-684-7441                                    |

Emergency phone number:

|                         |  |  |
|-------------------------|--|--|
| Emergency Phone Number: | 508-795-5000   | 508-795-5000   |
| CHEMTREC:               | For emergencies in the US, call CHEMTREC: 800-424-9300 | For emergencies in Canada, call CHEMTREC: 800-424-9300 |

---

---

### SECTION 2 : HAZARD(S) IDENTIFICATION

---

---

Classification of the chemical in accordance with CFR 1910.1200(d)(f):

Signal Word: Not applicable.  
GHS Class: Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200  
Hazard Statements: Not applicable.  
Precautionary Statements: Not applicable.

Hazards not otherwise classified that have been identified during the classification process:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.  
Eye: Causes eye irritation.  
Skin: Causes skin irritation.  
Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.



|  |  |
|--|--|
| <b>Ingestion:</b>                              | May be harmful if swallowed. May cause vomiting.         |
| <b>Chronic Health Effects:</b>                 | Prolonged or repeated contact may cause skin irritation. |
| <b>Signs/Symptoms:</b>                         | Overexposure may cause headaches and dizziness.          |
| <b>Target Organs:</b>                          | Eyes. Skin. Respiratory system. Digestive system.        |
| <b>Aggravation of Pre-Existing Conditions:</b> | None generally recognized.                               |

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures:

| <b>Chemical Name</b> | <b>CAS#</b> | <b>Ingredient Percent</b> | <b>EC Num.</b> |
|----------------------|-------------|---------------------------|----------------|
| Silicon carbide      | 409-21-2    | 30 - 60 by weight         | 206-991-8      |
| Cotton               | No Data     | 5 - 10 by weight          |                |
| Resin                | 9003-35-4   | 30 - 60 by weight         |                |

### SECTION 4 : FIRST AID MEASURES

#### Description of necessary measures:

|                      |   |
|----------------------|---|
| <b>Eye Contact:</b>  | Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of overexposure persists. |
| <b>Skin Contact:</b> | Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.  |
| <b>Inhalation:</b>   | If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.   |
| <b>Ingestion:</b>    | If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.   |

#### Most important symptoms/effects, acute and delayed:

**Other First Aid:** Not applicable.

#### Indication of immediate medical attention and special treatment needed:

**Note to Physicians:** Not applicable.

### SECTION 5 : FIRE FIGHTING MEASURES

#### Suitable and unsuitable extinguishing media:

|  |  |
|--|--|
| <b>Suitable Extinguishing Media:</b>   | Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. |
| <b>Unsuitable extinguishing media:</b> | Not applicable.  |

Specific hazards arising from the chemical:

Hazardous Combustion Byproducts: Not applicable.

Unusual Fire Hazards: Not applicable.


Special protective equipment and precautions for fire-fighters:

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire Fighting Instructions: Not applicable.

**NFPA Ratings:**

NFPA Health: 1  
 NFPA Flammability: 1  
 NFPA Reactivity: 0

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures:

Personal Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use proper personal protective equipment as listed in Section 8.

Environmental precautions:

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

Methods and materials for containment and cleaning up:

Spill Cleanup Measures: Not applicable.

Methods and materials for containment and cleaning up:

Methods for containment: Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by covering, diking or other means. Provide ventilation.

Methods for cleanup: Clean up spills immediately observing precautions in the protective equipment section. Place into a suitable container for disposal. Provide ventilation. After removal, flush spill area with soap and water to remove trace residue.

Reference to other sections:

Other Precautions: Not applicable.

**SECTION 7 : HANDLING and STORAGE**Precautions for safe handling:

Handling: Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing.

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

Conditions for safe storage, including any incompatibilities:

Storage: Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use.

**SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION**

EXPOSURE GUIDELINES:

| Ingredient      | Guideline OSHA   | Guideline ACGIH  | Quebec Canada                                 | Ontario Canada  | Alberta Canada    |
|-----------------|--|--|---|---|-------------------|
| Silicon carbide | PEL-TWA: 15 mg/m3<br>Total particulate/dust (T)<br>PEL-TWA: 5 mg/m3<br>Respirable fraction (R) | TLV-TWA: 10 mg/m3<br>Inhalable fraction (I)<br>TLV-TWA: 3 mg/m3<br>Respirable fraction (R)<br>TLV-TWA: 0.1 f/cc<br>Respirable fraction (R) | VEMP-TWA: 10 mg/m3 Total particulate/dust (T) | OEL-TWAEV: 10 mg/m3 Total particulate/dust (T)<br>OEL-TWAEV: 3 mg/m3 Respirable fraction (R)<br>OEL-TWAEV: 10 mg/m3 Inhalable fraction (I)<br>OEL-TWAEV: 0.1 f/cc Respirable fraction (R) | OEL-TWA: 10 mg/m3 |
| Ingredient      | Mexico   | British Columbia Canada  |   |   |                   |
| Silicon carbide | LMPE-PPT: 10 mg/m3<br>LMPE-CT: 20 mg/m3  | OEL-TWA: 10 mg/m3<br>Inhalable fraction (I)<br>OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 0.1 f/cc<br>Respirable fraction (R) |   |   |                   |

Appropriate engineering controls:**Engineering Controls:**

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

Individual protection measures:**Eye/Face Protection:**

Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

**Skin Protection Description:**

Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.

**Respiratory Protection:**

A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**Other Protective:**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**PPE Pictograms:****SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES**PHYSICAL AND CHEMICAL PROPERTIES:

|                                   |                 |
|-----------------------------------|-----------------|
| <b>Physical State Appearance:</b> | Solid article.  |
| <b>Color:</b>                     | Not determined. |
| <b>Odor:</b>                      | Odorless.       |
| <b>Odor Threshold:</b>            | Not determined. |
| <b>Boiling Point:</b>             | Not determined. |
| <b>Melting Point:</b>             | Not determined. |
| <b>Density:</b>                   | Not determined. |
| <b>Solubility:</b>                | Not determined. |
| <b>Vapor Density:</b>             | Not determined. |
| <b>Vapor Pressure:</b>            | Not determined. |

Evaporation Rate: Not determined.  
 pH: Not determined.  
 Viscosity: Not determined.  
 Coefficient of Water/Oil Distribution: Not determined.  
 Flammability: Not determined.  
 Flash Point: None.  
 Lower Flammable/Explosive Limit: Not applicable.  
 Upper Flammable/Explosive Limit: Not applicable.  
 Auto Ignition Temperature: Not applicable.  
 Explosive Properties: Excessive dust accumulation could present a potential combustible dust hazard.  
 VOC Content: Not determined.

**SECTION 10 : STABILITY and REACTIVITY**

Reactivity:  
 Reactivity: Not applicable.  
Chemical Stability:  
 Chemical Stability: Stable under normal temperatures and pressures.  
Possibility of hazardous reactions:  
 Hazardous Polymerization: Not reported.  
Conditions To Avoid:  
 Conditions to Avoid: Heat, flames, incompatible materials, and freezing or temperatures below 32 deg. F.  
Incompatible Materials:  
 Incompatible Materials: Oxidizing agents. Strong acids and alkalis.  
Hazardous Decomposition Products:  
 Special Decomposition Products: Not applicable.

**SECTION 11 : TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION:  
 Acute Toxicity: This product has not been tested for its toxicity.

| <b>Carcinogens:</b> | <b>ACGIH</b> | <b>NIOSH</b> | <b>OSHA</b> | <b>IARC</b> | <b>NTP</b> | <b>MEXICO</b> |
|---------------------|--------------|--------------|-------------|-------------|------------|---------------|
|                     |              |              |             |             |            |               |

Silicon carbide :  
 RTECS Number: VW0450000  
 Inhalation: No Data  
Resin :  
 RTECS Number: SM8542500

**Skin:** Administration onto the skin - Rat LD50 : >2 gm/kg [Details of toxic effects not reported other than lethal dose value ] (RTECS)

**Ingestion:** Oral - Rat LD50 : >5 gm/kg [Details of toxic effects not reported other than lethal dose value ] (RTECS)

**SECTION 12 : ECOLOGICAL INFORMATION**

Ecotoxicity:

**Ecotoxicity:** Please contact the phone number or address of the manufacturer listed in Section 1 for information on ecotoxicity.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Description of waste:

**Waste Disposal:** Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

**SECTION 14 : TRANSPORT INFORMATION**

**UN number:** Not regulated as hazardous material for transportation.

**UN proper shipping name:** Not regulated as hazardous material for transportation.

**Transport hazard class(es):** Not regulated as hazardous material for transportation.

**Packing group:** Not regulated as hazardous material for transportation.

**Environmental hazards:** Not regulated as hazardous material for transportation.

**Special precautions for user:** Not regulated as hazardous material for transportation.

**SECTION 15 : REGULATORY INFORMATION**

Safety, health and environmental regulations specific for the product:

**Inventory Status**

|                 | <b>Canada DSL</b> | <b>TSCA Inventory Status</b> |  |  |  |
|-----------------|-------------------|------------------------------|--|--|--|
| Silicon carbide | Listed            | Listed                       |  |  |  |
| Resin           | Listed            | Listed                       |  |  |  |

**Silicon carbide :**

EC Number: 206-991-8

**State Right To Know**

|                 | <b>PA</b> | <b>MA</b> |  |  |  |
|-----------------|-----------|-----------|--|--|--|
| Silicon carbide | Listed    | Listed    |  |  |  |

**SECTION 16 : ADDITIONAL INFORMATION**

HMIS Ratings:

HMIS Health Hazard: 1  
 HMIS Fire Hazard: 1  
 HMIS Reactivity: 0

|                            |          |
|----------------------------|----------|
| <b>Health Hazard</b>       | <b>1</b> |
| <b>Fire Hazard</b>         | <b>1</b> |
| <b>Reactivity</b>          | <b>0</b> |
| <b>Personal Protection</b> |          |

SDS Creation Date: May 16, 2018  
 SDS Revision Date: May 16, 2018  
 SDS Revision Notes: GHS Update

Copyright© 1996-2018 Enviance. All Rights Reserved.



## SAFETY DATA SHEET

### SECTION 1 : IDENTIFICATION

Product identifier used on the label:

Product Name: **Coated Finished Sheets**  
 Product Code: Coated  
 UPC Number: 66261130334

Other means of identification:

Recommended use of the chemical and restrictions on use:

Product Use/Restriction: Abrasive Product.

Chemical manufacturer address and telephone number:

|                       | <u>United States</u>                     | <u>Canada</u>                                   |
|-----------------------|--|---|
| Manufacturer Name:    | Saint-Gobain Abrasives, Inc.             | Saint-Gobain Canada, Inc.                       |
| Address:              | 1 New Bond Street<br>Worcester, MA 01615 | 28 Albert Street, W.<br>Plattsville, ON N0J 1S0 |
| Website:              | www.Nortonabrasives.com                  | www.Nortonabrasives.com                         |
| General Phone Number: | 800-551-4413                             | 519-684-7441                                    |

Emergency phone number:

|                         |  |  |
|-------------------------|--|--|
| Emergency Phone Number: | 508-795-5000   | 508-795-5000   |
| CHEMTREC:               | For emergencies in the US, call CHEMTREC: 800-424-9300 | For emergencies in Canada, call CHEMTREC: 800-424-9300 |

### SECTION 2 : HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with CFR 1910.1200(d)(f):

Signal Word: Not applicable.  
 GHS Class: Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200  
 Hazard Statements: Not applicable.  
 Precautionary Statements: Not applicable.

Hazards not otherwise classified that have been identified during the classification process:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.  
 Eye: Causes eye irritation.  
 Skin: Causes skin irritation.  
 Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

|  |  |
|--|--|
| <b>Ingestion:</b>                              | May be harmful if swallowed. May cause vomiting.         |
| <b>Chronic Health Effects:</b>                 | Prolonged or repeated contact may cause skin irritation. |
| <b>Signs/Symptoms:</b>                         | Overexposure may cause headaches and dizziness.          |
| <b>Target Organs:</b>                          | Eyes. Skin. Respiratory system. Digestive system.        |
| <b>Aggravation of Pre-Existing Conditions:</b> | None generally recognized.                               |

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures:

| <b>Chemical Name</b>        | <b>CAS#</b> | <b>Ingredient Percent</b> | <b>EC Num.</b> |
|-----------------------------|-------------|---------------------------|----------------|
| Silicon carbide             | 409-21-2    | 5 - 10 by weight          | 206-991-8      |
| Resin                       | 9003-35-4   | 1 - 5 by weight           |                |
| Paper - Processed Cellulose | 9004-34-6   | 60 - 100 by weight        | 232-674-9      |

### SECTION 4 : FIRST AID MEASURES

#### Description of necessary measures:

|                      |   |
|----------------------|---|
| <b>Eye Contact:</b>  | Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of overexposure persists. |
| <b>Skin Contact:</b> | Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.  |
| <b>Inhalation:</b>   | If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.   |
| <b>Ingestion:</b>    | If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.   |

#### Most important symptoms/effects, acute and delayed:

**Other First Aid:** Not applicable.

#### Indication of immediate medical attention and special treatment needed:

**Note to Physicians:** Not applicable.

### SECTION 5 : FIRE FIGHTING MEASURES

#### Suitable and unsuitable extinguishing media:

|  |  |
|--|--|
| <b>Suitable Extinguishing Media:</b>   | Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. |
| <b>Unsuitable extinguishing media:</b> | Not applicable.  |



Specific hazards arising from the chemical:

Hazardous Combustion Byproducts: Not applicable.

Unusual Fire Hazards: Not applicable.


Special protective equipment and precautions for fire-fighters:

Protective Equipment: As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire Fighting Instructions: Not applicable.

**NFPA Ratings:**

NFPA Health: 1  
 NFPA Flammability: 1  
 NFPA Reactivity: 0




---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**


---

Personal precautions, protective equipment and emergency procedures:

Personal Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use proper personal protective equipment as listed in Section 8.

Environmental precautions:

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

Methods and materials for containment and cleaning up:

Spill Cleanup Measures: Not applicable.

Methods and materials for containment and cleaning up:

Methods for containment: Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by covering, diking or other means. Provide ventilation.

Methods for cleanup: Clean up spills immediately observing precautions in the protective equipment section. Place into a suitable container for disposal. Provide ventilation. After removal, flush spill area with soap and water to remove trace residue.

Reference to other sections:

Other Precautions: Not applicable.

---

**SECTION 7 : HANDLING and STORAGE**


---

Precautions for safe handling:

Handling: Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing.

Hygiene Practices: Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

Conditions for safe storage, including any incompatibilities:

Storage: Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use.

---

**SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION**


---

**EXPOSURE GUIDELINES:**

| Ingredient                  | Guideline OSHA   | Guideline NIOSH  | Guideline ACGIH  | Quebec Canada                                  | Ontario Canada  |
|-----------------------------|--|--|--|--|---|
| Silicon carbide             | PEL-TWA: 15 mg/m3<br>Total particulate/dust (T)<br>PEL-TWA: 5 mg/m3<br>Respirable fraction (R) |  | TLV-TWA: 10 mg/m3<br>Inhalable fraction (I)<br>TLV-TWA: 3 mg/m3<br>Respirable fraction (R)<br>TLV-TWA: 0.1 f/cc<br>Respirable fraction (R) | VEMP-TWA: 10 mg/m3 Total particulate/dust (T)  | OEL-TWAEV: 10 mg/m3 Total particulate/dust (T)<br>OEL-TWAEV: 3 mg/m3 Respirable fraction (R)<br>OEL-TWAEV: 10 mg/m3 Inhalable fraction (I)<br>OEL-TWAEV: 0.1 f/cc Respirable fraction (R) |
| Paper - Processed Cellulose | PEL-TWA: 15 mg/m3<br>Total particulate/dust (T)<br>PEL-TWA: 5 mg/m3<br>Respirable fraction (R) | REL-TWA: 10 mg/m3<br>Total particulate/dust (T) REL-TWA: 5 mg/m3 Respirable fraction (R) | TLV-TWA: 10 mg/m3  | VEMP-TWA: 10 ppm<br>Total particulate/dust (T) | OEL-TWAEV: 10 mg/m3 Total particulate/dust (T)  |
| Ingredient                  | Alberta Canada   | Mexico   | British Columbia Canada  |  |   |
| Silicon carbide             | OEL-TWA: 10 mg/m3  | LMPE-PPT: 10 mg/m3<br>LMPE-CT: 20 mg/m3  | OEL-TWA: 10 mg/m3<br>Inhalable fraction (I)<br>OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 0.1 f/cc<br>Respirable fraction (R) |  |   |
| Paper - Processed Cellulose | OEL-TWA: 10 mg/m3  | LMPE-PPT: 10 mg/m3<br>LMPE-CT: 20 mg/m3  | OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 10 mg/m3<br>Total particulate/dust (T)   |  |   |

**Appropriate engineering controls:****Engineering Controls:**

Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

**Individual protection measures:****Eye/Face Protection:**

Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

**Skin Protection Description:**

Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.

**Respiratory Protection:**

A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**Other Protective:**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**PPE Pictograms:****SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES****PHYSICAL AND CHEMICAL PROPERTIES:**

|                                   |                 |
|-----------------------------------|-----------------|
| <b>Physical State Appearance:</b> | Solid article.  |
| <b>Color:</b>                     | Not determined. |
| <b>Odor:</b>                      | Odorless.       |
| <b>Odor Threshold:</b>            | Not determined. |
| <b>Boiling Point:</b>             | Not determined. |

Melting Point: Not determined.  
 Density: Not determined.  
 Solubility: Not determined.  
 Vapor Density: Not determined.  
 Vapor Pressure: Not determined.  
 Evaporation Rate: Not determined.  
 pH: Not determined.  
 Viscosity: Not determined.  
 Coefficient of Water/Oil Distribution: Not determined.  
 Flammability: Not determined.  
 Flash Point: None.  
 Lower Flammable/Explosive Limit: Not applicable.  
 Upper Flammable/Explosive Limit: Not applicable.  
 Auto Ignition Temperature: Not applicable.  
 Explosive Properties: Excessive dust accumulation could present a potential combustible dust hazard.  
 VOC Content: Not determined.

**SECTION 10 : STABILITY and REACTIVITY**

Reactivity:

Reactivity: Not applicable.

Chemical Stability:

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

Hazardous Polymerization: Not reported.

Conditions To Avoid:

Conditions to Avoid: Heat, flames, incompatible materials, and freezing or temperatures below 32 deg. F.

Incompatible Materials:

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

Hazardous Decomposition Products:

Special Decomposition Products: Not applicable.

**SECTION 11 : TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION:

Acute Toxicity: This product has not been tested for its toxicity.

| <b>Carcinogens:</b> |              |              |             |             |            |  | <b>MEXICO</b> |
|---------------------|--------------|--------------|-------------|-------------|------------|--|---------------|
|                     | <b>ACGIH</b> | <b>NIOSH</b> | <b>OSHA</b> | <b>IARC</b> | <b>NTP</b> |  |               |
|                     |              |              |             |             |            |  |               |

**Silicon carbide :**

RTECS Number: VW0450000

Inhalation: No Data

**Resin :**

RTECS Number: SM8542500

Skin: Administration onto the skin - Rat LD50 : &gt;2 gm/kg [Details of toxic effects not reported other than lethal dose value ] (RTECS)

Ingestion: Oral - Rat LD50 : &gt;5 gm/kg [Details of toxic effects not reported other than lethal dose value ] (RTECS)

**Paper - Processed Cellulose :**

RTECS Number: FJ5691460

Inhalation: Inhalation - Rat LC50: &gt;5800 mg/m3/4H [Details of toxic effects not reported other than lethal dose value] (RTECS)

Ingestion: Oral - Rat LD50: &gt;5 gm/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)

**SECTION 12 : ECOLOGICAL INFORMATION****Ecotoxicity:**

Ecotoxicity: Please contact the phone number or address of the manufacturer listed in Section 1 for information on ecotoxicity.

**SECTION 13 : DISPOSAL CONSIDERATIONS****Description of waste:**

Waste Disposal: Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

**SECTION 14 : TRANSPORT INFORMATION**

UN number: Not regulated as hazardous material for transportation.

UN proper shipping name: Not regulated as hazardous material for transportation.

Transport hazard class(es): Not regulated as hazardous material for transportation.

Packing group: Not regulated as hazardous material for transportation.

Environmental hazards: Not regulated as hazardous material for transportation.

Special precautions for user: Not regulated as hazardous material for transportation.

**SECTION 15 : REGULATORY INFORMATION**

Safety, health and environmental regulations specific for the product:

**Inventory Status**

|                             | EINECS Number | Canada DSL | TSCA Inventory Status |  |  |
|-----------------------------|---------------|------------|-----------------------|--|--|
| Silicon carbide             |               | Listed     | Listed                |  |  |
| Resin                       |               | Listed     | Listed                |  |  |
| Paper - Processed Cellulose | 232-674-9     | Listed     | Listed                |  |  |

**Silicon carbide :**

EC Number: 206-991-8

**Paper - Processed Cellulose :**

EC Number: 232-674-9

**State Right To Know**

|                             | PA     | MA     |  |  |  |
|-----------------------------|--------|--------|--|--|--|
| Silicon carbide             | Listed | Listed |  |  |  |
| Paper - Processed Cellulose | Listed | Listed |  |  |  |

**SECTION 16 : ADDITIONAL INFORMATION**

**HMIS Ratings:**

HMIS Health Hazard: 1  
 HMIS Fire Hazard: 1  
 HMIS Reactivity: 0

|                     |   |
|---------------------|---|
| Health Hazard       | 1 |
| Fire Hazard         | 1 |
| Reactivity          | 0 |
| Personal Protection |   |

SDS Creation Date: May 28, 2018  
 SDS Revision Date: May 28, 2018  
 SDS Revision Notes: GHS Update

Copyright© 1996-2018 Enviance. All Rights Reserved.



## SAFETY DATA SHEET

### SECTION 1 : IDENTIFICATION

Product identifier used on the label:

Product Name: **Coated Finished Sheets**  
 Product Code: Coated  
 UPC Number: 66261131629

Other means of identification:

Recommended use of the chemical and restrictions on use:

Product Use/Restriction: Abrasive Product.

Chemical manufacturer address and telephone number:

|                       | <u>United States</u>                     | <u>Canada</u>                                   |
|-----------------------|--|---|
| Manufacturer Name:    | Saint-Gobain Abrasives, Inc.             | Saint-Gobain Canada, Inc.                       |
| Address:              | 1 New Bond Street<br>Worcester, MA 01615 | 28 Albert Street, W.<br>Plattsville, ON N0J 1S0 |
| Website:              | www.Nortonabrasives.com                  | www.Nortonabrasives.com                         |
| General Phone Number: | 800-551-4413                             | 519-684-7441                                    |

Emergency phone number:

|                         |  |  |
|-------------------------|--|--|
| Emergency Phone Number: | 508-795-5000   | 508-795-5000   |
| CHEMTREC:               | For emergencies in the US, call CHEMTREC: 800-424-9300 | For emergencies in Canada, call CHEMTREC: 800-424-9300 |

### SECTION 2 : HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with CFR 1910.1200(d)(f):

Signal Word: Not applicable.  
 GHS Class: Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200  
 Hazard Statements: Not applicable.  
 Precautionary Statements: Not applicable.

Hazards not otherwise classified that have been identified during the classification process:

Route of Exposure: Eyes. Skin. Inhalation. Ingestion.  
 Eye: Causes eye irritation.  
 Skin: Causes skin irritation.  
 Inhalation: Prolonged or excessive inhalation may cause respiratory tract irritation.

|  |  |
|--|--|
| <b>Ingestion:</b>                              | May be harmful if swallowed. May cause vomiting.         |
| <b>Chronic Health Effects:</b>                 | Prolonged or repeated contact may cause skin irritation. |
| <b>Signs/Symptoms:</b>                         | Overexposure may cause headaches and dizziness.          |
| <b>Target Organs:</b>                          | Eyes. Skin. Respiratory system. Digestive system.        |
| <b>Aggravation of Pre-Existing Conditions:</b> | None generally recognized.                               |

**Urea Resin**

|                                |   |
|--------------------------------|---|
| <b>Chronic Health Effects:</b> | For products containing Urea/Formaldehyde resin, dust generated from intended use may contain trace amounts of formaldehyde which under excessive exposure may cause skin sensitization and airway obstruction. |
|--------------------------------|---|

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**Mixtures:

| <b>Chemical Name</b>        | <b>CAS#</b> | <b>Ingredient Percent</b> | <b>EC Num.</b> |
|-----------------------------|-------------|---------------------------|----------------|
| Zinc stearate               | 557-05-1    | 5 - 10 by weight          | 209-151-9      |
| Urea Resin                  | 9011-05-6   | 10 - 30 by weight         |                |
| Aluminum Oxide, Non-fibrous | 1344-28-1   | 10 - 30 by weight         | 215-691-6      |
| Paper - Processed Cellulose | 9004-34-6   | 30 - 60 by weight         | 232-674-9      |

**SECTION 4 : FIRST AID MEASURES**Description of necessary measures:

|                      |   |
|----------------------|---|
| <b>Eye Contact:</b>  | Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of overexposure persists. |
| <b>Skin Contact:</b> | Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.  |
| <b>Inhalation:</b>   | If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.   |
| <b>Ingestion:</b>    | If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.   |

Most important symptoms/effects, acute and delayed:

|                         |                 |
|-------------------------|-----------------|
| <b>Other First Aid:</b> | Not applicable. |
|-------------------------|-----------------|

Indication of immediate medical attention and special treatment needed:

|                            |                 |
|----------------------------|-----------------|
| <b>Note to Physicians:</b> | Not applicable. |
|----------------------------|-----------------|

**SECTION 5 : FIRE FIGHTING MEASURES**

Suitable and unsuitable extinguishing media:

|  |  |
|--|--|
| <b>Suitable Extinguishing Media:</b>   | Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires involving this material. |
| <b>Unsuitable extinguishing media:</b> | Not applicable.  |

Specific hazards arising from the chemical:


|   |                 |
|---|-----------------|
| <b>Hazardous Combustion Byproducts:</b> | Not applicable. |
| <b>Unusual Fire Hazards:</b>            | Not applicable. |

Special protective equipment and precautions for fire-fighters:

|                                    |   |
|------------------------------------|---|
| <b>Protective Equipment:</b>       | As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear. |
| <b>Fire Fighting Instructions:</b> | Not applicable.   |

**NFPA Ratings:**

|                    |   |
|--------------------|---|
| NFPA Health:       | 1 |
| NFPA Flammability: | 1 |
| NFPA Reactivity:   | 0 |

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures:

|                              |   |
|------------------------------|---|
| <b>Personal Precautions:</b> | Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use proper personal protective equipment as listed in Section 8. |
|------------------------------|---|

Environmental precautions:

|                                   |   |
|-----------------------------------|---|
| <b>Environmental Precautions:</b> | Avoid runoff into storm sewers, ditches, and waterways. |
|-----------------------------------|---|

Methods and materials for containment and cleaning up:

|                                |                 |
|--------------------------------|-----------------|
| <b>Spill Cleanup Measures:</b> | Not applicable. |
|--------------------------------|-----------------|

Methods and materials for containment and cleaning up:

|                                 |  |
|---------------------------------|--|
| <b>Methods for containment:</b> | Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by covering, diking or other means. Provide ventilation.  |
| <b>Methods for cleanup:</b>     | Clean up spills immediately observing precautions in the protective equipment section. Place into a suitable container for disposal. Provide ventilation. After removal, flush spill area with soap and water to remove trace residue. |

Reference to other sections:

|                           |                 |
|---------------------------|-----------------|
| <b>Other Precautions:</b> | Not applicable. |
|---------------------------|-----------------|

**SECTION 7 : HANDLING and STORAGE**Precautions for safe handling:

|                           |   |
|---------------------------|---|
| <b>Handling:</b>          | Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing.  |
| <b>Hygiene Practices:</b> | Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist. |

Conditions for safe storage, including any incompatibilities:



**Storage:** Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use.

## SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

### EXPOSURE GUIDELINES:

| Ingredient                  | Guideline OSHA   | Guideline NIOSH  | Guideline ACGIH  | Quebec Canada                                  | Ontario Canada                                 |
|-----------------------------|--|--|--|--|--|
| Zinc stearate               | PEL-TWA: 5 mg/m3<br>Respirable fraction (R)<br>PEL-TWA: 15 mg/m3<br>Total particulate/dust (T) |  | TLV-TWA: 10 mg/m3  | VEMP-TWA: 10 mg/m3                             |  |
| Aluminum Oxide, Non-fibrous | PEL-TWA: 5 mg/m3<br>Respirable fraction (R)<br>PEL-TWA: 15 mg/m3<br>Total particulate/dust (T) |  | TLV-TWA: 10 mg/m3  | VEMP-TWA: 10 mg/m3 Total particulate/dust (T)  | OEL-TWAEV: 10 mg/m3 Total particulate/dust (T) |
| Paper - Processed Cellulose | PEL-TWA: 15 mg/m3<br>Total particulate/dust (T)<br>PEL-TWA: 5 mg/m3<br>Respirable fraction (R) | REL-TWA: 10 mg/m3<br>Total particulate/dust (T)<br>REL-TWA: 5 mg/m3<br>Respirable fraction (R) | TLV-TWA: 10 mg/m3  | VEMP-TWA: 10 ppm<br>Total particulate/dust (T) | OEL-TWAEV: 10 mg/m3 Total particulate/dust (T) |
| Ingredient                  | Alberta Canada   | Mexico   | British Columbia Canada  |  |  |
| Zinc stearate               | OEL-TWA: 10 mg/m3  | LMPE-PPT: 10 mg/m3<br>LMPE-CT: 20 mg/m3  | OEL-TWA: 10 mg/m3<br>Total particulate/dust (T)<br>OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-STEL: 20 mg/m3<br>Total particulate/dust (T) |  |  |
| Aluminum Oxide, Non-fibrous | OEL-TWA: 10 mg/m3  | MPE-PPT: 0.1 mg/m3<br>Respirable fraction (R)  | OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 10 mg/m3<br>Total particulate/dust (T)<br>OEL-STEL: 20 mg/m3<br>Total particulate/dust (T) |  |  |
| Paper - Processed Cellulose | OEL-TWA: 10 mg/m3  | LMPE-PPT: 10 mg/m3<br>LMPE-CT: 20 mg/m3  | OEL-TWA: 3 mg/m3<br>Respirable fraction (R)<br>OEL-TWA: 10 mg/m3<br>Total particulate/dust (T)   |  |  |

### Appropriate engineering controls:

**Engineering Controls:** Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

### Individual protection measures:

**Eye/Face Protection:** Wear appropriate protective glasses or splash goggles as described by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

**Skin Protection Description:** Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.

**Respiratory Protection:** A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

**Other Protective:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PPE Pictograms:




---



---

**SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES**


---



---

PHYSICAL AND CHEMICAL PROPERTIES:

|  |  |
|--|--|
| Physical State Appearance:             | Solid article.   |
| Color:                                 | Not determined.  |
| Odor:                                  | Odorless.  |
| Odor Threshold:                        | Not determined.  |
| Boiling Point:                         | Not determined.  |
| Melting Point:                         | Not determined.  |
| Density:                               | Not determined.  |
| Solubility:                            | Not determined.  |
| Vapor Density:                         | Not determined.  |
| Vapor Pressure:                        | Not determined.  |
| Evaporation Rate:                      | Not determined.  |
| pH:                                    | Not determined.  |
| Viscosity:                             | Not determined.  |
| Coefficient of Water/Oil Distribution: | Not determined.  |
| Flammability:                          | Not determined.  |
| Flash Point:                           | None.  |
| Lower Flammable/Explosive Limit:       | Not applicable.  |
| Upper Flammable/Explosive Limit:       | Not applicable.  |
| Auto Ignition Temperature:             | Not applicable.  |
| Explosive Properties:                  | Excessive dust accumulation could present a potential combustible dust hazard. |
| VOC Content:                           | Not determined.  |

---



---

**SECTION 10 : STABILITY and REACTIVITY**


---



---

Reactivity:

Reactivity: Not applicable.

Chemical Stability:

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of hazardous reactions:

Hazardous Polymerization: Not reported.

Conditions To Avoid:

Conditions to Avoid: Heat, flames, incompatible materials, and freezing or temperatures below 32 deg. F.

Incompatible Materials:

Incompatible Materials: Oxidizing agents. Strong acids and alkalis.

Hazardous Decomposition Products:

Special Decomposition Products: Not applicable.

**SECTION 11 : TOXICOLOGICAL INFORMATION**TOXICOLOGICAL INFORMATION:

Acute Toxicity: This product has not been tested for its toxicity.

| <b>Carcinogens:</b>                |   |              |             |             |            |  | <b>MEXICO</b>                             |
|------------------------------------|---|--------------|-------------|-------------|------------|--|---|
|                                    | <b>ACGIH</b>                              | <b>NIOSH</b> | <b>OSHA</b> | <b>IARC</b> | <b>NTP</b> |  |   |
| <b>Aluminum Oxide, Non-fibrous</b> | A4 Not Classifiable as a Human Carcinogen | No Data      | No Data     | No Data     | No Data    |  | A4 Not Classifiable as a Human Carcinogen |

Zinc stearate :

RTECS Number: ZH5200000

Ingestion: Oral - Rat LD50: >10 gm/kg [Details of toxic effects not reported other than lethal dose value]  
Oral - Mouse LD50: >10 gm/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)Urea Resin :

RTECS Number: YU1610000

Eye: Eye - Rabbit Standard Draize test.: 100 uL/24H [severe] (RTECS)

Skin: Administration onto the skin - Rabbit Standard Draize test.: 500 mg/24H [severe]  
Administration onto the skin - Rat LD50 : >2100 mg/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)Inhalation: Inhalation - Rat LC50 : >167 mg/m<sup>3</sup>/4H [Details of toxic effects not reported other than lethal dose value] (RTECS)Ingestion: Oral - Rat LD50 : 8394 mg/kg [Details of toxic effects not reported other than lethal dose value]  
Oral - Mouse LD50 : 6361 mg/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)Aluminum Oxide, Non-fibrous :

RTECS Number: BD1200000

Inhalation: Inhalation - Rat TCLo: 200 mg/m<sup>3</sup>/5H/28W (Intermittent) [Lungs, Thorax, or Respiration - Structural or functional change in trachea or bronchi; Lungs, Thorax, or Respiration - Chronic pulmonary edema; Related to Chronic Data - death] (RTECS)Paper - Processed Cellulose :

RTECS Number: FJ5691460

Inhalation: Inhalation - Rat LC50: >5800 mg/m<sup>3</sup>/4H [Details of toxic effects not reported other than lethal dose value] (RTECS)

Ingestion: Oral - Rat LD50: &gt;5 gm/kg [Details of toxic effects not reported other than lethal dose value] (RTECS)

**SECTION 12 : ECOLOGICAL INFORMATION**Ecotoxicity:

Ecotoxicity: Please contact the phone number or address of the manufacturer listed in Section 1 for information on ecotoxicity.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Description of waste:

**Waste Disposal:** Consult with the US EPA Guidelines listed in 40 CFR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

**SECTION 14 : TRANSPORT INFORMATION**

UN number: Not regulated as hazardous material for transportation.  
 UN proper shipping name: Not regulated as hazardous material for transportation.  
 Transport hazard class(es): Not regulated as hazardous material for transportation.  
 Packing group: Not regulated as hazardous material for transportation.  
 Environmental hazards: Not regulated as hazardous material for transportation.  
 Special precautions for user: Not regulated as hazardous material for transportation.

**SECTION 15 : REGULATORY INFORMATION**

Safety, health and environmental regulations specific for the product:

**Inventory Status**

|                             | Japan ENCS | EINECS Number | South Korea KECL | Australia AICS | Canada DSL |
|-----------------------------|------------|---------------|------------------|----------------|------------|
| Zinc stearate               |            |               |                  |                | Listed     |
| Urea Resin                  |            |               |                  |                | Listed     |
| Aluminum Oxide, Non-fibrous | (1) -23    |               | KE-01012         | Listed         | Listed     |
| Paper - Processed Cellulose |            | 232-674-9     |                  |                | Listed     |

|                             | TSCA Inventory Status |  |  |  |  |
|-----------------------------|-----------------------|--|--|--|--|
| Zinc stearate               | Listed                |  |  |  |  |
| Urea Resin                  | Listed                |  |  |  |  |
| Aluminum Oxide, Non-fibrous | Listed                |  |  |  |  |
| Paper - Processed Cellulose | Listed                |  |  |  |  |

**Zinc stearate :**

**Canada IDL:** Identified under the Canadian Hazardous Products Act Ingredient Disclosure List: 0.1%.1725(1504)

**Section 313:** EPCRA - 40 CFR Part 372 - (SARA Title III) Section 313 Listed Chemical.

**Aluminum Oxide, Non-fibrous :**

Canada IDL: Identified under the Canadian Hazardous Products Act Ingredient Disclosure List: 0.1%.50(1298)

**Zinc stearate :**

EC Number: 209-151-9

**Aluminum Oxide, Non-fibrous :**

EC Number: 215-691-6

**Paper - Processed Cellulose :**

EC Number: 232-674-9

**State Right To Know**

|                             | RI     | MN     | IL      | PA     | MA     |
|-----------------------------|--------|--------|---------|--------|--------|
| Zinc stearate               |        |        |         | Listed | Listed |
| Aluminum Oxide, Non-fibrous | Listed | Listed | No Data | Listed | Listed |
| Paper - Processed Cellulose |        |        |         | Listed | Listed |

|                             | NJ  |  |  |  |  |
|-----------------------------|---|--|--|--|--|
| Aluminum Oxide, Non-fibrous | Listed: NJ Hazardous List; Substance Number: 2891 |  |  |  |  |

**SECTION 16 : ADDITIONAL INFORMATION**

**HMIS Ratings:**

HMIS Health Hazard: 1  
 HMIS Fire Hazard: 1  
 HMIS Reactivity: 0

|                     |   |
|---------------------|---|
| Health Hazard       | 1 |
| Fire Hazard         | 1 |
| Reactivity          | 0 |
| Personal Protection |   |

SDS Creation Date: May 08, 2018  
 SDS Revision Date: May 08, 2018  
 SDS Revision Notes: GHS Update

Copyright© 1996-2018 Enviance. All Rights Reserved.

**Safety Data Sheet**  
According to Hazard Communication Standard (29 CFR 1910.12001)

SOAPSTONE

Version 1.3

Issue date: 02/03/2015

Revision date: 08/14/2018

**1. Identification**

Product name SOAPSTONE  
 Synonyms Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)  
 CAS# 14807-96  
 Product code  
 Product use Carving Stone for sculpture.  
 Manufacturer/Supplier  
 Supplier(Manufacturer): SCULPTURE HOUSE INC  
 Address: 3804 Crossroads Parkway, Fort Pierce, FL 34983  
 Contact person(E-mail):  
 Telephone: 772-210-6124  
 Fax: 844-287-5044  
 Emergency telephone Number: 772-210-6124

**2. Hazard(s) identification**

## GHS classification

Physical hazards Not classified  
 Health hazards Not classified  
 Environmental hazards Not classified

## GHS label elements

Hazard Pictograms No hazard pictogram is used.  
 Signal word No signal word is used.  
 Hazard statement Not applicable.

## Precautionary statement

Prevention Not applicable.  
 Response Not applicable.  
 Storage Not applicable.  
 Disposal Not applicable.

**3. Composition /information on ingredients**

| Components  | CAS#     | Percent |
|---|----------|---------|
| Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) | 14807-96 | 100%    |

**4. First-aid Measures**

## First aid procedures

Eye contact Flush eyes with water as a precaution.  
 Skin contact Wash off with soap and plenty of water. Consult a physician.  
 Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.  
 Ingestion Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Material name: SOAPSTONE

version #: 1.3 Revision date: 08-14-2018. Issue date: 02-03-2015.

Item Numbers: 34936-1030

SDS US

Page 30 of 35

**Notes to physician**

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

**5. Fire-fighting measures****Flammable properties**

Not available.

**Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable extinguishing media**

Not available.

**Firefighting equipment/Instructions**

Keep personnel removed and upwind of any fire. Wear full fire-fighting tum-out gear (full Bunker gear), and respiratory protection SCBA).

**Hazardous combustion products**

Magnesium oxide, silicon oxides.

**6. Accidental release measures****Personal precautions**

Use personal protective equipment. Avoid dust formation. Avoid breathing mist or dust. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

**Methods for cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

**7. Handling and storage****Handling**

Avoid contact with skin and eyes. Avoid formation of dust. Provide appropriate exhaust ventilation at places where dust is formed.

**Storage**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

**8. Exposure controls / personal protection****Control parameters:****OCCUPATIONAL EXPOSURE LIMITS (OEL)****INGREDIENT DATA:**

| Source  | Ingredient  | Material name   | IWA                  | STEL          | Peak          | Notes   |
|---|---|---|----------------------|---------------|---------------|---|
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) | Silicates - Mica /Silicates - Soapstone /Silicates-Soapstone / Silicates -Talc /Silicates -Tremolite, asbestiform | 0.1mg/m <sup>3</sup> | Not Available | Not Available | See Table Z-3; less than 1% crystalline silica (respirable dust) / See Table Z-3; less than 1% crystalline silica, total dust / See Table Z-3; less than 1% crystalline silica, respirable dust/ less than 1% crystalline silica; see 29 CFR 1910.1001; See Table Z-3; (containing asbestos); use asbestos limit; (STEL (Excursion limit)(as averaged over a sampling period of 30 minutes)) / less than 1% crystalline silica; See Table Z-3, (containing no asbestos), respirable dust / (as quartz), respirable dust; less than 1% crystalline silica; see |

Material name: SOAPSTONE

Version #: 1.3 Revision date: 08-14-2018 Issue date: 02-03-2015

Item Numbers: 34936-1030

SDS US

2 / 6

Page 31 of 35

|   |                      |   |  |               |               |   |
|---|----------------------|---|--|---------------|---------------|---|
|   |                      |   |  |               |               | 1910.1001;(STEL (Excursion limit)(as averaged over a sampling period of 30 minutes))  |
| US OSHA Pennissible Exposure Levels (PELs) - Table Z1 | Talc (Mg3H2(Si 03)4) | Silicates: Mica /<br>Silicates:<br>Soapstone /<br>Silicates: Talc /<br>Silicates:<br>Tremolite,<br>asbestifonns | 0.1 f/cc / 20 mppcf                        | Not Available | Not Available | (less than 1% crystalline silica) / (containing asbestos) Use asbestos limit;(less than 1% crystalline silica) / (see 29 CFR 1910.1001);(less than 1% crystalline silica) |
| USACGIH Threshold Limit Values (TLV)                  | Talc (Mg3H2(Si 03)4) | Talc - Containing no asbestos fibers /Talc -Containing asbestos fibers  | 2 mg/m3                                    | Not Available | Not Available | TLV® Basis: Pulm fibrosis; pulm lunc / TLV® Basis: Use Asbestos TLV®  |
| US NIOSH Recommended Exposure Limits (RELs)           | Talc (Mg3H2(Si 03)4) | Massive talc, Soapstone silicate, Steatite / Hydrous magnesium silicate, Steatite talc                          | 6 (total), 3 (resp) mg/m3 / 2 (resp) mg/m3 | Not Available | Not Available | Not Available   |

**EMERGENCY LIMITS:**

| Ingredient          | TEEL-1  | TEEL-2  | TEEL-3    |
|---------------------|---------|---------|-----------|
| Talc (Mg3H2(Si03)4) | 2 mg/m3 | 2 mg/m3 | 2.6 mg/m3 |

| Ingredient          | Original IDLH         | Revised IDLH |
|---------------------|-----------------------|--------------|
| Talc (Mg3H2(Si03)4) | N.E. mg/m3 / N.E. ppm | 1000 mg/m3   |

**Exposure controls:**

**Appropriate engineering controls:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Individual protection measures, such as personal protective equipment:****Eye / face protection**

Safety glasses with side-shields.

**Skin protection**

Handle with gloves. Immersion protection: Material: Nitrile rubber, Minimum layer thickness: 0.11 mm, Break through time: &gt; 480 min; Splash protection: Material: Nitrile rubber, Minimum layer thickness: 0.11 mm, Break through time: &gt; 30 min.

**Respiratory protection**

Dust respirator.

**General hygiene**

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

**considerations****9. Physical and chemical properties****Appearance**

Material name: SOAPSTONE

Version #: 1.3 Revision date: 08-14-2018 Issue date: 02-03-2015

Item Numbers: 34936-1030

SDS US

3 / 6

Page 32 of 35



|  |                 |
|--|-----------------|
| Physical state                                 | Solid           |
| Form   | Powder          |
| Color  | White           |
| Odor   | Not available   |
| Odor threshold                                 | Not available   |
| pH   | Not available   |
| Vapor pressure                                 | Not available   |
| Melting point/Freezing point                   | 800 °C          |
| Initial boiling point and boiling range        | Not available   |
| Flash point                                    | Not available   |
| Evaporation rate                               | Not available   |
| Flammability (solid,gas)                       | Not available   |
| Explosion limits                               | Not available   |
| Vapor density                                  | Not available   |
| Relative density                               | Not available   |
| Solubility (water)                             | Insoluble       |
| Partition coefficient                          | Approximately 1 |
| Auto-ignition temperature                      | Not available   |
| Decomposition temperature                      | Not available   |
| Specific gravity                               | >1              |
| Density  | Not available   |
| Flammability limits in air, upper, %by volume  | Not available   |
| Flammability limits in air, lower, % by volume | Not available   |
| VOE  | 0%              |
| Percent volatile                               | Not available   |
| Other data                                     |                 |
| Viscosity                                      | Not available   |

## 10. Stability and reactivity

|                                    |   |
|------------------------------------|---|
| Chemical stability                 | Material is stable under normal conditions.                               |
| Conditions to avoid                | Incompatible materials.   |
| Incompatible materials             | Oxidizing agents.   |
| Hazardous decomposition products   | Magnesium oxide, silicon oxides.  |
| Possibility of hazardous reactions | No hazardous reactions when stored and handled according to instructions. |

## 11. Toxicological information

### Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

### Information on toxicological effects:

#### Acute toxicity:

|                            |                |
|----------------------------|----------------|
| LDSO(Oral,Rat):            | Not available  |
| LDSO(Dermal,Rabbit):       | Not available  |
| LCSO(Inhalation, Rat):     | Not available  |
| Skin corrosion/Irritation: | Not classified |

Material name: SOAPSTONE

Version #: 1.3 Revision date: 08-14-2018 Issue date: 02-03-2015

Item Numbers: 34936-1030

SDS US

4/6

Page 33 of 35

|                                    |                |
|------------------------------------|----------------|
| Serious eye damage/Irritation:     | Not classified |
| Respiratory or skin sensitization: | Not classified |
| Germ cell mutagenicity:            | Not classified |
| Carcinogenicity:                   | Not classified |
| Reproductive toxicity:             | Not classified |
| STOT-single exposure:              | Not classified |
| STOT-repeated exposure:            | Not classified |
| Aspiration hazard:                 | Not classified |

## 12. Ecological information

### Toxicity:

| Acute toxicity |     | Time | Species | Method   | Evaluation | Remarks |
|----------------|-----|------|---------|----------|------------|---------|
| LC50           | N/A | 96h  | Fish    | OECD 203 | N/A        | N/A     |
| EC50           | N/A | 48h  | Daphnia | OECD 202 | N/A        | N/A     |
| EC50           | N/A | 72h  | Algae   | OECD 201 | N/A        | N/A     |

|                                 |   |
|---------------------------------|---|
| Persistence and degradability:  | Not available.                                    |
| Bioaccumulative potential:      | Not available.                                    |
| Mobility in soil:               | Not available.                                    |
| Results of PBT&vPvB assessment: | Not available.                                    |
| Other adverse effects:          | No known significant effects or critical hazards. |

## 13. Disposal considerations

|                        |   |
|------------------------|---|
| Disposal instructions  | Dispose of contents/container in accordance with local/regional/national/international regulations.         |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

## 14. Transport information

### DOT

|                              |               |
|------------------------------|---------------|
| Basic shipping requirements: |               |
| UN number                    | Not regulated |
| Proper shipping name         | Not regulated |
| Hazard class                 | Not regulated |
| Packing group                | Not regulated |
| Environmental hazards        | No            |

### ATA

|                            |               |
|----------------------------|---------------|
| UN number                  | Not regulated |
| UN proper shipping name    | Not regulated |
| Transport hazard class(es) | Not regulated |
| Packing group              | Not regulated |
| Environmental hazards      | No            |

### MDG

|                         |               |
|-------------------------|---------------|
| UN number               | Not regulated |
| UN proper shipping name | Not regulated |

Material name: SOAPSTONE

Version #: 1.3 Revision date: 08-14-2018 Issue date: 02-03-2015

Item Numbers: 34936-1030

SDS US

5/6

Page 34 of 35

|                            |               |
|----------------------------|---------------|
| Transport hazard class(es) | Not regulated |
| Packing group              | Not regulated |
| Environmental hazards      | No            |

## 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>) (14807.t&) is found on the following regulatory lists

### 15. REGULATORY INFORMATION

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Chronic Health Hazard

#### Massachusetts Right To Know Components

Hydrous magnesium silicate

CAS-No.  
14807-96-6

Revision Date  
1993-04-24

#### Pennsylvania Right To Know Components

Hydrous magnesium silicate

CAS-No.  
14807-96-6

Revision Date  
1993-04-24

#### New Jersey Right To Know Components

Hydrous magnesium silicate

CAS-No.  
14807-96-6

Revision Date  
1993-04-24

#### California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Hydrous magnesium silicate

CAS-No.  
14807-96-6

Revision Date  
2007-09-28

## 16. Other information, including date of preparation or last revision

#### HMIS@ratings

Health: 0  
Flammability: 1  
Physical hazard: 0

#### NFPA ratings

Health: 0  
Flammability: 1  
Instability: 0

#### Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available.

#### Issue date

02-03-2015

Material name: SOAPSTONE

Version #: 1.3 Revision date: 08-14-2015 Issue date: 02-03-2015

Item Numbers: 34936-1030

SDS US

6/6

Page 35 of 35