

83430-XXXX

**SAFETY DATA SHEET**

01/09/2023

**SECTION I - IDENTIFICATION****Material Name**

SPECTRUM RAKU GLAZES (850 SERIES)

**Company Information**

Spectrum Glazes Inc.  
273 Bowes Rd, Unit A1  
Concord, ON L4K 1H8  
Phone: 905-695-8355  
Fax: 905-695-8354  
Email: sales@spectrumglazes.com

For transportation emergencies only call: 905-695-8355.

For health emergencies call the Poison Control Center: 1-800-222-1222.

**SECTION II - HAZARDS IDENTIFICATION**


Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Hazardous to the Aquatic Environment - Chronic - Category 1

Hazardous to the Aquatic Environment - Chronic - Category 2

Hazardous to the Aquatic Environment - Chronic - Category 4

Hazardous to the Aquatic Environment - Acute - Category 1

**GHS Label Elements****Symbol(s)****Signal Word(s)**

Danger

**Hazard Statement(s)**

Harmful if swallowed. May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life.. May damage fertility. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary Statement(s)****Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breath dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink, or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

Call a POISON CENTER/doctor if you feel unwell. Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse. Collect spillage. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

**SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS**

<u>Hazardous Ingredients</u>	<u>CAS/EC #</u>	<u>PEL/TLV (MG/M#)</u>	<u>Max % Weight</u>	<u>NTP</u>	<u>IARC</u>
ZINC	1314-13-2	N/A	4.11040	N	N
MANGANESE	7439-96-5	5.00	17.60000	N	N
COPPER	7440-50-8	1.00	3.54600	N	N

**SECTION IV - FIRST AID MEASURES**

FIRST AID MEASURE: If swallowed, get prompt medical attention.

**SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): N/A

EXPOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

EXTINGUISHING MEDIA: NO SPECIAL METHOD REQUIRED

FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED

UNUSUAL FIRE \$ EXPLOSION HAZARDS: NOT COMBUSTIBLE

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal see Section XIII.

**SECTION VII - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN DURING HANDLING AND STORAGE: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: Use a locally exhausting hood appropriate for the operation. Use with ventilation adequate to keep exposure within published exposure limits (SEE SECTION III). Use NIOSH certified mask for dusts or mists if exposure levels exceed published exposure limits (SEE SECTION III).

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None required.

WORK/HYGIENE PRACTICES: Avoid prolonged contact with skin. Wash hands immediately after use. When using do not eat, drink, or smoke.

ENGINEERING CONTROLS: Keep in original container. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A  
VAPOUR PRESSURE: N/A  
SPECIFIC VAPOUR DENSITY  
SOLUBILITY IN WATER: N/A

MELTING POINT: N/A  
SPECIFIC GRAVITY: N/A  
REACTIVITY IN WATER: NON-REACTIVE

## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
STABILITY (STABLE CONDITIONS TO AVOID): N/A  
INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
HAZARDOUS DECOMPOSITION PRODUCTS: N/A

## SECTION XI - TOXOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EXPOSURE MAY CAUSE ACUTE OR DELAYED DAMAGE TO THE LUNGS. MAY BE HARMFUL BY BREATHING DUSTS OR MISTS. MAY BE HARMFUL IF SWALLOWED. CONTACT MAY RESULT IN REDNESS OR PAIN IN THE EYES. EXPOSURE MAY RESULT IN SHORTNESS OF BREATH, CHEST PAIN, CHEST TIGHTNESS, WHEEZING AND A COUGH.

The summated LD50 is 566.6 mg/kg.

The summated LC50 is 32924 mg/cubic meter.

This product is considered to be a known or suspected human carcinogen by NTP, IARC, or OSHA (see SECTION III).

## SECTION XII - ECOLOGICAL INFORMATION

### Aquatic Hazard Statement(s)

Toxic to aquatic life with long lasting effects.

May cause long lasting harmful effects to aquatic life.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE FEDERAL, STATE, AND LOCAL REGULATIONS.

**SECTION XIV - TRANSPORTATION INFORMATION**

U.S.DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

**SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200.

EPA SARA TITLE III CHEMICAL LISTINGS:

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):

MANGANESE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

FERRIC OXIDE

QUARTZ

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:

MANGANESE

QUARTZ

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:

IRON OXIDE FUME

MANGANESE

QUARTZ DUST

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS' HAZARDOUS SUBSTANCE LIST:

IRON OXIDE DUST

MANGANESE

QUARTZ

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MICHIGAN'S CRITICAL MATERIALS REGISTER:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:

QUARTZ

IRON OXIDE FUME (Fe<sub>2</sub>O<sub>3</sub>) as fE

MANGANESE, elemental and compounds as M

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:

IRON OXIDE

MANGANESE

QUARTZ

Under CPSC's consumer products regulations (16 CFR 1500.3 and 1500.14), this product has the following required acute and chronic hazard labelling:

**WARNING: MAY BE HARMFUL IF SWALLOWED. EXPOSURE MAY CAUSE ALLERGIC REACTIONS.**

**Contains: BARIUM, COPPER, MANGANESE, NICKEL OXIDE, ZINC**

**PRECAUTIONS:** Avoid prolonged contact with skin. Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. **AVOID USING IF PREGNANT OR CONTEMPLATING PREGNANCY. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN.**

**FIRST AID TREATMENT:** If swallowed, get prompt medical attention.

For further health information contact a poison control center or call 1-800-970-1970.

## SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information, and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to the specific materials as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

## COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS.

<b>Product Number &amp; Color</b>	<b>Hazardous Ingredient</b>
850 RAKU CLEAR	(NONE)
851 RAKU WHITE	(NONE)
852 TURQUOISE	COPPER
853 COBALT BLUE	COPPER
855 EMERALD	COPPER
861 METALLIC FLASH	COPPER
862 GALAXY	COPPER
863 NEBULA	COPPER
864 SUNSPOT	COPPER
865 MARS	COPPER
866 DEEP SPACE	COPPER
870 STARRY NIGHT	COPPER
871 RAKU YELLOW	(NONE)
872 RAKU ORANGE	(NONE)
873 RAKU RED	(NONE)
874 LIME	COPPER
875 ALGAE BLOOM	COPPER
878 COSMIC COPPER	COPPER
880 ARMADILLO	COPPER
881 OXBLOOD	(NONE)
882 ORCHID PINK	(NONE)
883 AMETHYST	(NONE)
884 AQUA	(NONE)
885 BLUE TOPAZ	COPPER
886 LAPIS	COPPER ZINC
887 NEPTUNE	COPPER ZINC
888 CASSIOPEIA	COPPER ZINC
889 ANDROMEDA	COPPER MANGANESE
890 CHIMERA	COPPER ZINC
891 NORTHERN LIGHTS	COPPER MANGANESE