

83444-2040

# SAFETY DATA SHEET



Revision date 12-Sep-2024

Revision Number 3

## 1. Identification

### Product identifier

**Product Name** VS-361 Jet Black

### Other means of identification

**Product Code(s)** FG00190**Synonyms** 38025F

### Recommended use of the chemical and restrictions on use

**Recommended use****Restrictions on use**

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

American Art Clay Co Inc  
 6060 Guion Road  
 Indianapolis, IN 46254-1222 USA  
 Toll Free: 1-800-999-5456  
 CustomerCare@Amaco.com

### Emergency telephone number

**Emergency Telephone** U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

### Classification

Acute toxicity - Oral	Category 4
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

**Hazard statements****Danger**

H302 - Harmful if swallowed  
 H350 - May cause cancer  
 H373 - May cause damage to organs through prolonged or repeated exposure  
 EUH208 - Contains ( . ? ). May produce an allergic reaction

**Physical state** Aerosol**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear protective gloves/clothing and eye/face protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
 Rinse mouth

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Unknown acute toxicity**

40.66035 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

**Other information**

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

**3. Composition/information on ingredients**

Not applicable.

**Mixture**

Chemical name	CAS No	Weight-%
Dimethyl ether	115-10-6	40 - 60
Water	7732-18-5	40 - 60
Frits, chemicals	65997-18-4	3 - <5
C.I. Pigment Brown 35	68187-09-7	3 - <5
Kaolin	1332-58-7	1 - <3
Spinels, chromium cobalt iron black	68186-97-0	1 - <3
1,2,3-Propanetriol	56-81-5	1 - <3
Bentone EW	89382-86-5	0.1 - 1
Laponite	Trade secret	0.1 - 1
Amorphous Silica	112926-00-8	0.1 - 1

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

Polyphosphoric acids, sodium salts	68915-31-1	<0.1
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	<0.1
Ethanolamine	141-43-5	<0.1

#### 4. First-aid measures

##### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.

**7. Handling and storage****Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

**8. Exposure controls/personal protection****Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Frits, chemicals 65997-18-4	STEL: 10 mg/m <sup>3</sup> Zr TWA: 0.01 mg/m <sup>3</sup> As TWA: 0.05 mg/m <sup>3</sup> Pb TWA: 0.01 mg/m <sup>3</sup> Cd TWA: 0.002 mg/m <sup>3</sup> Cd respirable particulate matter TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 3 mg/m <sup>3</sup> W respirable particulate matter in the absence of cobalt TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	TWA: 10 µg/m <sup>3</sup> As TWA: 50 µg/m <sup>3</sup> Pb TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr (vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 5 mg/m <sup>3</sup> As IDLH: 9 mg/m <sup>3</sup> Cd dust and fume IDLH: 50 mg/m <sup>3</sup> Sb IDLH: 100 mg/m <sup>3</sup> Cu dust and mist IDLH: 500 mg/m <sup>3</sup> Mn IDLH: 25 mg/m <sup>3</sup> Zr IDLH: 100 mg/m <sup>3</sup> Pb IDLH: 10 mg/m <sup>3</sup> Ni Ceiling: 0.002 mg/m <sup>3</sup> As 15 min Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Mn TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr TWA: 0.050 mg/m <sup>3</sup> Pb TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni STEL: 3 mg/m <sup>3</sup> Mn STEL: 10 mg/m <sup>3</sup> Zr
C.I. Pigment Brown 35 68187-09-7	-	TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica,	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust

**FG00190 - VS-361 Jet Black**

Revision date 12-Sep-2024

	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	
Spinels, chromium cobalt iron black 68186-97-0	TWA: 0.02 mg/m <sup>3</sup> Co inhalable particulate matter	TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m <sup>3</sup> mist, total particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate (vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	-
Amorphous Silica 112926-00-8	-	TWA: 20 mppcf : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA (vacated) TWA: 6 mg/m <sup>3</sup> : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup> (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>

**Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
Spinels, chromium cobalt iron black 68186-97-0	15 µg/L - urine (Cobalt) - end of shift at end of workweek

**Appropriate engineering controls**

**Engineering controls**                      Showers  
   Eyewash stations  
   Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      No special protective equipment required.

**Hand protection**                              Wear suitable gloves.

**Skin and body protection**                      Wear suitable protective clothing.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**                      Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties**

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

**Information on basic physical and chemical properties****Physical state** Aerosol**Appearance****Color****Odor****Odor threshold**

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flash point</b>	No data available	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Relative vapor density</b>	No data available	None known
<b>Relative density</b>	No data available	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

**Other information****Explosive properties** No information available**Oxidizing properties** No information available**VOC Content (%)** No information available**10. Stability and reactivity**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.

**11. Toxicological information****Information on likely routes of exposure****Product Information****Inhalation** Specific test data for the substance or mixture is not available.**Eye contact** Specific test data for the substance or mixture is not available.

**FG00190 - VS-361 Jet Black**

Revision date 12-Sep-2024

**Skin contact** Specific test data for the substance or mixture is not available.**Ingestion** Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).**Symptoms related to the physical, chemical and toxicological characteristics****Symptoms** No information available.**Acute toxicity****Numerical measures of toxicity**

No information available

**The following values are calculated based on chapter 3.1 of the GHS document**

**ATEmix (oral)** 1,264.20 mg/kg  
**ATEmix (dermal)** 22,241.20 mg/kg  
**ATEmix (inhalation-dust/mist)** 18.60 mg/l

**Unknown acute toxicity**

40.66035 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl ether 115-10-6	-	-	= 164000 ppm ( Rat ) 4 h
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Kaolin 1332-58-7	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rat )	-
Spinels, chromium cobalt iron black 68186-97-0	-	-	> 5.09 mg/L ( Rat ) 4 h
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg ( Rat )	> 10 g/kg ( Rabbit )	> 2.75 mg/L ( Rat ) 4 h
Laponite	-	> 2000 mg/kg ( Rabbit )	> 200 mg/L ( Rat ) 1 h
Amorphous Silica 112926-00-8	= 7900 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 58.8 mg/L ( Rat ) 4 h
Polyphosphoric acids, sodium salts 68915-31-1	= 3053 mg/kg ( Rat )	-	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg ( Rat )	> 4000 mg/kg ( Rat )	= 0.4 mg/L ( Rat ) 4 h = 0.338 mg/L ( Rat ) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1000 mg/kg ( Rabbit )	> 1.3 mg/L ( Rat ) 6 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** No information available.

**FG00190 - VS-361 Jet Black**

Revision date 12-Sep-2024

**Germ cell mutagenicity** No information available.**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X
C.I. Pigment Brown 35 68187-09-7	-	Group 3	-	-
Spinels, chromium cobalt iron black 68186-97-0	A3	Group 2B Group 3	Reasonably Anticipated	X
Amorphous Silica 112926-00-8	-	Group 3	-	-

**Legend****ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.



**FG00190 - VS-361 Jet Black**

Revision date 12-Sep-2024

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dimethyl ether 115-10-6	-	LC50: >4.1g/L (96h, Poecilia reticulata)	-	-
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-
Amorphous Silica 112926-00-8	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	-	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-
Ethanolamine 141-43-5	EC50: =15mg/L (72h, Desmodesmus subspicatus)	LC50: =227mg/L (96h, Pimephales promelas) LC50: =3684mg/L (96h, Brachydanio rerio) LC50: 300 - 1000mg/L (96h, Lepomis macrochirus) LC50: 114 - 196mg/L (96h, Oncorhynchus mykiss) LC50: >200mg/L (96h, Oncorhynchus mykiss)	-	EC50: =65mg/L (48h, Daphnia magna)

**Persistence and degradability****Bioaccumulation**

There is no data for this product.

Chemical name	Partition coefficient
Dimethyl ether 115-10-6	-0.18
1,2,3-Propanetriol 56-81-5	-1.76
Ethanolamine 141-43-5	-1.91

**Other adverse effects**

No information available.

**13. Disposal considerations****Disposal methods****Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Do not reuse empty containers.

**California Hazardous Waste Status**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information****DOT**

Not regulated

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

UN number or ID number UN 1950  
 Packing group III

## 15. Regulatory information

### International Inventories

**TSCA** Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Dimethyl ether	115-10-6	Present	Active
Water	7732-18-5	Present	Active
Frits, chemicals	65997-18-4	Present	Active
C.I. Pigment Brown 35	68187-09-7	Present	Active
Kaolin	1332-58-7	Present	Active
Spinels, chromium cobalt iron black	68186-97-0	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Bentone EW	89382-86-5	-	Unknown *
Laponite	-	Present	Active
Amorphous Silica	112926-00-8	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

**DSL/NDL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.  
**NZIoC** Contact supplier for inventory compliance status.

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**FG00190 - VS-361 Jet Black**

Revision date 12-Sep-2024

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1 1.0
C.I. Pigment Brown 35 - 68187-09-7	1.0
Spinels, chromium cobalt iron black - 68186-97-0	0.1 1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-
C.I. Pigment Brown 35 68187-09-7	-	X	-	-
Spinels, chromium cobalt iron black 68186-97-0	-	X	-	-

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	X	X	X
Water 7732-18-5	-	-	X
Frits, chemicals 65997-18-4	X	-	X
C.I. Pigment Brown 35 68187-09-7	X	-	X
Kaolin 1332-58-7	X	X	X
Spinels, chromium cobalt iron black 68186-97-0	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X
Amorphous Silica 112926-00-8	X	-	X
Ethanolamine 141-43-5	X	X	X

**U.S. EPA Label Information**

FG00190 - VS-361 Jet Black

Revision date 12-Sep-2024

EPA Pesticide Registration Number Not applicable

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> * 2	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X

*Chronic Hazard Star Legend*      \* = Chronic Health Hazard

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision date 12-Sep-2024

**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**