86328-1009

Safety Data Sheet

CHAPTER 1 IDENTIFICATION

Product name:	BLICK WC OVAL PAN ST 16 SET
Iem:	/
CAS No.:	mixture
Company Name:	Kunshan JunYuan Arts&Crafts Co.,Ltd
Address:	NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU,CHINA
Tel:	0086-512-50330636
Fax:	0086 512 50330638

CHAPTER 2 HAZARD IDENTIFICATION

GHS classification

Physical hazards: Not classified

Health hazards: Not classified

Environmental hazards: Not classified

GHS label elements

Hazard Pictograms: N/A

Signal word: N/A

Hazard statement: Not hazardous.

Precautionary statement

Prevention: Better to wear protective gloves/protective clothing/eye protection/face protection.

Response: If exposed or concerned, get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container in according with local regulation.

CHAPTER 3 COMPOSITION / INFORMATION ON INGREDIENTS

White	natural gum	9000-01-5	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	lithopone	1345-05-7	20.00	100.00
Yellow	natural gum	9000-01-5	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Yellow 3	6486-23-3	20.00	100.00
Yellow Orange	natural gum	9000-01-5	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	C .I.P.Orange 13	3520-72-7	2.00	
	Pigment Yellow 3	6486-23-3	18.00	100.00
	natural gum	9000-01-5	28.00	

Orange	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	C .I.P.Orange 13	3520-72-7	20.00	100.00
Mangenta	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	lithopone	1345-05-7	15.00	
	Pigment Red 48:2	7023-61-2	5.00	100.00
Crimson	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Red 4	2814-77-9	8.00	
	Pigment Red 48:2	7023-61-2	12.00	100.00
Cherry	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	lithopone	1345-05-7	12.00	
	Pigment Red 48:2	7023-61-2	8.00	100.00
Royal Purple	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Red 48:2	7023-61-2	10.00	
	C .I.P.Blue 27	12240-15-2	10.00	100.00
Cyan	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Red 48:2	7023-61-2	4.00	
	Pigment Blue 15	147-14-8	16.00	100.00
Cobalt Blue	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Blue 15	147-14-8	5.00	
	lithopone	1345-05-7	15.00	100.00
Royal Blue	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Blue 15	147-14-8	12.00	
	lithopone	1345-05-7	8.00	100.00
Kelly Green	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Yellow 1	2512-29-0	8.00	
	Pigment Blue 15	147-14-8	12.00	100.00

Caribbean Green	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Green 7	1328-53-6	16.00	
	Pigment Blue 15	147-14-8	4.00	100.00
Forest Green	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Green 7	1328-53-6	4.00	
	lithopone	1345-05-7	8.00	
	Pigment Blue 15	147-14-8	8.00	100.00
Brown	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Brown 7	1345-27-3	4.00	
	Pigment Yellow 42	51274-00-1	8.00	
	Pigment Black 11	1309-38-2	8.00	100.00
Black	natural gum	9000-01-5.	28.00	
	water	7732-18-5	30.00	
	glycerin	56-81-5	2.00	
	silicon dioxide	112945-52-5	20.00	
	Pigment Black 6	1333-86-4	20.00	100.00

CHAPTER 4 FIRST AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact: Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention promptly if symptoms occur after washing.

Ingestion: Rinse mouth thoroughly with water and give large amounts of milk or water, if person is conscious. Get medical attention if any discomfort continues.

Notes to physician:
Treat symptomatically.

CHAPTER 5 FIRE FIGHTING MEASURES

Flammable properties: This product is not flammable.

Extinguishing Media:

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Fire fighting equipment/instructions: Not available.

Hazardous combustion products: May include oxides of nitrogen.

CHAPTER 6 ACCIDENTAL RELEASE MEASURES

Steps to be taken if material is released or spilled. Restrict the area to only those personnel needed. Major spills should be collected for disposals. Minor spills may be flushed to sewer if permitted by national, stat and local regulations.

CHAPTER 7 STORAGE AND HANDLING

Handling: Do not get this material in contact with skin.

Storage:	Keep container closed. Store in a cool place.

CHAPTER 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: None known.

Eye Protection: Wear splash goggles where spill or splashing may occur.

Skin Protection: Not required.

Respiratory and Ventilation: Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

CHAPTER 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Solid

Color: MULTI

Odor: No applicable

Boiling Point: 290°C@760 mm Hg(CAS#56-81-5)

Melting Point: 18.17°C(ca. 101.3 kPa)(CAS#56-81-5)

Freezing Point: 18.17°C(ca. 101.3 kPa)(CAS#56-81-5)

PH: No applicable

Solubility (water): 1000000 mg/L(25°C)(CAS#56-81-5)

Specific Gravity: 1.26108

Density: 1.26108g/ml (CAS#56-81-5)

% Volatile by Weight: No applicable

Vapour Pressure: 0.0025 mm Hg(50°C)(CAS#56-81-5)

Vapour Density: No applicable

CHAPTER 10 STABILITY AND REACTIVITY

Stability:	The product is stable
Conditions to avoid:	Incompatible Materials
INCOMPATIBILTY:	Reactive with oxidizing agents,acids
HAZARDOUS POLYMERIZATION:	Will not occur
Decomposition Products:	No applicable

CHAPTER 11 TOXICOLOGICAL INFORMATION

Health Effects:	Chronic ingestion may affect kidneys,and may cause hypercalcemia with alkalosis.
Inhalation:	Excessive inhalation causes respiratory tract and mucous membrane irritation.Low hazard for usual industrial handling.
Skin Contact:	Causes skin irritation
Eye Contact:	Causes eye irritation
Ingestion:	Ingestion of large amounts may cause gastrointestional tract disturbances with nausea and possibly constipation.Expected to be a low hazard for usual industrial handling.

CHAPTER 12 ECOLOGICAL INFORMATION

Ecotoxicity:Not available.

BOD5 and COD:Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely.However,long term degradation products may arise.

Toxicity of the Products of Biodegradation:The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available

CHAPTER 13 DISPOSAL CONSIDERATIONS

Waste Disposal Method:	Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

CHAPTER 14 TRANSPORT INFORMATION

DOT Proper shipping name:. Not a DOT controlled material(United States).

DOT Technical name: Not regulated.

OCEAN (IMDG): Not regulated.

AIR (IATA): Not regulated.

WHMIS (CANADA): Not regulated.

CHAPTER 15 REGULATORY INFORMATION

OSHA Status: Not applicable

TSCA Status: Not applicable

CERCLA Reportable Quantity: Not applicable

SARA Title III: Not applicable
Section 302 Extremely Hazardous Substances: Not applicable
Section 311/312 Hazard Categories: Not applicable
Section 313 Toxic Chemicals: Not applicable
RCRA Status: Not applicable
State Regulatory Information: Not applicable

CHAPTER 16	OTHER INFORMATION
Reference:	Not available
Table Maker:	Company name:Kunshan JunYuan Arts&Crafts Co.,Ltd Add:No.551 Jujin Road ZhangPu Kunshan JiangSu China Tel:0086 512 50330636
Created	8/19/2026

Date of preparation: 8/19/2026