



Safety Data Sheet

A.W. Faber-Castell Ges.m.b.H

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 1 of 9

1. Identification

Product identifier

GoFa Sketch Marker all Colours

Further trade names

All colors, except: helioblue reddish

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Ink in writing instrument

Details of the supplier of the safety data sheet

Company name:	A.W. Faber-Castell Ges.m.b.H	
	Austria	
Street:	Saag 7	
Place:	A-4090 Engelhartzell	
Telephone:	+43 (0)-7717-8053-0	Telefax: +43 (0)-7717-8053-4344
e-mail:	werk-ezell@faber-castell.at	
Contact person:	Dr. Gerhard Lugert	Telephone: +49 911 9965 5550
e-mail:	Gerhard.Lugert@faber-castell.com	
Internet:	www.faber-castell.de	
Responsible Department:	Faber-Castell AG Nürnberger Str. 2 D-90546 Stein Departement TEC Dr. Gerhard Lugert, +49 911 9965 5550, privat: +49 911 616426 Theresa Gmelch, +49 911 9965 5638	

Emergency phone number:

+49 911 9965 5550
+49 911 616426

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200


Flammable liquids: Flam. Liq. 3
Serious eye damage/eye irritation: Eye Irrit. 2A
Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)

Label elements

29 CFR Part 1910.1200

Signal word: Warning

Pictograms:



Hazard statements

Flammable liquid and vapor
Causes serious eye irritation
May cause drowsiness or dizziness

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 2 of 9

Use explosion-proof electrical/ventilating/lighting equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash Face, hands and all exposed skin thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.
 Call a poison center/doctor if you feel unwell.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 In case of fire: Use Carbon dioxide (CO₂). Water spray. to extinguish.
 Keep container tightly closed.
 Store in a well-ventilated place. Keep cool.
 Store locked up.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients**Mixtures****Chemical characterization**

Alcohol-based inks

Hazardous components

CAS No	Components	Quantity
64-17-5	ethanol, ethyl alcohol	68.42 %
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	19.96 %
78-93-3	butanone; ethyl methyl ketone	3.601 %

4. First-aid measures**Description of first aid measures****After inhalation**

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 3 of 9

Suitable extinguishing mediaWater spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.**Specific hazards arising from the chemical**

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up**For cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection**Control parameters**

Safety Data Sheet

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 4 of 9

Exposure limits

CAS No	Substance	ppm	mg/m ³	f/cc	Category	Origin
78-93-3	2-Butanone (Methyl ethyl ketone)	200	590		TWA (8 h)	PEL
78-93-3	2-Butanone	200	590		TWA (8 h)	REL
		300	885		STEL (15 min)	REL
64-17-5	Ethyl alcohol (Ethanol)	1000	1900		TWA (8 h)	PEL
64-17-5	Ethyl alcohol	1000	1900		TWA (8 h)	REL
107-98-2	Propylene glycol monomethyl ether	100	360		TWA (8 h)	REL
		150	540		STEL (15 min)	REL

Exposure controls**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	liquid
Color:	60 several
Odor:	alcoholic
Melting point/freezing point:	< 0 °C
Boiling point or initial boiling point and boiling range:	78 °C
Flammability:	not determined not applicable
Lower explosion limits:	1,8 vol. %
Upper explosion limits:	15 vol. %
Flash point:	24 °C
Auto-ignition temperature:	270 °C
Decomposition temperature:	not determined
pH-Value:	7
Water solubility:	easily soluble
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapor pressure:	58 hPa
(at 20 °C)	
Vapor pressure:	293 hPa
(at 50 °C)	



Safety Data Sheet

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 5 of 9

Density: 0,8 g/cm³
 Relative vapour density: not determined
 Particle characteristics: not applicable

Other information**Information with regard to physical hazard classes**

Explosive properties
 The product is not: Explosive.
 Oxidizing properties
 The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined
 Solvent content: 85-90%
 Solid content: <10

10. Stability and reactivity**Reactivity**

Highly flammable.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 mg/kg	6200	Ratte	IUCLID
	inhalation (4 h) vapour	LC50	95,6 mg/l	Ratte	RTECS
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether				
	oral	LD50 mg/kg	> 5000	Ratte	IUCLID
	dermal	LD50 mg/kg	11000	Kaninchen	

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 6 of 9

Irritation and corrosivity

Causes serious eye irritation

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (IARC):

Ethanol in alcoholic beverages (CAS 64-17-5) is listed in group 1.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards**Endocrine disrupting properties**

No data available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information**U.S. DOT 49 CFR 172.101**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 7 of 9

UN number or ID number: UN 3175
Proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport hazard class(es): 4.1
Packing group: II
Hazard label: 4.1

Marine transport (IMDG)

UN number or ID number: UN 3175
UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport hazard class(es): 4.1
Packing group: II
Hazard label: 4.1
Special Provisions: 216 274
Limited quantity: 1 kg
Excepted quantity: E2
EmS: F-A, S-I

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3175
UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Transport hazard class(es): 4.1
Packing group: II
Hazard label: 4.1
Special Provisions: A46
Limited quantity Passenger: 5 kg
Passenger LQ: Y441
Excepted quantity: E2
IATA-packing instructions - Passenger: 445
IATA-max. quantity - Passenger: 15 kg
IATA-packing instructions - Cargo: 448
IATA-max. quantity - Cargo: 50 kg

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Warning: Combustible liquid.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information**U.S. Regulations****National regulatory information**

SARA Section 304 CERCLA:

Methyl ethyl ketone (78-93-3): Reportable quantity = 5,000 (2270) lbs. (kg)

SARA Section 311/312 Hazards:

ethanol, ethyl alcohol (64-17-5): Fire hazard, Immediate (acute) health hazard

1-methoxy-2-propanol; monopropylene glycol methyl ether (107-98-2): Fire hazard, Immediate (acute) health hazard

Methyl ethyl ketone (78-93-3): Fire hazard, Immediate (acute) health hazard

Clean Air Act Section 112(b):

Methyl ethyl ketone (78-93-3)

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or

Safety Data Sheet

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 8 of 9

other reproductive harm.

16. Other information**Hazardous Materials Information Label (HMIS)**


Health: 1
 Flammability: 1
 Physical Hazard: 1

NFPA Hazard Ratings

Health: 1
 Flammability: 1
 Reactivity:
 Unique Hazard:

Revision date: 05/02/2023

Revision No: 1,02

**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**FABER-CASTELL**
since 1761

A.W. Faber-Castell Ges.m.b.H

Safety Data Sheet

according to 29 CFR 1910.1200(g)

GoFa Sketch Marker all Colours

Revision date: 05/02/2023

Product code: 100-147-xxx

Page 9 of 9

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)