09455-1000

1. Product identification

TRADE NAME (AS LABELED): DECOART LOVE, COLOR FROSTING

PART NUMBER: DEC805

SKU#: UPC#:

PRODUCT USE:
CHEMICAL NAME:
Mixture
CHEMICAL FAMILY:
MANUFACTURER NAME:
MANUFACTURER ADDRESS:
Acrylic Paint
DecoArt, LLC
MANUFACTURER ADDRESS:
49 Cotton Ave
Stanford , KY 40484

MANUFACTURER EMERGENCY PHONE: (800) 424-9300 CHEMTREC

MANUFACTURER BUSINESS PHONE: (606) 365-3193
MANUFACTURER FAX NUMBER: (606) 365-9739
DATE OF PREPARATION: June 6, 2024

2. Hazard identification

EMERGENCY OVERVIEW: Product Description: This product is a white liquid with a mild odor. **Health Hazards:** This material is not expected to cause adverse health effects in normal applications and use. **Flammability Hazards:** This product is a non flammable liquid. **Reactivity Hazards:** Non reactive. **Environmental Hazards:** The environmental effects of this product are not known. This product is not expected to cause adverse environmental effects. **Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008

Components Contributing to Hazard:

Hazard Statement(s):

EUH208: Contains benzisothiazolinone. May produce an allergic reaction.

EUH211: Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

PRIMARY ROUTES(S) OF ENTRY: Eye Contact, Ingestion, and Skin Contact

ACUTE:

EYE HAZARDS: This product may cause eye irritation if it enters the eyes.

SKIN HAZARDS: Not expected to cause irritation with normal handling.

INGESTION HAZARDS: Not expected to be a normal route of entry

INHALATION HAZARDS: No hazards expected.

CONDITIONS AGGRAVATED BY EXPOSURE: None expected. Maintain housekeeping and personal hygiene to minimize exposure.

CONDITIONS AGGRAVATED BY OVEREXPOSURE: None expected

CHRONIC:

None Known

WARNING: This product contains isothiazolinone compounds at levels of <50ppm. These substances are biocides commonly found in paints and a variety of personal care products as a preservative. Certain individuals may be sensitive or allergic to these substances, even at low levels.

NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

3. Composition and information on ingredients

Hazardous Ingredients	CAS#	EINECS#	ICSC#	WT#	Hazard Symbol Risk Phrases	
Acrylate Polymer Solution	9065-11-6	Not Listed	Not Listed	<=50%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	
Nepheline Syenite	37244-96-5	Not Listed in ESIS	Not Listed	<=16%	None	
Water	7732-18-5	231-791-2	Not Listed	<=15%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	
Soda Lime Glass	65997-17-3	-	-	<=6%	None	
Propylene Glycol	57-55-6	200-338-0	0321	<=5%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	
Hydrated Amorphous Silica	112926-00-8	Not Listed	Not Listed	<=3%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	
Rheological Additive	68954-91-6	Not Listed	Not Listed	<=2.5%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	
Titanium Dioxide	13463-67-7	236-675-5	0338	<=2.5%	HAZARD CLASSIFICATION: NONE RISK PHRASES: NONE	

Specific colorants and colorant concentrations are considered proprietary information and are therefore withheld as a trade secret

4. First-aid measures

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

SKIN EXPOSURE: Wash with soap and water. If discomfort occurs or persists, contact a physician immediately.

EYE EXPOSURE: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention if irritation persists.

INHALATION: If breathing becomes difficult remove contaminated individual to fresh air. If victim is not breathing provide artificial respiration. Seek medical attention immediately.

INGESTION: If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. Fire-fighting measures


FLASH POINT: Non-Flammable

AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Lower NA; Upper NA FIRE EXTINGUISHING MATERIALS: Use agent most appropriate to extinguishing surrounding fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

Explosion Sensitivity to Mechanical Impact: Not Sensitive Explosion Sensitivity to Static Discharge: Not Sensitive SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. Accidental release measures

SPILL AND LEAK RESPONSE:

Absorb spill with inert material (e.g. vermiculite, sand, or earth), then place in suitable container for disposal. Clean up spills immediately, observing precautions. US Regulations (CERCLA) require reporting spills and releases to soil, water, and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

DISPOSAL: Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

7. Handling and storage

WORK PRACTICES AND HYGIENE PRACTICES: Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product.

STORAGE AND HANDLING PRACTICES: Avoid contact with eyes. Store in a tightly sealed container. Store in a cool, dry, well ventilated area. Protect from physical damage.

8. Exposure controls - personal protection

<u>VENTILATION AND ENGINEERING CONTROLS:</u> Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

EXPOSURE LIMITS/GUIDELINES

Component Name:	CAS#	ACGIH TLVs	OSHA-PELs	NIOSH-TLVs	Other
Acrylate Polymer Solution	9065-11-6	Not Listed	Not Listed	Not Listed	Not Listed
Nepheline Syenite	37244-96-5	Not Listed	Not Listed	Not Listed	Not Listed
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed
Soda Lime Glass	65997-17-3	-	-	-	-
Propylene Glycol	57-55-6	Not Listed	Not Listed	Not Listed	Not Listed
Hydrated Amorphous Silica	112926-00-8	Not Listed	Not Listed	Not Listed	Not Listed
Rheological Additive	68954-91-6	Not Listed	Not Listed	Not Listed	Not Listed
Titanium Dioxide	13463-67-7	Not Listed	Not Listed	Not Listed	Not Listed

International exposure limits may be established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not required with normal use. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Not normally required however, safety glasses are recommended as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Not required under normal use. If desired, wear rubber gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910 138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant

Japanese Standards.

BODY PROTECTION: Not required under normal use. Wear appropriate clothing sufficient to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

9. Physical and chemical properties

VAPOR DENSITY: Not Available

SPECIFIC GRAVITY @ 20°C: Not Available

VAPOR PRESSURE: Not Available FREEZING POINT: Not Availble

ODOR THRESHOLD: Mild

APPEARANCE, ODOR and COLOR: This product is a white liquid with a mild

odor.

EVAPORATION RATE (n-BuAc=1): Not Available

SOLUBILITY IN WATER: Not Available

pH: Not Available

BOILING POINT: Not Available

10. Stability and reactivity

STABILITY: Stable

<u>DECOMPOSITION PRODUCTS:</u> Carbon Monoxide and Carbon Dioxide <u>MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:</u> None Known

HAZARDOUS POLYMERIZATION: Will Not Occur. CONDITIONS TO AVOID: None Known

11. Toxicological information

TOXICITY DATA:

Routes of Entry: Eye contact, Ingestion, Skin Contact

No LD50/LC50 information found relating to normal routes of occupational exposures.

SUSPECTED CANCER AGENT:

The International Agency for Research on Cancer (IARC) has listed Titanium Dioxide as a Category 2B Possible Human Carcinogen. Although IARC has classified Titanium Dioxide as possible carcinogenic to humans, their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IRRITANCY OF PRODUCT: This product may cause eye irritation.

SENSITIZATION TO THE PRODUCT:

WARNING: This product contains isothiazolinone compounds at levels of <50ppm. These substances are biocides commonly found in paints and a variety of personal care products as a preservative. Certain individuals may be sensitive or allergic to these substances, even at low levels.

REPRODUCTIVE TOXICITY INFORMATION: Listed below is information concerning the effects of this product and its components on the human reproductive system.

Mutagenicity: The components of this product are not reported to produce mutagenic effects in humans.

Embryotoxicity: The components of this product are not reported to produce embryotoxic effects in humans.

Teratogenicity: The components of this product are not reported to produce teratogenicity effects in humans.

Reproductive Toxicity: The components of this product are not reported to produce reproductive effects in humans.

12. Ecological information

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ECOTOXICITY: Not available.

BOD5 and COD: Not available.

PRODUCTS OF BIODEGRADATION: Not available

TOXICITY OF THE PRODUCTS OF BIODEGRADATION: Not available

ENVIRONMENTAL STABILITY: Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways

BIOACCUMULATION/ACCUMULATION: These products have not been tested for bio-accumulation potential.

13. Disposal considerations

PREPARING WASTES FOR DISPOSAL Waste disposal must be in accordance with appropriate U.S. Federal, State and local regulations, those of Canada, Austraila, EU Member States and Japan.

14. Transportation information

US DOT, IATA, IMO, ADR: Domestic (Land, D.O.T.)

Proper Shipping Name: Non-Regulated Material Hazard Class: Non Hazardous - Non Regulated International (Water, I.M.O.) Proper Shipping Name: Non-Regulated Material Hazard Class: Non Hazardous - Non Regulated

International (Air, I.C.A.O.) Proper Shipping Name: Non-regulated Material

Hazard Class: Non Hazardous - Non Regulated U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods,

per U.S. DOT regulations, under 49 CFR 172.101. Non-Regulated

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: These products are not classified as

Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): These products are not classified as Dangerous Goods, by rules of IATA INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: These products are not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): These products are not classified by the United Nations Economic Commission for Europe to be dangerous goods

15. Regulatory information

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for any component of these products. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed in the TSCA Inventory.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product does not contain any component above the 0.1% level which is listed as a California Proposition 65 chemical.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are not on the DSL Inventory.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Not Classified

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: The components of this product are listed on the AICS or are exempt.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or exempt

Australian Inventory of Chemical Substances (AICS): Listed or exempt

Korean Existing Chemicals List (ECL): Listed or exempt

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed or exempt

Swiss Giftliste List of Toxic Substances: Listed or exempt

U.S. TSCA: Listed or exempt

16. Other information

PREPARED BY: DecoArt, LLC

DATE OF PREPARATION: June 6, 2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.