



Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 1 of 14

Applicant: The Pencil Grip.Inc. dba TPG Creations**Address:** 21200 Superior St. Unit A Charsworth, CA 91311 USA**Sample name:** Washable Acrylic Marker**Issue date:** Mar 31, 2025

Test Requested: As specified by the client, Safety Data Sheet was prepared in accordance with UN GHS Rev.10, REACH Regulation (EC) No.1907/2006 and CLP Regulation (EC) No.1272/2008 and Regulation (EU) No.2020/878. Please refer to the attached report for details.

Dongguan City Tianrun Testing Technology Co.,Ltd.

Approved by: 

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 2 of 14

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Washable Acrylic Marker**Applicant:** The Pencil Grip, Inc. dba TPG Creations**Address:** 21200 Superior St. Unit A Charsworth, CA 91311 USA**Emergency Telephone:** /**Email:** /

Section 2 - Hazards Identification

GHS Hazard Categories: The product is not classified according to the GHS regulation.**Pictograms:** None**Hazard information:** None**Invasion route:** None**Health hazards:**

Under the normal condition of application, contact do not cause absorption hazard and irritate.

Storage:

Store in a well-ventilated place.

Disposal:

Dispose of contents and container in accordance with national regulations.

Section 3 - Composition/Information on Ingredient

Pure ☐ Admixture ☒**Composition:**

Chemical Name		In % By Weight	CAS No.
Black	Water soluble acrylic resin	25.00%	25767-39-9
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment black	24.00%	2955-16-0
	Water	47.97%	7732-18-5

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 3 of 14

	Chemical Name	In % By Weight	CAS No.
Yellow	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	7.14%	5468-75-7
	Water	39.83%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Golden	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	5.40%	5468-75-7
	Pigment Orange	1.66%	3520-72-7
	Water	39.91%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Dark Purple	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	3.20%	980-26-7
	Pigment Violet	0.75%	6358-30-1
	Water	43.02%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Light Blue	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	5.30%	147-14-8
	Water	41.67%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 4 of 14

	Chemical Name	In % By Weight	CAS No.
Navy blue	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	3.40%	147-14-8
	Pigment Violet	0.86%	6358-30-1
	Water	42.71%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Lime Green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	4.60%	5468-75-7
	Pigment Blue	0.46%	147-14-8
	Water	41.91%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Dark Green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	5.04%	5468-75-7
	Pigment Blue	6.10%	147-14-8
	Solvent Green	8.10%	6358-69-6
	Water	27.73%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Red	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	14.00%	6410-26-0
	Pigment Orange	3.20%	3520-72-7
	Water	29.77%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 5 of 14

	Chemical Name	In % By Weight	CAS No.
Brown	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	3.56%	6410-26-0
	Pigment Yellow	2.44%	5468-75-7
	Pigment black	1.25%	2955-16-0
	Water	39.72%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Peach Pink	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	7.20%	980-26-7
	Water	39.77%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Orange	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	1.80%	6410-26-0
	Pigment Yellow	5.80%	5468-75-7
	Water	39.37%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Rose	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	1.06%	6410-26-0
	Pigment Red 122	3.80%	980-26-7
	Water	42.11%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 6 of 14

	Chemical Name	In % By Weight	CAS No.
Patal Pink	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	6.40%	980-26-7
	Water	40.57%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Violet	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	0.72%	147-14-8
	Pigment Violet	3.60%	6358-30-1
	Water	42.65%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Blue	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	0.12%	5468-75-7
	Pigment Blue	4.00%	147-14-8
	Pigment Violet	1.55%	6358-30-1
	Water	41.30%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Yellow orange	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	2.00%	147-14-8
	Solvent Green	8.00%	6358-69-6
	Water	36.97%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 7 of 14

	Chemical Name	In % By Weight	CAS No.
Rust	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	4.40%	5468-75-7
	Pigment black	1.16%	2955-16-0
	Water	41.41%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Silvery	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	35.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment black	1.55%	2955-16-0
	Water	35.42%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Bright Yellow	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	35.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	9.60%	5468-75-7
	Water	37.37%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Teal Color	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	0.12%	5468-75-7
	Pigment Blue	2.24%	147-14-8
	Water	44.61%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 8 of 14

	Chemical Name	In % By Weight	CAS No.
Pumpkin orange	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	1.12%	980-26-7
	Pigment Violet	2.80%	6358-30-1
	Water	43.05%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Magenta	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	6.60%	6410-26-0
	Pigment Orange	7.80%	3520-72-7
	Water	32.57%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Golden yellow	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	0.70%	6410-26-0
	Pigment Yellow	6.80%	5468-75-7
	Water	39.47%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Light Pink	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	3.60%	980-26-7
	Pigment Violet	0.01%	6358-30-1
	Water	43.36%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 9 of 14

	Chemical Name	In % By Weight	CAS No.
Neon Green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	4.80%	5468-75-7
	Solvent Green	0.86%	6358-69-6
	Water	41.31%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Dark gold	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	2.20%	6410-26-0
	Pigment Yellow	4.40%	5468-75-7
	Pigment black	1.60%	2955-16-0
	Water	38.77%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Bright Orange	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	0.52%	6410-26-0
	Pigment Orange	3.67%	3520-72-7
	Water	42.78%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Mint green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	1.12%	5468-75-7
	Solvent Green	3.12%	6358-69-6
	Water	42.73%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 10 of 14

	Chemical Name	In % By Weight	CAS No.
Hunter green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	1.30%	147-14-8
	Solvent Green	2.86%	6358-69-6
	Pigment black	2.40%	2955-16-0
	Water	40.41%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Indigo	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Blue	4.80%	147-14-8
	Pigment Violet	1.00%	6358-30-1
	Pigment black	1.12%	2955-16-0
	Water	40.05%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Pink	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	0.98%	5468-75-7
	Pigment Red 122	5.60%	980-26-7
	Pigment black	0.20%	2955-16-0
	Water	40.19%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 11 of 14

	Chemical Name	In % By Weight	CAS No.
Gray	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red 122	0.22%	980-26-7
	Pigment black	6.80%	2955-16-0
	Water	39.95%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Seafoam green	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Yellow	0.80%	5468-75-7
	Pigment Blue	1.16%	147-14-8
	Solvent Green	4.80%	6358-69-6
	Water	40.21%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
Burnt orange	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Pigment Red	2.80%	6410-26-0
	Pigment Yellow	1.00%	5468-75-7
	Pigment Red 122	1.70%	980-26-7
	Water	41.47%	7732-18-5

	Chemical Name	In % By Weight	CAS No.
White	Water soluble acrylic resin	25.00%	25767-39-9
	Titanium dioxide	25.00%	13463-67-7
	Propylene glycol	3.00%	57-55-6
	Preservative	0.03%	10222-01-2
	Water	46.97%	7732-18-5

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 12 of 14

Section 4 - First Aid Measures

Skin contact: Remove contaminated clothes and rinse the skin with plenty of water, clean the soiled clothes before wearing.

Eyes contact: Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.

Inhalation: Under normal circumstances will not inhalation.

Ingestion: Ingestion discomfort, get medical aid.

Section 5 - Fire Fighting Measures

Danger characteristic: Non flammable and non explosive dangerous goods.

Fire-fighting method: The staff must equip with isolated breathing apparatus, wear clothes which can defense fire and toxic gases. Put out the fire in the upwind direction. Remove the container to the open space as soon as possible.

Fire extinguishing agent: Powder, CO2, Sandy clay.

Section 6 - Accidental Release Measures

Methods for cleaning up: Dispose of this product according to all national, state, and local regulations where applicable.

Small amount of divulgence: Clean off. Collecte in a dry, clean, covered container and transferred to safe place;

Massive divulgence: Recycle or transport to waste treatment place for handling.

Section 7 - Handling and Storage

Handling: Supply with sufficient partial air exhaust. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

Storage: Keep in sealed container, place in a cool dry place.

Section 8 - Exposure Controls, Personal Protection

Occupational exposure limit:

MAC(mg/m3): No information

TWA(mg/m3): No information

STEL(mg/m3): No information

Engineering control: The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

Respiratory Protection: No protection in normal situation.

Eyes Protection: No protection in normal situation.

Body Protection: Wear work clothes.

Hands Protection: Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.

Dongguan City Tianrun Testing Technology Co., Ltd.
601#, NO.5 Huicui Road, Bieshu Street, Xianxi Community, Changan Town, Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 13 of 14

Section 9 - Physical and Chemical Properties

Appearance:Solid**Colour:**Multicolour**PH:**N/A**Melting point/range:**N/A**Density:**N/A**Oxidising properties:**N/A**Solubility in water:**N/A**Partition coefficient(n-octanol / water):**N/A**Evaporation rate:**N/A**Odour:**N/A**Boiling point/range:**N/A**Flashpoint:**N/A**Viscosity:**N/A**Vapour pressure:**N/A**Vapour density:**N/A**Ignition temperature:**N/A**UEL:**N/A

Section 10 - Stability and Reactivity

Stability: Stable under normal temperature and pressure**Distribution of Ban:** Strong oxidizing agent, strong acid**Conditions to Avoid:** None**Hazardous Polymerization:** None**Decomposition products:**In normal condition of storage and use,hazardous decomposition products should not be produced.

Section 11 - Toxicological Information

Acute Toxicity: No known significant effects or serious harm.**Sub-acute and Chronic Toxicity:** No known significant effects or serious harm.**Irritation:** No known significant effects or serious harm.**Sensitization:** No known significant effects or serious harm.**Mutagenicity:** No known significant effects or serious harm.**Carcinogenicity:** No known significant effects or serious harm.

Section 12 - Ecological Information

Ecological toxicity:None**Persistence and degradation:**No information**Potential bioaccumulation:**No information**Migration in soil:**No information**Other harmful effects:**None

Dongguan City Tianrun Testing Technology Co.,Ltd.
601#,NO.5 Huicui Road,Bieshu Street,Xianxi Community,Changan Town,Dongguan City

Material Safety Data Sheet (MSDS)

NO.: B001R250331005002

Date: Mar 31, 2025

Page 14 of 14

Section 13 - Disposal Considerations

Disposal method: Dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Disposal considerations: Choose to have certified disposal contractor.

Section 14 - Transport Information

According to IATA DGR 66th (2025) for transportation. The product as a non restricted goods transport.

According to IMO IMDG Code (Amdt 42-24) for transportation. The product as a non restricted goods transport.

UN number: None

Risk classification: Non-dangerous goods.

Land Transport ADR/RID: Not regulated for transport of dangerous goods.

Maritime Transport IMO/IMDG (42-24): Not regulated for transport of dangerous goods.

Air Transport IATA/ICAO: Not regulated for transport of dangerous goods.

Packaging Information: Packing according to customer requirements.

Transport Fashion: By sea、By air、By rail、By highway

Transport Attentions: No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

Section 15 - Regulatory Information

Regulatory Information:

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2008 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof.

Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

End of MSDS

Dongguan City Tianrun Testing Technology Co., Ltd.
601#, NO.5 Huicui Road, Bieshu Street, Xianxi Community, Changan Town, Dongguan City