

01202-XXXX

SAFETY DATA SHEET

Issuing Date	6/1/2016	Revision Date	6/1/2020	Revision Number	
---------------------	----------	----------------------	----------	------------------------	--

1. IDENTIFICATION

Product Identifier	
Product Name	NFP200's, NFP250's, NFP300's
Other means of identification	
Synonyms	NONE
Recommended use of the chemical and restrictions on use	
Recommended use	Artistic Medium
Uses advised against	
Details of the supplier of the safety data sheet	
Supplier Name	Yasutomo
Supplier Address	3740 Skypark Dr Torrance CA 90505
Supplier Phone Number	310-791-1995
Supplier Email	csr@yasutomo.com
Emergency telephone number	911

2. HAZARDS IDENTIFICATION**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
-----------------	-------------

GHS Label elements, including precautionary statements**Emergency Overview****Signal word** Danger**Hazard Statements**

May cause cancer



Appearance	Black Powder or Pellets	Physical State	Solid	Odor	
-------------------	-------------------------	-----------------------	-------	-------------	--

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazard not otherwise classified (HNOC)

NA

Unknown Toxicity

None

Other information

No information available

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trad
Carbon Black	1333-86-4	15-20%	
Benzoic Acid	65-85-0	1-5%	
Sodium Carboxymethyl Cellulose	9004-32-4	1-5%	
Shellac Flakes	9000-59-3	45-50%	
Citric Acid	77-92-9	1-5%	
Water	7732-18-5	45-50%	

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES**First aid measures**

Eye Contact Rinse thoroughly with plenty of water. If symptoms persist, call a physician.

Skin Contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting.

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

It may not be obvious that carbon black is burning unless the material is stirred and sparks are apparent.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Wet carbon black produces slippery walking surfaces.

Other information Refer to protective measures listed in Sections 7 and 8

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clean up promptly by vacuum. HEPA filtration is recommended.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eye
Do not breathe dust. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a cool, dry, well-ventilated area.

Incompatible products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Carbon Black 1333-86-4	TWA: 3 mg/m3 inhalable fraction	TWA: 3.5 mg/m3 (vacated) TWA: 3.5 mg/m3	IDLH: 1 TWA: TWA: 0.1 mg/m3 presence of P hydroc
Shellac Flakes 9000-59-3	-	TWA: 15 mg/m3 (Inhalation) TWA: 5 mg/m3 (Inhalation Respirable)	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration
Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with shields. Goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection Wear Air-Purifying Respirator if exposure exceeds occupational exposure limits. Respirators should be NIOSH/OSHA approved.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Black Powder or Pellets

Color No information available

Odor None

Odor Threshold NA

Property

Values

Remarks Method

pH No data available None known

Melting/Freezing point No data available None known

Boiling point / boiling range No data available None known

Flash Point No data available None known

Evaporation Rate	No data available	None known
Fammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Insoluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient:	No data available	None known
Autoignition temperature	>140 C	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY**Reactivity**

May react exothermically upon contact with strong oxidizers.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Do not expose to temperatures above 300 C. Keep away from oxidixing agents.

Incompatible materials

Strong Oxidizers such as chlorates, bromates, and nitrates.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhala
Carbon Black 1333-86-4	> 8000 mg/kg (Rat)	—	
Water 7732-18-5	> 90 ml/kg (Rat)	—	

Citric Acid 77-92-9	> 5040 mg/kg (mouse)	-	
Sodium Carboxymethyl Cellulose 9004-32-4	> 27000 mg/kg (rat)	-	> 5800 mg
Benzoic Acid 65-85-0	> 2565 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 12.2 mg

Information on toxicological effects**Symptoms** No information available.**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization** No information available.**Mutagenic Effects** No information available.**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon Black 1333-86-4	A3	Group 2B		

ACGIH (American Conference of Governmental Industrial Hygienists)*A2 - Suspected Human Carcinogen**A3 - Animal Carcinogen***IARC (International Agency for Research on Cancer)***Group 1 - Carcinogenic to Humans**Group 2B - Possibly Carcinogenic to Humans**Group 3 - Not Classifiable as to Carcinogenicity in Humans***NTP (National Toxicology Program)***Known - Known Carcinogen***OSHA (Occupational Safety and Health Administration of the US Dept of Labor)***X - Present***Reproductive Toxicity**

No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Chronic Toxicity

Contains a known or suspected carcinogen. May cause adverse effects on the respiratory system and blood-forming system. May cause adverse liver effects.

Target Organ Effects

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Bl Nervous System (CNS). Kidney. Liver. Lungs. Lymphatic System.

Aspiration Hazard

No information available

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

NA

ATEmix (inhalation-dust/mist)

NA

ATEmix (inhalation-vapor)

NA

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia

Carbon Black 1333-86-4	EC50:>10000 mg/L 72h (Scenedesmus subspicatus)	LC50: >1000 mg/L 96 hr (Brachydanio Rerio)		24h EC50
Citric Acid 77-92-9	EC50:> 640 mg/L 72h (Scenedesmus quadricauda)	LD0: > 625 mg/L lifetime exposure (Goldfish)		LD100: 120 mg
Benzoic Acid 65-85-0		LC50: > 44.6 mg/L 96 hr (Bluegill Sunfish)		48h EC50

Persistence and Degradability

Not expected to degrade

Bioaccumulation

Not expected due to physicochemical properties of the substance

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal methods** Dispose of contents/containers in accordance with local regulations.**Contaminated Packaging**

Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT	Not Regulated
TDG	Not Regulated
MEX	Not Regulated
ICAO	Not Regulated
IATA	Not Regulated
IMDG/IMO	Not Regulated
RID	Not Regulated
ADR	Not Regulated
AND	Not Regulated

15. REGULATORY INFORMATION**International Inventories**

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compe Act (CERCLA) (40 CFR 302) or the Superfund Ammendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements a or state level pertaining to release of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Ill
---------------	------------	---------------	--------------	--------------	-----

Carbon Black 1333-86-4	X	X	X		
Shellac Flakes 9000-59-3	X				

International Regulations

Mexico

National Occupational exposure limits

Component	Carcinogen Status	Exposure Limit:
Carbon Black 1333-86-4 (1-5)		Mexico: TWA = 3.5 mg/ Mexico: STEL - 7 mg/r

Mexico - Occupational Exposure Limits - Carcinogens

16. OTHER INFORMATION							
NFPA	Health Hazards	1	Flammability	0	Instability	0	Physical and Chemical Ha: Personal Pro X
HMIS	Health Hazards	1*	Flammability	0	Physical Hazard	0	


Chronic Hazard Star Legend * = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The informa only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specific information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any p specified in the text.

End of Safety Data Sheet

2



None



e Secret
*
*
*
*
*
*



ious person. Do



and full





res or clothing.
clothing and



SH IDLH
.750 mg/m3
3.5 mg/m3
m3 Carbon black in polycyclic aromatic arbons PAH
-

- Permissible

. OSHA, 965 F.2d
rameters

sure limits.

e. Do not eat,
and immediately





tion LC50
-
-

-
g/m3 4hr (Rat)
g/l 4hr (Rat)

OSHA
x

ts on the bone

lood. Central



Magna (Water -lea)

): >5600 mg/L
/l Lifetime exposure
0: > 100 mg/L




nsation and Liability
t the local, regional,

linois

X

S
m3
13



**zards -
tection**

*tion given is designed
:ation. The
rocess, unless*